

9-1090-202-35P

TM 9-1090-202-35P

DEPARTMENT OF THE ARMY TECHNICAL MANUAL

DIRECT SUPPORT, GENERAL SUPPORT, AND
DEPOT MAINTENANCE REPAIR PARTS
AND SPECIAL TOOLS LIST
ARMAMENT SUBSYSTEM, HELICOPTER,
7.62 MILLIMETER MACHINE GUN-
2.75 INCH ROCKET LAUNCHER: M21
(1090-923-5971)
(USED ON UH-1B AND UH-1C HELICOPTERS)

This copy is a reprint which includes current
pages from Changes 1 and 2.

HEADQUARTERS, DEPARTMENT OF THE ARMY

OCTOBER 1970

D 101-11:



best copy available



CHANGE }
NO. 2 }

HEADQUARTERS
DEPARTMENT OF THE ARMY
WASHINGTON, DC, 10 December 1975

**Aviation Intermediate and Depot Maintenance
Repair Parts and Special Tools List**

**ARMAMENT SUBSYSTEM, HELICOPTER
7.62 MILLIMETER MACHINE GUN—
2.75 INCH ROCKET LAUNCHER: M21
(1090-00-923-5971)
(USED ON UH-1B AND UH-1C HELICOPTERS)**

TM 9-1090-202-35P, 6 October 1970, is changed as follows:

The title is changed as shown above.

Add the following:

To implement the 3-level maintenance concept, the following changes will be made to this manual, as applicable:

a. Substitute the words Aviation Unit maintenance for Crew Operator and Organizational maintenance (first level of maintenance). Also, wherever the symbol for Crew Operator maintenance (C) is used, change to the symbol for Aviation Unit maintenance (O).

b. Substitute the words Aviation Intermediate maintenance for Direct Support and General Support maintenance (second level of maintenance). Also, wherever the symbol for General Support maintenance (H) is used, change to the symbol for Aviation Intermediate maintenance (F).

c. The Depot level of maintenance remains the same (third level of maintenance).

d. Under the new 3-level maintenance concept, the maintenance codes are as follows: Aviation Unit Maintenance (O), Aviation Intermediate Maintenance (F), and Depot Maintenance (D).

By Order of the Secretary of the Army:

FRED C. WEYAND
General, United States Army
Chief of Staff

Official:

PAUL T. SMITH
Major General, United States Army
The Adjutant General

Distribution:

To be distributed in accordance with DA Form 12-31 (qty rqr block No. 389), Direct General Support requirements for 7.62-MM Machine Gun 2.75" Rocket Launcher, High Rate, M21.



Change }
No. }

HEADQUARTERS,
DEPARTMENT OF THE ARMY,
Washington, D. C., 23 September 1971

**Direct Support, General Support, and Depot Maintenance Repair Parts
and Special Tools List**

**ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER MACHINE
GUN — 2.75 INCH ROCKET LAUNCHER: M21
(1090-923-5971)
(USED ON UH-1B AND UH-1C HELICOPTERS)**

TM 9-1090-202-35P, 6 October 1970, is changed as follows:

Section II. REPAIR PARTS LIST

(1) Act on Code	(2) Federal Stock No.	(3) Description Reference no. & mfr. code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DB maint allowance			(7) 30-day GB maint allowance			(8) 3-yr allow per 100 equip enrgy	(9) depot maint allow per 100 equip	(10) Illustration	
					(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) figure No.	(b) item no.
		<i>Pages 9 through 12. Beginning with figure 6, item 1, delete all entries identified with figure 6 (6-1 through 6-52), and substitute the following:</i>												
		FEEDER, DELINKING: MAU-46/A 11701120 (19206)												
C	P O	SCREW, MACHINE: PAN HEAD, CROSS-RECESSED, CRES, No. 10-32UNF-2A 1/4 LG MS51958-63 (96906)	EA	13	3	8	17	3	8	17	204	75	6	1
C	P O	SCREW, MACHINE: CRES, FL DTSK HD, CROSS RECESSED, NO. 10-32UNF-2A, 7/16 LG 11701219 (19204)	EA	1	1	2	4	1	2	4	48	50	6	2
C	P O	GUIDE, LINK: 11686380 (19205)	EA	1	1	2	4	1	2	4	48	25	6	3
C	P O	GUIDE, ENTRANCE: 11686379 (19205)	EA	1	1	2	4	1	2	4	48	23	6	4
C	P F	SCREW, MACHINE: PAN HEAD, CROSS-RECESSED, CRES, No. 1032-UNF-2A, 3/8 LG MS51958-61 (96906)	EA	1	2	4	8	2	4	8	96	50	6	5
C	P F	GUIDE, NOSE: 11686381 (19205)	EA	1	*	1	2	*	1	2	24	15	6	6
C	P O	SCREW, MACHINE: PAN HEAD, CROSS-RECESSED, CRES, NO. 8-32UNC-2A, 7/16 LG MS51957-44 (96906)	HD	2	*	*	*	*	*	*	12	1	6	7
C	P O	INSERT, FEEDER: CAM HOUSING 11701129 (19205)	EA	1	*	*	1	*	*	1	12	3	6	8
C	P F	INSERT, SCREW THREAD: CRES, 8-32 INT THD, 0.220 EXT THD, 0.246 OA LG MS21209C0815 (96906)	EA	2	1	2	4	1	2	4	48	100	6	9
C	P O	HOUSING, FEEDER CAM: 11701139 (19205)	EA	1	*	*	*	*	*	*	12	3	6	10
C	P O	ROLLER, PUSH ROD: 11701122 (19205)	EA	7	3	6	13	3	6	13	156	100	6	11
C	P O	PUSH ROD ASSEMBLY: 11701126 (19205)	EA	7	1	4	7	1	4	7	84	30	6	12
C	P F	BEARING, BALL, ANNULAR: 11701116 (19205)	EA	1	3	6	13	3	6	13	156	50	6	13
C	P O	PIN, SPRING: TUBULAR, COILED 0.182 OD, 0.96 LG 8447845 (19204)	EA	2	3	6	13	3	6	13	156	200	6	14
C	P O	PLATE, FORWARD GUIDE: 11701216 (19205)	EA	1	*	1	1	*	1	1	12	8	6	15

Section II. REPAIR PARTS LIST—Continued

(1) Act Code	(2) FMR Code	(3) Federal stock No.	(4) Description	(5) Unit of meas	(6) Qty inc in unit	(7) 30-day Dd maint allowance			(8) 1-yr 100 equip energy	(9) depot 100 equip	(10) Illustration figure No.	(11) Illustration item no.
						(a) 1-30	(b) 31-60	(c) 61-100				
			Reference no. & mfr. code									
			FEEDER, DELINKING; MAU-56/A 11701120 (19205) -Continued									
			CONSISTING OF:									
			BEARING, SLEEVE:									
			11701115 (19205)	EA	1	1	2	3	36	40	6	16
			PLATE									
			11701138 (19204)	EA	1	•	1	1	12	10	6	17
			SPROCKET, FEEDER:									
			11701130 (19205)	EA	1	•	1	2	24	50	6	18
			SHRIPPER, SLEEVE AND PIN ASSEMBLY:									
			11701217 (19205)	EA	1	•	1	2	24	50	6	19
			CONSISTING OF:									
			PIN, SPRING; TUBULAR, SLOTTED, CRES,	HD	1	•	•	•	12	1	6	20
			1/16 OD, 3/8 LG									
			MS16562-192 (96906)									
			SLEEVE									
			11686382	EA	1	1	2	4	48	100	6	21
			PIN, SPRING; TUBULAR, SLOTTED, CRES, 3/16 OD,									
			7/16 LG	EA	1	•	1	1	12	15	6	22
			MS16562-241 (96906)									
			GEAR, FEEDER:	EA	1	•	1	1	24	8	6	23
			11701131 (19205)									
			GUIDE ASSEMBLY, PUSH ROD	EA	1	•	1	2	24	8	6	24
			11701218 (19205)									
			CONSISTING OF:									
			PIN, SPRING; TUBULAR, SLOTTED, CRES, 1/8 OD,	EA	1	1	2	4	48	100	6	25
			7/16 LG									
			MS16562-220 (96906)									
			GUIDE, PUSH ROD									
			11701135 (19204)	EA	1	•	1	2	24	8	6	26
			SHAFT, SHOULDERED									
			11701136 (19205)	EA	1	•	1	2	24	8	6	27
			SCREW, MACHINE PAN HEAD, CROSS-RECESSED,									
			CRES, NO. 10-32UNF-2A, 3/4 LG	EA	3	5	12	24	288	100	6	28
			MS51958-65 (96906)									
			INSERT, SCREW THREAD CRES, NO 10-32NF-3,									
			0.256 EXT THD DATA, 0.285 OALG	EA	3	REF	REF	REF	REF	REF	6	29
			MS21209F1-15 (96906)									
			GUIDE, FEEDER:									
			11701132 (19205)	EA	1	•	1	1	12	8	6	30


Section II. REPAIR PARTS LIST—Continued

(1) Art on Code	(2) Federal stock No.	(3) Description	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day Del maint allowance			(7) 90-day Gas maint allowance			(8) 1-yr depot maint alt per 100 equip	(9) Illustration
					(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100		
C	P F	1006-922-8048 GUIDE, CAM: 11701137 (19205)	EA	1	•	1	1	•	1	1	7	6
C	P F	5315-812-4658 PIN, SPRING: TUBULAR, COILED, CRES, 1/8 OD, 5/8 LG	HD	2	REF	REF	REF	REF	REF	REF	REF	6
C	P F	5315-846-2142 MS39086-141 (96906) PIN, SPRING: TUBULAR, COILED, CRES, 1/8 OD, 1/2 LG	EA	2	3	6	13	3	6	13	100	6
C	P F	1005-922-8041 LINK, FEEDER: 11701127 (19205)	EA	1	1	2	4	1	2	4	25	6
C	P F	1005-922-8042 ARM, PIVOT: 11701128 (19205)	EA	1	1	2	4	1	2	4	25	6
C	P F	5310-844-3302 NUT, EXTENDED WASHER, HEXAGON: CRES, No. 10-32UNF-3B	EA	1	1	2	4	1	2	4	25	6
C	P F	5945-922-8056 MS21043-3 (96906) SOLENOID, ELECTRICAL: 11701134 (19205)	EA	1	1	1	3	1	1	3	12	6
C	P F	5305-059-3656 SCREW, MACHINE: PAN HEAD, CROSS-RECESSED, CRES, No. 10-32UNF-2A, 5/16 LG	EA	2	2	4	8	2	4	8	50	6
C	P F	1005-922-8038 MS51958-60 (96906) SPRING, CLEARING: 11701124 (19205)	EA	1	•	1	2	•	1	2	10	6
C	P F	1005-922-8050 GUIDE, CLEARING: 11701140 (19205)	EA	1	1	2	4	1	2	4	25	6
C	P D	5305-253-5607 SCREW, DRIVE: RD HD, S, CD PLTD, TYPE U, No. 0, 3/16 LG	EA	2	•	•	•	•	•	•	100	6
X2D		MS21318-8 (96906) PLATE, IDENTIFICATION: 11701098 (19205)	EA	1	•	•	•	•	•	•	•	6
C	P F S	1005-192-9551 HOUSING ASSEMBLY, FEEDER: 11691250 (19104)	EA	1	•	1	2	•	1	2	24	6
		HOUSING ASSEMBLY, FEEDER: 11691250 (19204)	EA	1	•	1	2	•	1	2	24	6
C	P F	1005-915-5700 TIMING PIN SET, FEEDER DELINKER: 5910338 (19204)	EA	1	•	1	2	•	1	2	15	6.1
X1		CONSISTING OF: PIN, SPRING: TUBULAR, SLOTTED, CRES, 1/16 OD, 1/2 LG MS16562-194 (96906)	EA	1	•	1	2	•	1	2	15	6.1

Section II. REPAIR PARTS LIST—Continued

(1) Act on Code	(2) SMR Code	(3) Federal stock No.	(4) Description Reference no. & mfr. code	(5) Unit of meas	(6) Qty inc in unit	(7) 30-day D8 maint allowance			(8) 1-yr allow per 100 equip catgy	(9) depot maint allow per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-90	(c) 91-100			(a) Figure No.	(b) Item no.
			HOUSING ASSEMBLY, FEEDER: 11691250 (19204)									
	X1		BUTTON 11701056 (19204)		1						6.1	3
	X1		SPRING, HELICAL, COMPRESSION: CD PLTD, S, 0.300 OD, 1 LG (FREE), 6 1/2 COILS, 0.026 DIA WIRE MS24585-1156 (96906)		1						6.1	4
	X1		PIN, TIMING 11701053 (19204)		1						6.1	5
C	P F	5315-881-2253	PIN, SPRING: TUBULAR, SLOTTED, CRES, 1/8 OD, 1/2 LG MS16562-221 (96906)	EA	3	2	4	8	96	50	6.1	6
C	P F	5315-826-3251	PIN, SPRING: TUBULAR, SLOTTED, CRES, 1/8 OD, 5/8 LG MS16562-223 (96906)	EA	3	2	4	8	96	30	6.1	7
C	P F	5315-846-2140	PIN, SPRING: TUBULAR, COILED, CRES, 1/8 OD, 7/8 LG MS39096-143 (96906)	EA	2	3	6	13	156	100	6.1	8
C	P F	1005-922-8039	PLATE, INSTRUCTION: 11701125 (19205)	EA	1	*	*	1	12	5	6.1	9
C	P F	5340-721-7906	INSERT, SCREW THREAD: MS122199 (96906)	EA	3	3	8	17	204	100	6.1	10
C	P F	5340-800-7874	INSERT, SCREW THREAD: MS21209F1-15 (96906)	EA	13	REF	REF	REF	REF	REF	6.1	11
C	X1		HOUSING FEEDER 11686378 (19204)		1						6.1	12


• Page 98, Figure 6, is superseded as follows:



WE 69500

Figure 6. Detalking feeder MAU-56/A—exploded view (sheet 1 of 2).


Page 99. Figure 6, is superseded as follows:



WE 69501

Figure 6. Delinking feeder MAU-56/A—exploded view (sheet 2 of 2).

Page 100. Figure 6, is superseded as follows:



WE 69506

Figure 6-1. Feeder housing assembly — exploded view.

Pages 156 through 176. Section IV. INDEX — FEDERAL STOCK NUMBER AND REFERENCE NUMBER
CROSS-REFERENCE TO FIGURE AND ITEM NUMBER.

Delete, add, or change Federal stock numbers, reference numbers, or figure and item numbers as indicated.
Action codes are as follows: A — add, D — delete; C — change figure and item numbers.

Page	Action	Federal stock number or reference number	Figure No	Item No
156	C	1005-192-9551	6	43
156	D	1005-861-4639		
156	C	1055-915-5700	6.1	1
156	D	1005-922-8027		
156	C	1005-922-8033	6	6
156	C	1055-922-8035	6	42
156	D	1005-922-8036		
156	C	1055-922-8037	6	11
156	C	1005-922-8038	6	39
156	C	1005-922-8039	6.1	9
156	C	1005-922-8040	6	12
156	C	1005-922-8041	6	34
156	C	1005-922-8042	6	35
156	C	1005-922-8043	6	8
156	C	1005-922-8044	6	18
156	C	1005-922-8045	6	30
156	C	1005-922-8047	6	27
156	C	1055-922-8048	6	31
156	C	1005-922-8049	6	10
156	C	1005-922-8050	6	40
156	C	1005-922-8052	6	15
156	C	1055-922-8053	6	19
156	C	1005-922-8054	6	24
157	C	1005-943-5661	6	23
159	A	3110-922-8036	6	13
159	A	3120-922-8027	6	16
159	C	5305-054-6669	6	7
159	C	5305-059-3656	6	38
159	C	5305-059-3657	6	5
159	C	5305-059-3661	6	28
160	C	5305-253-5607	6	41
162	C	5310-844-3302	6	36
162	C	5315-143-6422	6	14
162	C	5315-234-7465	6	25
162	C	5315-558-5141	6	22
162	C	5315-812-4658	6	32
162	C	5315-823-8740	6	20
162	C	5315-826-3251	6.1	7
162	C	5315-846-2140	6.1	8
162	C	5315-846-2142	6	33
162	D	5315-846-5998		
162	C	5315-881-2253	6.1	6
163	C	5340-721-7906	6.1	10
163	C	5340-800-7874	6	29
163	A	5340-800-7874	6.1	11
163	C	5340-815-4929	6	9
164	C	5945-922-8056	6	37
166	C	MS122199	6.1	10
166	C	MS16562-192	6	20
166	C	MS16562-194	6.1	2
166	C	MS16562-220	6	25
166	C	MS16562-221	6.1	6
166	C	MS16562-223	6.1	7
166	C	MS16562-241	6	22

Page	Action	Federal stock number or reference number	Figure No.	Item No.
166	C	MS21043-3	6	36
167	C	MS21209C0615	6	9
167	C	MS21209F1-15	6	29
167	A	MS1209F1-15 (96906)	6.1	11
167	C	MS21318-8	6	41
167	C	MS24585-1156	6.1	4
167	C	MS39086-139	6	33
169	C	MS39086-141	6	32
169	C	MS39086-143	6.1	8
169	C	MS51957-44	6	7
169	C	MS51958-60	6	38
169	C	MS51958-61	6	5
169	C	MS51958-65	6	28
171	C	11686378	6.1	12
171	C	11686381	6	6
171	C	11686382	6	21
171	C	11691250	6	43
173	C	11701055	6.1	5
173	C	11701056	6.1	3
173	D	11701086		
173	C	11701088	6	42
173	C	11701115	6	16
173	C	11701116	6	13
173	C	11701122	6	11
173	C	11701124	6	39
173	C	11701125	6.1	9
173	C	11701126	6	12
173	C	11701127	6	34
173	C	11701128	6	35
173	C	11701129	6	8
173	C	11701130	6	18
173	C	11701131	6	23
173	C	11701132	6	30
173	C	11701134	6	37
173	C	11701135	6	26
173	C	11701136	6	27
173	C	11701137	6	31
173	C	11701138	6	17
173	C	11701139	6	10
173	C	11701140	6	40
173	C	11701216	6.	15
173	C	11701217	6	19
173	C	11701218	6	24
173	C	5910338	6.1	1
176	C	8447845	6	14

By Order of the Secretary of the Army:


W. C. WESTMORELAND,
General, United States Army,
Chief of Staff.

Official:

VERNE L. BOWERS,
Major General, United States Army,
The Adjutant General.

Distribution:

To be distributed in accordance with DA Form 12-31, (qty rqr block no. 177) Direct and General Support maintenance requirements for 7.62MM Machine Gun/2.75 inch Rocket Launcher, High Rate, M21.



**DIRECT SUPPORT, GENERAL SUPPORT, AND
DEPOT MAINTENANCE REPAIR PARTS
AND SPECIAL TOOLS LIST
ARMAMENT SUBSYSTEM, HELICOPTER,
7.62 MILLIMETER MACHINE GUN—
2.75 INCH ROCKET LAUNCHER: M21
(1090-923-5971)**

This manual is current as of

	Paragraph	Page
LIST OF ILLUSTRATIONS		iii
 SECTION I. INTRODUCTION		
Scope	1	1
General	2	1
Explanation of columns	3	1
Special information	4	2
How to locate repair parts	5	3
Abbreviations	6	3
Federal supply codes for manufacturers	7	3
Recommendations for maintenance publication improvements	8	3
 SECTION II. REPAIR PARTS LIST		
Components of major combinations		5
Machine gun assembly		5
7.62 Millimeter machine gun M134		6
Bolt assembly		8
Rotor assembly		8
Delinking feeder MAU-56/A		9
Recoil adapter assembly		12
Electric drive assembly		13
2.75 Inch aircraft rocket launcher M158		14
2.75 Inch aircraft rocket launcher M158A1, (E1)		14
7.62 Millimeter machine gun—2.75 inch rocket launcher mount		18
Ammunition chute		23
Cartridge drive assembly		24
Speed decriaser gear assembly		24
Gear and clutch assembly drive shaft		28
Cartridge feed assembly		29
Ammunition box assembly		33

*This manual supersedes the repair parts and special tools list portion of TM 9-1090-202-35, 1 June 1966.

SECTION II.

REPAIR PARTS LIST—Continued

Electrical special purpose cable assemblies	34
Control box assembly	35
Sighting station	40
Rocket launcher intervalometer	55
Control panel	58
Guide assembly	61
Power supply	62
Mount assembly	64
Helicopter pylon	68
Filter	69
Mechanical drive gear assembly	69
Resistor and gear assembly	74
Deflection gear assembly	75
Elevation gear assembly	75
Variable resistor and switch assembly	75
Rack and support assembly	77
Arm bracket assembly	82
Aircraft bomb rack MA4A	83
Reflex sight XM60 or XM60E1	87
Sight mount	87
Bullet trap assembly	87
Boresight kit	88
Variable resistor installation kit	89
Bore brush assembly	90

SECTION III.

TOOLS TEST, AND SUPPORT EQUIPMENT	90
---	----

SECTION IV.

INDEX—FEDERAL STOCK NUMBER AND REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND ITEM NUMBER	156
--	-----

LIST OF ILLUSTRATIONS

Number	Title	Page
1.	Components Of Major Combination	93
2.	Machine Gun Assembly—Exploded View	94
3.	7.62 Millimeter Machine Gun M134—Partially Exploded View	95
4.	Bolt Assembly—Partially Exploded View	96
5.	Rotor Assembly—Exploded View	97
6.	Delinking Feeder MAU-56/A—Partially Exploded View (Sheet 1 of 3)	98
6.	Delinking Feeder MAU-56/A—Partially Exploded View (Sheet 2 of 3)	99
6.	Delinking Feeder MAU-56/A—Partially Exploded View (Sheet 3 of 3)	100
7.	Recoil Adapter Assembly—Exploded View	101
8.	Electric Drive Assembly—Partially Exploded View	102
9.	2.75 Inch Aircraft Rocket Launcher M158 and M158A1, (E1)—Partially Exploded View (Sheet 1 of 2)	103
9.	2.75 Inch Aircraft Rocket Launcher M158 and M158A1, (E1)—Partially Exploded View (Sheet 2 of 2)	104
10.	7.62 Millimeter Machine Gun—2.75 Inch Rocket Launcher Mount—Partially Exploded View (Sheet 1 of 4)	105
10.	7.62 Millimeter Machine Gun—2.75 Inch Rocket Launcher Mount—Partially Exploded View (Sheet 2 of 4)	106
10.	7.62 Millimeter Machine Gun—2.75 Inch Rocket Launcher Mount—Partially Exploded View (Sheet 3 of 4)	107
10.	7.62 Millimeter Machine Gun—2.75 Inch Rocket Launcher Mount—Partially Exploded View (Sheet 4 of 4)	108
11.	Ammunition Chute—Partially Exploded View	109
12.	Cartridge Drive Assembly—Left Hand or Right Hand—Partially Exploded View	109
13.	Speed Decreaser Gear Assembly—Partially Exploded View (Sheet 1 of 2)	110
13.	Speed Decreaser Gear Assembly—Partially Exploded View (Sheet 2 of 2)	111
14.	Gear and Clutch Assembly Drive Shaft—Exploded View	112
15.	Cartridge Feed Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 1 of 3)	112
15.	Cartridge Feed Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 2 of 3)	113
15.	Cartridge Feed Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 3 of 3)	114
16.	Ammunition Box Assembly—Partially Exploded View	115
17.	Ammunition Box Assembly—Partially Exploded View	116
18.	Ammunition Box Assembly—Partially Exploded View	117
19.	Electrical Special Purpose Cable Assemblies—Partially Exploded Views	118
20.	Control Box Assembly—Partially Exploded View (Sheet 1 of 3)	119
20.	Control Box Assembly—Partially Exploded View (Sheet 2 of 3)	120
20.	Control Box Assembly—Partially Exploded View (Sheet 3 of 3)	121
21.	Sighting Station—Partially Exploded View—Suspension Linkage	122
22.	Sighting Station—Partially Exploded View—Controller Gear and Electrical Component	123
23.	Sighting Station—Partially Exploded View—Controller Sight and Grip Assemblies Mount	124
24.	Sighting Station—Partially Exploded View—Controller Sight Assembly	125
25.	Sighting Station—Partially Exploded View—Gun Mount Controller Grip Assembly	126
26.	Rocket Launcher Intervalometer—Exploded View	127
27.	Control Panel—Partially Exploded View (Sheet 1 of 2)	128
27.	Control Panel—Partially Exploded View (Sheet 2 of 2)	129
28.	Guide Assembly—Partially Exploded View	130
29.	Power Supply—Partially Exploded View	131
30.	Mount Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 1 of 3)	132
30.	Mount Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 2 of 3)	133
30.	Mount Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 3 of 3)	134
31.	Helicopter Pylon—Left Hand and Right Hand—Partially Exploded View	135
32.	Filter—Exploded View	135
33.	Mechanical Drive Gear Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 1 of 9)	136
33.	Mechanical Drive Gear Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 2 of 9)	137

LIST OF ILLUSTRATION — Continued

Number	Title	Page
33.	Mechanical Drive Gear Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 3 of 9)	138
33.	Mechanical Drive Gear Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 4 of 9)	139
33.	Mechanical Drive Gear Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 5 of 9)	139
33.	Mechanical Drive Gear Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 6 of 9)	140
33.	Mechanical Drive Gear Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 7 of 9)	141
33.	Mechanical Drive Gear Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 8 of 9)	142
33.	Mechanical Drive Gear Assembly—Left Hand and Right Hand—Partially Exploded View (Sheet 9 of 9)	143
34.	Resistor and Gear Assembly—Partially Exploded View	143
35.	Deflection Gear Assembly or Elevation Gear Assembly—Partially Exploded View	144
36.	Variable Resistor and Switch Assembly—Partially Exploded View	144
37.	Rack and Support Assembly—Partially Exploded View—Left Hand Shown (Sheet 1 of 2)	145
37.	Rack and Support Assembly—Partially Exploded View—Left Hand Shown (Sheet 2 of 2)	146
38.	Arm Bracket Assembly—Exploded View—Left Hand Shown	147
39.	Aircraft Bomb Rack MA4A—Partially Exploded View (Sheet 1 of 2)	147
39.	Aircraft Bomb Rack MA4A—Partially Exploded View (Sheet 2 of 2)	148
40.	Sight Mount	149
41.	Bullet Trap Assembly	150
42.	Boresight Kit	151
43.	Variable Resistor Installation Kit.....	151
44.	Borebrush Assembly	152
45.	Flash Suppressor Assembly—Exploded View	152
46.	Tools and Equipment.....	153
47.	Hydraulic-electric Power Cart	154
48.	Armament Subsystem Test Sets	155

DIRECT SUPPORT, GENERAL SUPPORT, AND DEPOT MAINTENANCE REPAIR PARTS AND SPECIAL TOOLS LIST

Section I. INTRODUCTION

1. Scope.

This manual lists repair parts, special tools, and test and support equipment required for the performance of direct support, general support, and depot maintenance of the 7.62 millimeter machine gun — 2.75 inch rocket launcher helicopter armament subsystem M21.

2. General.

This Repair Parts and Special Tools List is divided into the following sections:

a. Repair Parts — Section II. A list of repair parts authorized for the performance of maintenance at the direct support, general support, and depot level in figure and item number sequence.

b. Tools, Test and Support Equipment — Section III. A list of tools, test and support equipment authorized for the performance of maintenance at the direct support, general support, and depot level.

c. Federal Stock Number and Reference Number Index — Section IV. A list of Federal stock numbers in ascending numerical sequence followed by a list of reference numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure number and item number.

3. Explanation of Columns.

The following provides an explanation of columns in the tabular lists in Sections II and III:

a. Source, Maintenance, and Recoverability Codes (SMR), Column 1:

(1) Source code, indicates the selection status and source for the listed item. Source codes are:

Code	Explanation
P	Repair parts which are stocked in or supplied from the GSA/DSA, or Army supply system and authorized for use at indicated maintenance categories.
P2	Repair parts which are procured and stocked for insurance purposes because the combat or military essentiality of the end item dictates that a minimum quantity be available in the supply system.
P9	Assigned to items which are NSA design controlled: unique repair parts, special tools, test, measuring and diagnostic equipment, which are stocked and supplied by the Army COMSEC logistic system, and which are not subject to the provisions of AR 380-41.

P10	Assigned to items which are NSA design controlled: special tools, test, measuring and diagnostic equipment for COMSEC support, which are accountable under the provisions of AR 380-41, and which are stocked and supplied by the Army COMSEC logistic system.
M	Repair parts which are not procured or stocked, but are to be manufactured at indicated maintenance levels.
A	Assemblies which are not procured or stocked as such, but are made up of two or more units. Such component units carry individual stock numbers and descriptions, are procured and stocked separately and can be assembled to form the required assembly at indicated maintenance categories.
X	Parts and assemblies which are not procured or stocked and the mortality of which normally is below that of the applicable end item or component. The failure of such part or assembly should result in retirement of the end item from the supply system.
X1	Repair parts which are not procured or stocked. The requirement for such items will be filled by use of the next higher assembly or component.
X2	Repair parts which are not stocked. The indicated maintenance category requiring such repair parts will attempt to obtain same through cannibalization. Where such repair parts are not obtainable through cannibalization, requirements will be requisitioned, with accompanying justification, through normal supply channels.
G	Major assemblies that are procured with PEMA funds for initial issue only as exchange assemblies at DSU and GSU level. These assemblies will not be stocked above DS and GS level or returned to depot supply level.

(2) Maintenance code, indicates the lowest category of maintenance authorized to install the listed item. The maintenance level codes are:

Code	Explanation
C	Operator / Crew
O	Organizational maintenance
F	Direct support maintenance
H	General support maintenance
D	Depot maintenance

(3) Recoverability code, indicates whether unserviceable items should be returned for recovery or salvage. Items not coded are expendable. Recoverability codes are:

Code	Explanation
R	Repair parts (assemblies and components) which are considered economically repairable at direct and general support maintenance levels. When the maintenance capability to repair these items does not exist, they are normally disposed of at the GS level. When supply considerations dictate, some of these repair parts may be listed for automatic return to supply for depot level repair as set forth in AR 710-50. When so listed, they will be replaced by supply on an exchange basis.
S	Repair parts and assemblies which are economically repairable at DSU and GSU activities and which normally are furnished by supply on an exchange basis. When items are determined by a GSU to be uneconomically repairable, they will be evacuated to a depot for evaluation and analysis before final disposition.
T	High dollar value recoverable repair parts which are subject to special handling and are issued on an exchange basis. Such repair parts normally are repaired or overhauled at depot maintenance activities.
U	Repair parts specifically selected for salvage by reclamation units because of precious metal content, critical materials, or high dollar value reusable casings or castings.

b. *Federal Stock Number, Column 2.* This column indicates the Federal stock number assigned to the item and will be used for requisitioning purposes.

c. *Description, Column 3.* This column indicates the Federal item name and any additional description of the item required. The abbreviation "w / e", when used as a part of the nomenclature, indicates that the Federal stock number includes all armament, equipment, accessories, and repair parts issued with the item. A part number or other reference number is followed by the applicable five-digit Federal supply code for manufacturers in parentheses.

d. *Unit of Measure (U / M), Column 4.* A 2 character alphabetic abbreviation indicating the amount or quantity of the item upon which the allowances are based, e.g., ea, pr, ft, etc.

e. *Quantity Incorporated in Unit, Column 5.* This column indicates the quantity of the item used in the assembly group. A "V" appearing in this column in lieu of a quantity indicates that a definite quantity cannot be indicated (e. g., shims, spacers, etc.).

f. *30-Day DS / GS Maintenance Allowances, Columns 6 and 7.*

NOTE

Allowances in GS column are for GS maintenance only.

(1) The allowance columns are divided into three subcolumns. Indicated in each subcolumn, opposite the first appearance of each item, is the total quantity of items authorized for the number of

equipments supported. Subsequent appearances of the same item will have the letters "REF" in the applicable allowance columns. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

(2) The quantitative allowances for DS / GS levels of maintenance will represent initial stockage for a 30-day period for the number of equipments supported.

(3) Determination of the total quantity of parts required for maintenance of more than 100 of these equipments can be accomplished by converting the equipment quantity to a decimal factor by placing a decimal point before the next to last digit of the number to indicate hundredths, and multiplying the decimal factor by the parts quantity authorized in the 51-100 allowance column. Example, authorized allowance for 51-100 equipments is 40; for 150 equipments, multiply 40 by 1.50 or 60 parts required.

g. *1-Year Allowances Per 100 Equipments / Contingency Planning Purposes, Column 8.* This column indicates, opposite the first appearance of each item, the total quantity required for distribution and contingency planning purposes. The range of items indicates total quantities of all authorized items required to provide for adequate support of 100 equipments for one year.

h. *Depot Maintenance Allowance Per 100 Equipments, Column 9.* This column indicates, opposite the first appearance of each item, the total quantity authorized for depot maintenance of 100 equipments. Subsequent appearances of the same item will have the letters "REF" in the allowance column. Items authorized for use as required but not for initial stockage are identified with an asterisk in the allowance column.

i. *Illustration, Column 10.* This column is divided as follows:

(1) *Figure Number, Column 10a.* Indicates the figure number of the illustration in which the item is shown.

(2) *Item Number, Column 10b.* Indicates the callout number used to reference the item in the illustration.

4. Special Information.

a. The basis of issue for authorized special tools, test and support equipment is the number of end items of equipment supported and the number of maintenance personnel allocated to perform the required maintenance operations as follows: one ruptured cartridge case extractor, one hydraulic-electric power cart, and two variable resistor installation kits for each direct support unit; and two hydraulic-electric power carts and one variable resistor installation kit for each general support unit. Also two bullet trap assemblies for each three

armament subsystems M21 supported and two flash suppressor assemblies for each armament subsystem M21.

b. Action change codes indicated in the left hand margin of the listing page denote the following:

- N—Indicates an added item not included in previous publications
- C—Indicates a change in data
- F—Indicates a change in FSN only

c. The following publications pertain to armament subsystem M21 and its components:

LO 9-1090-202-12	Lubrication Order
TM 9-1090-202-12	Operator's and Organizational Maintenance Manual
TM 9-1090-202-20P	Organizational Maintenance Repair Parts and Special Tools List
TM 9-1090-202-34	Direct Support and General Support Maintenance Manual

5. How to Locate Repair Parts.

a. When Federal stock number or reference number is unknown:

(1) *First.* Using the table of contents, determine the assembly group or subgroup, i.e., control box assembly, intervalometer, aircraft bomb rack, within which the repair part belongs. This is necessary since illustrations are prepared for assembly groups or subgroups, and listings are divided into the same groups.

(2) *Second.* Find the illustration covering the assembly group or subgroup to which the repair part belongs.

(3) *Third.* Identify the repair part on the illustration and note the illustration figure and item number of the repair part.

(4) *Fourth.* Using the Repair Parts Listing, find the assembly group or subgroup to which the repair part belongs and locate the illustration figure and item number noted on the illustration.

b. When Federal stock number or reference number is known:

(1) *First.* Using the Index of Federal Stock Numbers and Reference Numbers, find the pertinent Federal stock number or reference number. This index is in ascending FSN sequence followed by a list of reference numbers in ascending alpha-numeric sequence, cross-referenced to the illustration figure and item number.

(2) *Second.* Using the Repair Part Listing, find the assembly group or subgroup of the repair part and the illustration figure number and item number referenced in the Index of Federal Stock Numbers and Reference Numbers.

6. Abbreviations.

Abbreviations	Explanation
AL	aluminum
ALW	allowance
ALY	alloy
ANLD	annealed
BR	brass
BRGT	bright
CAND	candelabra
CD	cadmium
CL	coil
CONT	contract
CORR	corrosion
CRES	corrosion resistant
DBL	double
DEG	degree
DIA, DIAM	diameter
DLD	drilled
F	Fahrenheit
F/	for
FFAR	folding fin aerial rockets
FIL	filament, fillister
FIN.	finish
FWD	forward
H	high / height
HD	head, hundred
HEX	hexagon
ID	inside diameter
INC	incorporated
LG	long / length
LH	left hand
LKG	locking
MEAS	measure
MM	millimeter
MTG	mounting
N	nylon
NC	National coarse (thread)
NF	National fine (thread)
NM	non-metallic
OA	overall
OD	outside diameter
PASS.	passivated
PLTD	plated
QTY	quantity
RD	round
RES	resisting
RH	right hand
S	steel
SC	supply catalog
SCR	screw
SIL	silver
SLTD	slotted
STK	stock
TEMP	temperature
TERM	terminal
THD	thread
THK	thick
TOE	table of organization and equipment
TU	tube
UNC	Unified coarse (thread)
UNEF	Unified extra fine (thread)
UNF	Unified fine (thread)
W	wide / width
W/	with
ZN	zinc

7. Federal Supply Codes for Manufacturers.

Code	Manufacturer
00462	Western Gear Corporation, Electro Products Div., 132 W. Colorado Blvd., Pasadena, Calif. 91109
07345	Techfab Division of ALSCO, INC., 4321 Semple Ave., St. Louis, Mo. 63120
18876	US Army Missile Command, Redstone Arsenal, Ala.
18877	Watertown Arsenal, Watertown, Mass.
18894	Directorate of Armament Development, Research and Technology Div., Eglin Air Force Base, Florida
19200	Frankford Arsenal, Philadelphia, Pa.
19203	Picatinny Arsenal, Dover, N. J.
19204	Rock Island Arsenal, Rock Island, Ill. 61201
19205	* Springfield Armory, Springfield, Mass.
19206	Watervliet Arsenal, Watervliet, N. Y.
19207	US Army Tank Automotive Center, Warren, Mich.
27096	Handly Industries Inc., 2101 Brooklyn Road, P. O. Box 863, Jackson, Michigan 49204
71286	Camloc Fastener Corp., 22 Spring Valley Road, Paramus, N. J. 07652
71468	Itt Cannon Electra Inc., 3208 Humbolt St., Los Angeles, Calif. 90031
73680	Garlock Inc., Palmyra, N. Y. 14522
80049	Department of the Air Force, Washington, D. C.
80058	Joint Electronic Type Designation System
80205	National Aerospace Standards Committee, Aeronautical Industries Association of America, Washington, D. C.

Code	Manufacturer
81348	Federal Specifications Promulgated by General Services Administration
81349	Military Specifications Promulgated by Stan- dardization Division, Directorate of Logistic Services DSA
82836	Luscombe Engineering Co. Inc., North Wales, Pa.
84830	Lee Spring Co. Inc., 30 Main St., Brooklyn, N. Y. 11201
88044	Aeronautical Standards Group, Department of Navy and Air Force
88240	Nielsen Tool and Die Co., 770 Wethersfield Ave., Hartford, Conn. 06101
96906	Military Standards Promulgated by Standardization Division, Directorate of Logistic Services DSA
97403	Army Engineer Research and Development Laboratories, Fort Belvoir, Virginia 22060

8. Recommendations for Maintenance Publication Improvements.

Report of errors, omissions, and recom-
mendations for improving this publication by the
individual user is encouraged. Reports should be
submitted on Form 2028 (Recommended Changes
to DA Publications) and forwarded direct to:
Commanding General, Headquarters, U. S. Army
Weapons Command, ATTN: AMSWE-SMM-P,
Rock Island, Illinois 61201.

* Responsibility for Springfield Armory (19205) has been assumed by Rock Island Ar-
senal (19204).

Section II. REPAIR PARTS LIST

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alt per 100 equip catgry	(9) Depot maint alt per 100 equip	(10) Illustration			
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No		
			COMPONENTS OF MAJOR COMBINATION														
N A O			MACHINE GUN ASSEMBLY 11691136 (19204)	EA	2											1	1
N P O		1005-042-5188	DEFLECTOR, LINK: 11691071 (19204)	EA	1	2	2	2	2	2	2	24	10		1	2	
C P O R		1055-912-3039	LAUNCHER, ROCKET, AIRCRAFT: 2.75 INCH, M158 10210156 (18876) OR LAUNCHER, ROCKET, AIRCRAFT: 2.75 INCH, M15B1, (E1) 10678600 (18876)	EA	2										1	3	
C X1..			MOUNT, 7.62 MILLIMETER MACHINE GUN - 2.75 INCH ROCKET LAUNCHER 11699400 (19204)		1										1	4	
N P O		1270-979-7121	BRACKET, DECAL: 10547354 (19200)	EA	1	*	*	2	*	*	2	24	3		1	5	
N P O R		1270-450-9682	SIGHT, REFLEX, HELICOPTER: M60A1 11729760 (19200)	EA	1	*	*	2	*	*	2	24	3		1	6	
N P O R		1270-808-9417	MOUNT, SIGHT, INFINITY: 10553489 (19200) MACHINE GUN ASSEMBLY 11691136 (19204)	EA	1	*	*	2	*	*	2	24	3		1	7	
C P O		5340-921-5135	PIN, QUICK RELEASE: 63810948 (18894)	EA	2	2	5	9	2	5	9	108	28		2	1	
N P O		1005-930-6306	SHIELD, SPROCKET, FEEDER: 11701208 (19204)	EA	1	*	2	2	*	2	2	24	5		2	2	
N P O		1005-930-6305	SHIELD, FEEDER: 11701207 (19204)	EA	1	*	2	2	*	2	2	24	5		2	3	
C P O R		1005-921-6241	FEEDER, DELINKING: MAU-56/A 11701120 (19205)	EA	1	*	1	2	*	1	2	24	28		2	4	
C P O		5305-857-5867	SCREW, MACHINE: NO. 10-32NF-3A, 1/2 LG MS9122-03 (96906)	EA	8	3	8	16	3	8	16	192	100		2	5	
N P O		1005-930-7587	SHIELD, GUN HOUSING: 11701241 (19205)	EA	1	2	2	3	2	2	3	36	5		2	6	
N P O		1090-804-2909	ADAPTER ASSEMBLY, RECOIL: 11691073 (19204)	EA	2	1	2	3	1	2	3	36	24		2	7	
N P O		5305-933-6254	SCREW, MACHINE: NO. 1/4-28UNF-3A, 21/32 LG 11701244 (19205)	EA	3	3	8	16	3	8	16	192	200		2	8	

Continued

[illegible]

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc of mass	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day GS maint allowance			(8) 1-yr slw per 100 equip 100 enrgy	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			MACHINE GUN, 7.62 MILLIMETER: M134 65F9877 (19204) — Continued												
N	P O	5305-143-2901	SCREW, MACHINE: NO. 1/4-28UNF-2A, 0.249 DIAM, 3.98 LG 11691076 (19204)	EA	1	12	34	68	12	34	68	816	100	3	11
N	P F	5310-947-8638	NUT, SPLINE: 65B9972-2 (19205)	EA	1	*	2	2	*	2	2	24	15	3	12
N	P O	1005-919-3919	CLAMP ASSEMBLY, BARREL: 65D9813 (18894)	EA	1	*	2	2	*	2	2	24	3	3	13
N	P O	1005-903-0933	BARREL, GUN: 11701204 (19205)	EA	6	21	48	90	21	48	90	1080	600	3	14
N	P O	1005-919-3920	SUPPORT, GUN: 65C9750 (18894)	EA	1	2	2	3	2	2	3	36	20	3	15
N	P O	3110-941-7467	BEARING, BALL, ANNULAR: 65B9879 (18894)	EA	1	2	5	9	2	5	9	108	25	3	16
N	X1		ROTOR ASSEMBLY 65D9770 (19205)		1									3	17
N	P O	1005-884-2169	TIMING PIN SET 5910309 (19204)	EA	1	2	5	9	2	5	9	108	50		
			CONSISTING OF: PIN MS16562-194 (96906)		1									3	18
N	X1		SPRING MS24585-1234 (96906)		1									3	19
N	X1		PIN 65B9762 (19205)		1									3	20
N	P F	5305-253-5614	SCREW, DRIVE: NO. 4 SIZE, 3/16 LG MS21318-20 (96906)	EA	2	2	2	2	2	2	2	24	20	3	21
N	X2 F	1005-947-6066	PLATE, IDENTIFICATION: 65B9926 (19205)	EA	1									3	22
N	P F	5310-947-8637	NUT, SPLINE: 65B9972-1 (19205)	EA	1	*	2	2	*	2	2	24	15	3	23
N	P F	5340-800-7874	INSERT, SCREW THREAD: CRES. NO. 10-32NF-3, 0.256 EXTERNAL THD DATA, 0.285 OA LG MS21209F1-15 (96906)	EA	8	12	34	68	12	34	68	816	500	3	24
N	P F		INSERT, SCREW THREAD, HELICAL COIL 65B9929-4 (19204)	EA	3	4	11	22	4	11	22	264	600	3	25
N	P F	1005-919-3921	HOUSING ASSEMBLY, GUN: 65F9774 (18894)	EA	1	2	3	5	2	3	5	60	50	3	26

Section II. REPAIR PARTS LIST -- Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day G5 maint allowance			(8) 1-yr per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
			BOLT ASSEMBLY 65G9866 (19205)												
N	P O	1005-919-7014	HEAD ASSEMBLY, FIRING BOLT: 65B9867 (18894)	EA	1	12	34	68	12	34	68	816	600	4	1
N	X I		CONSISTING OF: PIN MS16562-194 (96906)		1									4	2
N	X I		PIN, LOCKING 65B9768 (19204)		2									4	3
N	X I		HEAD, BOLT 65F9857 (19204)		1									4	4
N	X I		PIN, SPRING MS39086-141 (96906)		1									4	5
N	P O	1005-925-4164	STOP, SPRING: 63B10878 (07878)	EA	1	2	2	3	2	2	3	36	10	4	6
N	P O	1005-925-4750	SPRING, HELICAL, COMPRESSION: 63B10721 (07878)	EA	1	2	2	4	2	2	4	48	10	4	7
N	X I		PIN, FIRING 65F10057 (19204)		1									4	8
N	P O	1005-919-7015	BOLT ASSEMBLY, FIRING: 65B9865 (18894)	EA	1	10	27	55	10	27	55	660	100	4	9
N	P O	1005-052-9558	PARTS KIT, PIN AND SPRING SET: (CONSISTING OF ITEMS 2, 3, 5, 7, AND 8) 5910873 (19204)	EA	1	12	34	68	12	34	68	816	600		
			ROTOR ASSEMBLY 65D9770 (19205)												
N	P O	5315-812-4658	PIN, SPRING: MS39086-141 (96906)	EA	2	3	8	16	3	8	16	192	100	5	1
N	P O	1005-913-9900	GEAR, SPUR: 65C9752 (18894)	EA	1	*	2	2	*	2	2	24	5	5	2
N	P O	5315-933-9481	PIN, SPRING: 65A9999 (19204)	EA	6	2	5	9	2	5	9	108	100	5	3
N	P O	5307-921-5130	STUD, TRACK: 65B9755 (18894)	EA	6	2	4	7	2	4	7	84	30	5	4
N	P O	5315-930-0014	PIN, SPRING: MS171644 (96906)	EA	3	4	11	22	4	11	22	264	100	5	5
N	P O	1005-913-9901	GEAR, SPUR: 65C9753 (18894)	EA	1	*	2	2	*	2	2	24	5	5	6
N	P O	3110-921-5820	BEARING, BALL, ANNULAR: 65B9878 (18894)	EA	1	2	5	9	2	5	9	108	25	5	7

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
			ROTOR ASSEMBLY 65D9770 (19205) — Continued												
			CONSISTING OF:												
N P O		3110-089-5035	SHIELD, BEARING, REPLACEMENT: 65B10047 (19204)	EA	2	11	31	62	11	31	62	288	200	5	8
N XI			BEARING: 65B9878-1 (19204)		1									5	9
N P F			INSERT, SCREW THREAD, HELICAL COIL 65B9929-4 (19204)	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	5	10
N XI			ROTOR 65F9769 (19204)		1									5	11
			FEEDER, DELINKING: MAU-56 / A 11701120 (19205)												
C P O		5305-059-3659	SCREW, MACHINE: MS51958-63 (96906)	EA	13	3	8	16	3	8	16	192	75	6	1
N P O		5305-937-4242	SCREW, MACHINE: NO. 10-32UNF-2A, 7 / 16 LG 11701219 (19204)	EA	1	2	3	5	2	3	5	60	50	6	2
C P O		1005-922-8032	GUIDE, LINK: 11686380 (19205)	EA	1	2	3	5	2	3	5	60	25	6	3
C P F		1005-922-8031	GUIDE, ENTRANCE: 11686379 (19205)	EA	1	2	3	5	2	3	5	60	23	6	4
C P F		5315-881-2253	PIN, SPRING: MS16562-221 (96906)	EA	3	2	5	9	2	5	9	108	50	6	5
C P F		5305-059-3657	SCREW, MACHINE: MS51958-61 (96906)	EA	1	2	5	9	2	5	9	108	50	6	6
C P F		1005-922-8033	GUIDE, NOSE: 11686381 (19205)	EA	1	2	2	3	2	2	3	36	15	6	7
N P F		5315-812-4658	PIN, SPRING: MS39086-141 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	6	8
N P F		5315-846-2142	PIN, SPRING: MS39086-139 (96906)	EA	2	2	6	12	2	6	12	144	100	6	9
C P F		1005-922-8041	LINK, FEEDER: 11701127 (19205)	EA	1	2	3	5	2	3	5	60	25	6	10
C P F		1005-922-8042	ARM, PIVOT: 11701128 (19205)	EA	1	2	3	5	2	3	5	60	25	6	11
C P F		5310-844-3302	NUT, EXTENDED WASHER, HEXAGON: MS21043-3 (96906)	EA	1	2	3	5	2	3	5	60	25	6	12
C P F		5305-059-3661	SCREW, MACHINE: MS51958-65 (96906)	EA	3	4	11	22	4	11	22	264	100	6	13
C P F		5945-922-8056	SOLENOID, ELECTRICAL: 11701134 (19205)	EA	1	2	2	3	2	2	3	36	12	6	14

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr slw per equip caty	(9) Depot maint per 100 equip	(10) Illustration			
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No.		
			FEEDER, DELINKING: MAU-56 / A 11701120 (19205) — Continued														
C	P F	5305-059-3656	SCREW, MACHINE:..... MS51958-60 (96906)	EA	2	2	5	9	2	5	9	108	50	6	15		
C	P F	1005-922-8038	SPRING, CLEARING:..... 11701124 (19205)	EA	1	2	2	2	2	2	2	24	10	6	16		
C	P F	1005-922-8050	GUIDE, CLEARING:..... 11701140 (19205)	EA	1	2	3	5	2	3	5	60	25	6	17		
N	P F	5315-846-2140	PIN, SPRING:..... MS39086-143 (96906)	HD	2	2	6	12	2	6	12	144	100	6	18		
C	P O	5305-054-6669	SCREW, MACHINE:..... MS51957-44 (96906)	HD	2	*	*	*	*	*	*	..	1	6	19		
C	P O	1005-922-8043	INSERT, FEEDER:..... 11701129 (19205)	EA	1	*	2	2	*	2	2	24	3	6	20		
N	P F	5340-815-4929	INSERT, SCREW THREAD: CRES, 8 / 32 INTERVAL THD, 0.220 EXTERNAL THD, 0.246 OA LG MS21209C0815 (96906)	EA	2	2	3	5	2	3	5	60	100	6	21		
C	P O	1005-922-8049	HOUSING, FEEDER CAM:..... 11701139 (19205)	EA	1	*	2	2	*	2	2	24	3	6	22		
C	P F	5315-826-3251	PIN, SPRING:..... MS16562-223 (96906)	EA	3	2	5	9	2	5	9	108	50	6	23		
C	P F	1005-922-8036	BEARING, BALL, ANNULAR:..... 11701116 (19205)	EA	1	2	6	12	2	6	12	144	50	6	24		
C	P O	1005-922-8037	ROLLER, PUSH ROD:..... 11701122 (19205)	EA	7	2	6	12	2	6	12	144	50	6	25		
C	P O	1005-922-8040	PUSH ROD ASSEMBLY:..... 11701126 (19205)	EA	7	2	5	9	2	5	9	108	30	6	26		
C	P F	1005-915-5700	TIMING PIN SET, FEEDER DELINKER, AIRCRAFT: 5910338 (19204)	EA	1	2	2	3	2	2	3	36	15				
			CONSISTING OF:														
XI			PIN..... MS16562-194 (96906)	..	1	..	..	..	..	..	..	..	..	6	27		
XI			BUTTON..... 11701056 (19204)	..	1	..	..	..	..	..	..	..	..	6	28		
XI			SPRING..... MS24585-1156 (96906)	..	1	..	..	..	..	..	..	..	..	6	29		
XI			PIN, TIMING 11701055 (19204)	..	1	..	..	..	..	..	..	..	..	6	30		

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr altw per 100 equip caty	(9) Depot maint per 100 equip	(10) Illustration		
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No	
			FEEDER, DELINKING: MAU-56 / A													
C	P O	1005-922-8052	11701120 (19205) — Continued PLATE, FORWARD GUIDE: 11701216 (19205) CONSISTING OF:	EA	1	*	2	2	*	2	2	24	8	6	31	
C	P H	1005-922-8027	BEARING, SLEEVE: 11701115 (19204) PLATE: 11701138 (19204) GUIDE, FEEDER:	EA	1				2	2	4	48	40	6	32	
X1					1									6	33	
C	P F	1005-922-8045	11701132 (19205) PIN, SPRING: 3 / 16 OD, 3 / 4 LG	EA	1	2	2	2	2	2	2	24	8	6	34	
N	P O	5315-143-6422	8447845 (19204) SPROCKET, FEEDER: 11701130 (19205) STRIPPER, SLEEVE AND PIN ASSEMBLY: 11701217 (19205) CONSISTING OF:	EA	2	2	6	12	2	6	12	144	200	6	35	
C	P O	1005-922-8044		EA	1	2	2	2	2	2	2	24	10	6	36	
C	P F	1005-922-8053		EA	1	2	2	2	2	2	2	24	50	6	37	
N	P F	5315-823-8740		HD	1	*	*	*	*	*	*		1	6	38	
X1					1									6	39	
C	P O	5315-558-5141	PIN, SPRING MS16562-241 (96906) GEAR, FEEDER: 11701131 (19205) GUIDE ASSEMBLY, PUSH ROD: 17701218 (19205) CONSISTING OF:	EA	1	2	3	5	2	3	5	60	100	6	40	
C	P F	1005-943-5661		EA	1	2	2	2	2	2	2	24	15	6	41	
C	P F	1005-922-8054		EA	1	2	2	2	2	2	2	24	8	6	42	
C	P F	5315-234-7465	PIN, SPRING: 0.125 DIAM, 0.437 LG, 0.028 THK MS16562-220 (96906) GUIDE, PUSH ROD 11701135 (19204) SHAFT, SHOULDERED: 11701136 (19205) GUIDE, CAM: 11701137 (19205) PLATE, INSTRUCTION: 11701125 (19205)	EA	1	2	3	5	2	3	5	60	100	6	43	
N	X1				1									6	44	
C	P F	1005-922-8047		EA	1	2	2	2	2	2	2	24	8	6	45	
C	P F	1005-922-8048		EA	1	*	2	2	*	2	2	24	7	6	46	
C	P F	1005-922-8039		EA	1	*	2	2	*	2	2	24	5	6	47	

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr slw per equip centgy	(9) Depot maint per 100 equip	(10) Illustration				
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No.			
			FEEDER, DELINKING: MAU-56 / A 11701120 (19205) — Continued															
C	P D	5305-253-5607	SCREW, DRIVE.....	EA	2								100	6	48			
C	X2 D	1005-922-8035	MS21318-8 (96906) PLATE, IDENTIFICATION:.....	EA	1									6	49			
N	P F	5340-321-7906	11701098 (19205) INSERT, SCREW THREAD:.....	EA	3	2	5	9	2	5	9	108	100	6	50			
N	P F	5340-800-7874	MS122199 (96906) INSERT, SCREW THREAD: CRES, NO. 10-32NF-3, 0.256 EXTERNAL THD DATA, 0.285 OA LG	EA	13	REF	REF	REF	REF	REF	REF	REF	REF	6	51			
C	P F R	1005-861-4639	MS21209F1-15 (96906) HOUSING, FEEDER:..... 11686378 (19204)	EA	1	1	2	3	1	2	3	36	24	6	52			
N	P F S	1005-192-9551	(THE ABOVE ITEM IS EXHAUST TO THE FOLLOWING HOUSING ASSEMBLY WHICH IS FURNISHED WITH ALIGNMENT PINS INSTALLED). HOUSING ASSEMBLY, FEEDER: DELINKING.. 11691250 (19204) ADAPTER ASSEMBLY, RECOIL: 11691073 (19204)	EA	1	1	2	3	1	2	3	36	24	6				
C	P F	5315-828-9829	PIN, SPRING: 1/8 DIAM, 1 LG..... MS16562-132 (96906)	EA	1	2	3	5	2	3	5	60	200	7	1			
C	P F	1090-761-7818	BUSHING, MACHINE THREAD: NO. 1-20UNEF-3A, 0.583 ID, 1 OD, 0.359 LG	EA	1	2	2	4	2	2	4	48	48	7	2			
N	P F	1090-804-2880	11686365 (19205) RECOIL ADAPTER SUBASSEMBLY:..... 11691072 (19204) CONSISTING OF: PIN, SPRING..... MS16562-100 (96906) CAP, RECOIL ADAPTER ASSEMBLY.. 11686362 (19205) WASHER, FLAT..... 11686364 (19205) ELEMENT, RUBBER..... 11698924 (19205) SHAFT, RECOIL ADAPTER..... 11686361 (19205) HOUSING, RECOIL ADAPTER ASSEMBLY.. 11686370 (19205)	EA	1	2	3	5	2	3	5	60		7	3			
C	X1				1									7	4			
C	X1				1									7	5			
C	X1				2									7	6			
N	X1				1									7	7			
C	X1				1									7	8			
C	X1				1									7	9			

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allw per 100 equip	(9) Depot maint allw per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(#) Figure No	(b) Item No
			DRIVE ASSEMBLY, ELECTRIC: 11686350 (19205)												
C	P	F	SCREW, MACHINE: MS9123-04 (96906)	EA	3	2	5	9	2	5	9	108	50	8	1
C	P	F	PLUG, HOUSING: 11686354 (19205)	EA	1	2	2	2	2	2	2	24	10	8	2
C	P	F	SHAFT, SHOULDERED: 11686355 (19205)	EA	1	2	2	2	2	2	2	24	6	8	3
N	P	F	GEAR AND SPACER: 5910851 (19204)	EA	1	*	2	2	*	2	2	24	5	8	4
N	X	I	GEAR 11686757 (19204)		1									8	5
N	P	F	WASHER, RECESSED: 11686758 (19204)	EA	1	*	2	2	*	2	2	24	5	8	6
C	P	F	GEAR, SPUR: 11686356 (19205)	EA	1	2	2	2	2	2	2	24	10	8	7
N	P	F	BEARING, BALL, ANNULAR: 11014596-5 (19205)	EA	2	2	2	2	2	2	2	24	12	8	8
N	P	F	BEARING, BALL, ANNULAR: 11014596-6 (19205)	EA	1	2	2	2	2	2	2	24	10	8	9
C	P	F	HOUSING GEAR REDUCTION: 11686351 (19204)	EA	1	*	2	2	*	2	2	24	4	8	10
C	P	F	PIN, SPRING: MS16562-222 (96906)	EA	1	2	5	9	2	5	9	108	100	8	11
C	P	F	GEAR, SPUR: 63C10806 (18894)	EA	1	*	2	2	*	2	2	24	8	8	12
C	P	F	MOTOR, ELECTRIC: 63D11138 (18894)	EA	1	2	2	3	2	2	3	36	14	8	13
C	P	F	ADAPTER, ELECTRICAL: RECEPTACLE CA22181-20 (71468)	EA	1	2	2	2	2	2	2	24	24	8	14
N	P	F	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3102R20-24P (96906)	EA	1	2	2	2	2	2	2	24	5	8	15

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in meas	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip catgy	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-40	(c) 51-100	(a) 1-30	(b) 31-50	(c) 51-100			(a) Figure No	(b) Item No
			LAUNCHER, ROCKET, AIRCRAFT: 2.75 INCH, M158 10210156 (18876) OR LAUNCHER, ROCKET, AIRCRAFT: 2.75 INCH, M158A1 10678600 (18876) — Continued												
C P O	5340-912-3635		SPACER, PLATE: (M158 ONLY) 10210139 (18876)	EA	6	1	1	1	*	*	*			9	9
C P O	1055-912-3622		SPRING: (M158 ONLY) 10210162 (18876)	EA	7	1	1	1	*	*	*			9	10
N P O	1055-443-9796		SPRING, DETENT: 0.09 THK. (M158A1 ONLY) 10210162-2 (18876)	EA	7	1	1	1	*	*	*			9	10
C P O	5305-614-3423		SCREW, MACHINE: SLTD FIL-HD, DLD-F / LKG WIRE, S, CD-PLTD W / CHROMATE FIN., NO. 8-32UNC2A, 3 / 8 LG MS35263-43 (96906)	EA	51	2	2	2	*	*	*			9	11
N P O	5305-939-9230		SCREW, MACHINE: SLTD FIL-HD, CORR-RES-S, PASS-FIN., NO. 8-32UNC-2A, 0.375 LG (M158A1 ONLY) MS35275-243 (96906)	EA	7	2	2	2	*	*	*			9	12
N P O	5310-558-6207		WASHER, FLAT: CORR-RES-S, PASS-FIN., 0.174 ID, 0.375 OD, 0.016 THK (M158A1 ONLY) AN960C8L (88044)	EA	7	2	2	2	*	*	*			9	13
C P O	1055-912-3620		WIRING HARNESS AND CONDUIT: (M158 ONLY) 10210155-001 (18876)	EA	1	1	1	1	*	*	*			9	14
N P O	1055-666-1078		WIRING HARNESS AND CONDUIT ASSEMBLY: (M158 ONLY) (REQUISITION ONLY WHEN STOCK OF ABOVE ITEM IS EXHAUSTED)	EA	1	1	1	1	*	*	*			9	14
N P O	1055-133-9543		WIRING HARNESS AND CONDUIT: (M158A1 ONLY) 10240660 (18876)	EA	1	1	1	1	*	*	*			9	14
C P O	1055-921-6166		MARKER, WIRE TERMINATION: 10210169 (18876)	EA	1	*	*	*	*	*	*			9	15

Section II. REPAIR PARTS LIST -- Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty line in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allow per 100 equip unit	(9) Depot allow per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-40	(c) 41-100	(a) 1-30	(b) 31-50	(c) 51-100			(a) Figure No	(b) Item No
			LAUNCHER, ROCKET, AIRCRAFT: 2.75 INCH, M158 10210156 (18876)												
			OR												
			LAUNCHER, ROCKET, AIRCRAFT: 2.75 INCH, M158A1 10678600 (18876) -- Continued												
N	P O	1325-183-5303	LUG, SUSPENSION, BOMB: MS3314 (96906)	EA	2	2	2	2	*	*	*			9	23
C	P O	5315-721-5295	PIN, SPRING: S, CD-PLTD FIN., 0.25 DIAM, 0.5 LG MS9048-224 (96906)	EA	2	1	1	1	*	*	*			9	24
C	P O	1055-912-3619	HARD POINT, LAUNCHER (M158 ONLY) 10210147 (18876)	EA	2	*	*	*	*	*	*			9	25
N	X1		HARD BACK, LAUNCHER (M158A1 ONLY) 10240657 (18876)		1									9	25
C	P O	1055-912-3618	SEGMENT, TOP OUTER: 10210146 (18876)	EA	2	*	*	*	*	*	*			9	26
C	P O	1055-912-3617	SEGMENT, OUTER: 10210145 (18876)	EA	10	*	*	*	*	*	*			9	27
C	P O	1055-912-3615	SEGMENT, INNER: 10210140 (18876)	EA	4	*	*	*	*	*	*			9	28
N	P O	5310-934-9766	NUT, PLAIN, HEXAGON: BR, BLACK OXIDE FIN., NO. 10-32UNF-2B, 0.375 W ACROSS FLATS, 0.13 THK MS35650-305 (96906)	EA	7	1	1	1	*	*	*			9	29
C	P O	1055-999-1456	WASHER, FLAT: RETAINER 8035131 (18876)	EA	7	1	1	1	*	*	*			9	30
C	P O	5310-941-5409	WASHER, FLAT: 8035130 (18876)	EA	7	1	1	1	*	*	*			9	31
C	P O	5970-939-6965	INSULATOR, BUSHING: 8035129 (18876)	EA	7	2	2	2	*	*	*			9	32
C	P O	5970-939-6881	INSULATOR, WASHER: 8035128 (18876)	EA	7	10	10	10	*	*	*			9	33
C	P O	1055-999-1107	HEAD, IGNITER: 8035122 (18876)	EA	7	10	10	10	*	*	*			9	34
C	P O	5310-950-0039	NUT, SELF-LOCKING, HEXAGON: S, CD-PLTD FIN., NO. 3 / 8-24 UNF-3B, 0.564 W ACROSS FLATS, 0.469 THK MS21044N6 (96906)	EA	7	1	1	1	*	*	*			9	35

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allw per 100 equip energy	(9) Depot maint allw per 100 equip	Illustration		
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-30	(b) 31-60	(c) 61-100				(a) Figure No	(b) Item No
			LAUNCHER, ROCKET, AIRCRAFT: 2.75 INCH, M158 10210154 (18876)													
			OR													
C	P O	5365-912-3634	SPACER, SLEEVE: 10210170 (18876)	EA	7	1	1	1	*	*	*	*	*	..	9	36
C	P O	1055-912-3633	SPRING, HELICAL, COMPRESSION: 10602097 (18876)	EA	7	1	1	1	*	*	*	*	*	..	9	37
N	XI		ARM, IGNITER 8035124 (18876)	..	7	..	..	..	..	..	..	..	..	..	9	38
C	P O	1055-882-5948	ARM ASSEMBLY, IGNITER: (COMPOSED OF ITEMS 2, 3 THRU 34, AND 38) 8035132 (18876)	EA	..	1	1	1	1	1	1	1	..	..	..	..
C	P O R	1055-912-3614	TUBE ASSEMBLY: (M158 ONLY) 10210137 (18876)	EA	7	2	2	2	*	*	*	*	*	..	9	39
N	P O R	1055-133-9544	TUBE, ROCKET LAUNCHER: (M158A1 ONLY) 10678601 (18876)	EA	7	2	2	2	*	*	*	*	*	..	9	39
			MOUNT, 7.62 MILLIMETER MACHINE GUN - 2.75 INCH ROCKET LAUNCHER 11699400 (19204)													
A	O		CHUTE, AMMUNITION, RH 7792347-11 (19204)		1	..	..	..	..	..	..	..	..	..	10	1
A	O		CHUTE, AMMUNITION, LH 11699348 (19205)		1	..	..	..	..	..	..	..	..	..	10	2
N	A O		DRIVE ASSEMBLY, CARTRIDGE, RH 11699512 (19204)		1	..	..	..	..	..	..	..	..	..	10	3
N	A O		DRIVE ASSEMBLY, CARTRIDGE, LH 11699510 (19204)		1	..	..	..	..	..	..	..	..	..	10	4
N	P O R	1005-169-6945	BOX ASSEMBLY, AMMUNITION: 11686844 (19204)	EA	4	2	2	2	3	2	2	3	36	25	10	5
C	P O R	1005-994-9079	BOX ASSEMBLY, AMMUNITION: 7792572 (19205)	EA	4	2	4	7	2	4	7	84	50	10	7	7
C	P O R	1005-924-6257	BOX ASSEMBLY, AMMUNITION: 11699331 (19205)	EA	4	1	2	3	1	2	3	36	25	10	6	6
C	P O	1090-922-6927	CABLE ASSEMBLY, SPECIAL PURPOSE, ELEC- TRICAL: 11010432 (19205)	EA	1	*	2	2	*	2	2	24	5	10	8	8

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint allow per 100 equip (nlgy)	(9) Depot maint allow per 100 equip	(10) Illustration		
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No	
			MOUNT, 7.62 MILLIMETER MACHINE GUN - 2.75 INCH ROCKET LAUNCHER 11699400 (19204) — Continued													
C	P O	5310-877-5797	NUT, SELF-LOCKING, HEXAGON: S. CD-PLTD, N INSERT NO. 10-32UNF-3B, 0.376 W ACROSS FLATS, 0.281 H, 250 DEG F TEMP RATING MS21044N3 (96906)	EA	6	2	5	9	2	5	9	108	100	10	9	
C	P O	5340-565-0004	CLAMP, LOOP: MS21919DG10 (96906)	EA	9	2	3	5	2	3	5	60	50	10	10	
C	P O	5310-823-8804	WASHER, FLAT: MS27183-9 (96906)	EA	8	2	2	2	2	2	2	24	24	10	11	
C	P O	5305-989-7434	SCREW, MACHINE: MS35207-263 (96906)	EA	4	2	6	12	2	6	12	144	50	10	12	
N	P O	5310-088-0551	NUT, SELF-LOCKING, HEXAGON: MS21044N04 (96906)	EA	2	2	5	9	2	5	9	108	100	10	13	
N	P	5340-721-8182	BRACKET, ANGLE: AN743-13 (88044)	EA	1									10	14	
N	P O	5310-950-1310	WASHER, FLAT MS27183-4 (96906)	EA	2	2	2	2	2	2	2	24	24	10	15	
N	P O	5305-889-2998	SCREW, MACHINE: MS35206-216 (96906)	EA	2	*	2	2	*	2	2	24	60	10	16	
C	P O	5340-682-1617	CLAMP, LOOP: MS21919DG12 (96906)	EA	1	2	2	2	2	2	2	24	24	10	17	
C	P O	1090-922-7412	CABLE ASSEMBLY, SPECIAL PURPOSE, ELEC- TRICAL, BRANCHED: 11699497 (19205)	EA	1	2	2	2	2	2	2	24	15	10	18	
C	P O	1090-922-7327	CABLE ASSEMBLY, SPECIAL PURPOSE, ELEC- TRICAL: 11699473 (19205)	EA	1	*	2	2	*	2	2	24	3	10	19	
C	P O	1090-922-7375	CABLE ASSEMBLY, SPECIAL PURPOSE, ELEC- TRICAL: 11699474 (19205)	EA	1	*	2	2	*	2	2	24	10	10	20	
C	P O	1090-922-7322	CABLE ASSEMBLY SPECIAL PURPOSE, ELEC- TRICAL: 11699445 (19205)	EA	1	*	2	2	*	2	2	24	10	10	21	
N	P O	5305-685-3013	SCREW, CAP, SOCKET HEAD MS24678-22 (96906)	EA	2	2	2	2	2	2	2	24	10	10	22	
N	P O	5310-582-5677	WASHER, FLAT: MS15795-810 (96906)	EA	2	2	5	9	2	5	9	108		10	23	

Section II. REPAIR PARTS LIST — Continued

SECTION 11. REPAIR PARTS LIST - Continued															
ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint allow per equip 100 encl	(9) Depot maint allow per equip 100 encl	(10) Illustration	
						(a) 1-20	(b) 21-30	(c) 31-100	(a) 1-20	(b) 21-30	(c) 31-100			(a) Figure No	(b) Item No
			MOUNT, 7.62 MILLIMETER MACHINE GUN - 2.75 INCH ROCKET LAUNCHER 11699400 (19204) - Continued												
N	P O	5305-207-0895	SCREW, CAP, SOCKET HEAD: MS24678-12 (96906)	EA	2	2	2	4	2	2	4	48	100	10	24
C	P O	5310-550-5054	WASHER, FLAT: MS15795-809 (96906)	EA	2	2	5	9	2	5	9	108	300	10	25
C	P O R	1090-921-6243	CONTROL BOX ASSEMBLY: 11699502 (19205)	EA	1	*	1	2	*	1	2	24	10	10	26
C	P O	1005-924-2073	SPACER, SLEEVE: 11699871 (19205)	EA	4	2	2	2	2	2	2	24	24	10	27
N	P O	5310-141-1795	WASHER, FLAT: S, 17 / 64 ID, 1 / 2 OD, 0.064 THK AN960-416 (88044)	EA	4	*	2	2	*	2	2	24	100	10	28
N	P O	5306-151-1418	BOLT, MACHINE: AN4-16A (88044)	EA	4	2	3	5	2	3	5	60	200	10	29
C	P O R	1270-921-6242	SIGHTING STATION: 11699310 (19205)	EA	1	*	1	1	*	1	1	12	5	10	30
C	P O	5305-989-7435	SCREW, MACHINE: MS35207-264 (96906)	EA	7	2	5	9	2	5	9	108	50	10	31
C	P O	5310-167-0753	WASHER, FLAT: AN960PD10L (88044)	EA	27	3	8	16	3	8	16	192	600	10	32
C	P O	5340-944-7664	PIN, QUICK RELEASE: 11699873 (19205)	EA	1	2	2	2	2	2	2	24	30	10	33
N	P O	5310-844-4872	NUT, EXTENDED WASHER, HEXAGON: MS21043-4 (96906)	EA	1	2	3	6	2	3	6	60	24	10	34
C	P O	5310-531-9515	WASHER, FLAT: AN960C416 (88044)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	10	35
C	P O	5306-180-1738	BOLT, MACHINE: AN174-12 (88044)	EA	1	2	2	2	2	2	2	24	100	15	36
C	P O	1270-922-7439	BRACKET, DOUBLE ANGLE: 11699872 (19205)	EA	1	*	2	2	*	2	2	24	10	10	37
C	P O S	1090-999-9878	INTERVALOMETER, ARMAMENT SUBSYSTEM: 11699559 (19205)	EA	1	1	2	3	1	2	3	36	30	10	38
C	P O R	1005-921-6264	PANEL, CONTROL: 11699332 (19205)	EA	1	1	1	2	1	1	2	24	20	10	39
C	P O	5340-598-0415	CLAMP, LOOP: MS21919DG18 (96906)	EA	4	*	2	2	*	2	2	24	5	10	40
C	P O	1090-999-8722	CABLE ASSEMBLY, SPECIAL PURPOSE, ELEC- TRICAL, BRANCHED: 11699555 (19205)	EA	2	2	3	5	2	3	5	60	50	10	41

Section II. REPAIR PARTS LIST -- Continued

(1) ACT ON CODE	(2) SMR Code	(3) Federal Stock Number	(4) Description Reference Number & Mfr Code	(5) Unit of meas	(6) Qty inc in unit	(7) 30-day DS maint allowance			(8) 30-day GS maint allowance			(9) 1-yr maint allow per 100 equip	(10) Illustration Figure No	(11) Item No
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			
			MOUNT, 7.62 MILLIMETER MACHINE GUN - 2.75 INCH ROCKET LAUNCHER 11699400 (19204) -- Continued											
C	A	F	MOUNT ASSEMBLY, LH 11699314	EA	1								10	42
C	P	O	CLAMP ASSEMBLY, AMMUNITION CHUTE; 11699321 (19205)	EA	1	2	5	9	2	5	9	108	10	43
N	P	O	NUT, PLAIN, HEXAGON; MS35691-35 (96906)	EA	1	3	8	16	3	8	16	192	10	44
			MOUNT ASSEMBLY, RH 11699315 (19204)	EA	1								10	45
N	P	O	CABLE ASSEMBLY, SPECIAL PURPOSE, ELEC- TRICAL 8436547 (19204)	EA	2	*	2	2	*	2	2	24	5	46
N	P	O	NUT, EXTENDED WASHER, HEXAGON; MS21042-4 (96906)	EA	10	4	11	22	4	11	22	264	10	47
C	P	O	WASHER, FLAT; AN960PD416 (88044)	EA	26	2	5	9	2	5	9	108	10	48
N	P	O	BOLT, MACHINE; AN4-11A (88044)	EA	10	2	3	5	2	3	5	60	10	49
C	P	O	BOLT, MACHINE; AN4-6A (88044)	EA	6	2	3	5	2	3	5	60	10	50
C	P	O	PIN, COTTER; MS24665-368 (96906)	EA	10	1	3	5	1	3	5	60	10	51
C	P	O	NUT, SELF-LOCKING, HEXAGON; MS21083N4 (96906)	EA	10	2	5	9	2	5	9	108	10	52
C	P	O	PULLEY, GROOVE; MS20219A2 (96906)	EA	8	*	1	2	*	1	2	24	8	53
C	P	O	BOLT, MACHINE; AN4C7A (88044)	EA	10	1	3	5	1	3	5	60	10	54
C	P	O	NUT, EXTENDED WASHER, HEXAGON; HEX-HD, S, CD-PLTD, 450 DEG F, NO. 10-32UNF-3B, 0.330 OD; 0.188 H MS21042-3 (96906)	EA	16	2	5	9	2	5	9	108	10	55
C	P	O	SCREW, MACHINE; MS21039-1-05 (96906)	EA	4	2	2	3	2	2	3	36	10	56
N	P	O	CLAMP, LOOP; MS9353-09 (96906)	EA	2	2	2	2	2	2	2	24	10	57
C	P	O	GUARD, LOWER; 11699517 (19205)	EA	2	*	2	2	*	2	2	24	4	58

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip enclgy	(9) Illustration				
													(a) 1-30	(b) 31-90	(c) 91-100	(a) Figure No	(b) Item No
			MOUNT, 7.62 MILLIMETER MACHINE GUN - 2.75 INCH ROCKET LAUNCHER 11699400 (19204) — Continued														
C	P O	1090-922-7433	BRACKET, PULLEY: FWD LH 11699520 (19205)	EA	1	*	2	2	*	2	2	24	10	59			
C	P O	1090-922-7435	BRACKET, PULLEY: FWD RH 11699521 (19205)	EA	1	*	2	2	*	2	2	24	10	59			
C	P O	1090-922-7437	BRACKET, PULLEY: AFT LH 11699522 (19205)	EA	1	*	2	2	*	2	2	24	10	60			
C	P O	1090-922-7438	BRACKET, PULLEY: AFT RH 11699523 (19205)	EA	1	*	2	2	*	2	2	24	10	60			
C	P O	5305-925-9674	SCREW, MACHINE: MS27039-1-10 (96906)	EA	10	2	5	9	2	5	9	108	10	61			
C	P O	1090-922-7432	CLIP, GUARD: 11699519 (19205)	EA	2	*	2	2	*	2	2	24	10	62			
C	P O	5305-781-9057	SCREW, MACHINE: MS27039-1-08 (96906)	EA	2	2	2	2	2	2	2	24	10	63			
N	P O	5340-143-0034	CLAMP, LOOP: MS9353-11 (96906)	EA	2	2	2	3	2	2	3	36	10	64			
C	P O	1090-922-7430	GUARD, UPPER: 11699518 (19205)	EA	2	*	2	2	*	2	2	24	10	65			
N	P O	5340-619-7031	CLIP, RETAINING MS21256-1 (96906)	EA	2	2	2	2	2	2	2	24	10	66			
C	P O	1090-922-7419	CABLE ASSEMBLY, LOWER 11699516 (19205)	EA	2	*	*	2	*	*	2	24	3	10			
C	P O	5340-067-9871	TURNBUCKLE BODY: MS21251B2S (96906)	EA	2	*	2	2	*	2	2	24	5	10			
C	P O	5305-990-6444	SCREW, MACHINE: MS35207-261 (96906)	EA	8	3	8	16	3	8	16	192	10	69			
C	P O	1055-912-3566	BRACKET ASSEMBLY: UPPER LH 11700588 (19205)	EA	1	2	2	3	2	2	3	36	10	70			
C	P O	1055-912-3567	BRACKET ASSEMBLY: UPPER RH 11700589 (19205)	EA	1	2	2	3	2	2	3	36	10	70			
C	P O	3020-541-3227	PULLEY, GROOVE: MS20219A1 (96906)	EA	2	2	5	9	2	5	9	108	4	74			

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day GS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allw per 100 equip cntry	(9) Depot allw per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
			MOUNT, 7.62 MILLIMETER MACHINE GUN - 2.75 INCH ROCKET LAUNCHER 11699400 (19204) — Continued												
C	P O	1055-912-3564	BRACKET ASSEMBLY: STORES LH..... 11700586 (19204)	EA	1	2	2	2	2	2	2	24	20	10	75
			CONSISTING OF:												
P	F	5325-276-6082	GROMMET, RUBBER:..... MS35489-43 (96906)	EA	1	2	3	5	2	3	5	60	50	10	76
X	1		BRACKET, STORES, LH..... 11700584 (19204)		1									10	77
C	P O	1055-912-3565	BRACKET ASSEMBLY: STORES RH..... 11700587 (19205)	EA	1	2	2	2	2	2	2	24	20	10	75
			CONSISTING OF:												
P	F	5325-276-6082	GROMMET, RUBBER:..... MS35489-43 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	10	76
X	1		BRACKET, STORES, RH..... 11700585 (19204)		1									10	77
C	A F		RACK AND SUPPORT ASSEMBLY, LH..... 11699318 (19205)		1									10	78
C	A F		RACK AND SUPPORT ASSEMBLY, RH..... 11699319 (19205)		1									10	78
			CHUTE, AMMUNITION, LH 11699348 (19205)												
C	P O	1005-943-5488	FITTING, BOOSTER END: LH..... 11699347 (19205)	EA	1									11	1
C	P O	1005-972-8126	LINK, AMMUNITION CHUTE:..... 7792343 (19205)	EA	136	31	86	172	31	86	172	2064	500	11	2
C	P O	1005-972-8127	FITTING, BOX END:..... 7792344 (19205)	EA	1	2	2	3	2	2	3	36	12	11	3
			CHUTE, AMMUNITION, RH 7792347-11 (19205)												
C	P O	1005-972-8125	FITTING, BOOSTER END: RH..... 7792342 (19205)	EA	1	*	2	2	*	2	2	24	8	11	1
N	P O	1005-922-2560	LINK, AMMUNITION CHUTE:..... 11690221 (19204)	EA	18	5	15	29	5	15	29	348	100	11	2
			NOTE: THESE 18 LINKS ARE THE LEAD LINKS ON THE GUN END OF THE CHUTE AND ATTACH TO THE BOOSTER END FITTING.												
C	P O	1005-972-8126	LINK, AMMUNITION CHUTE:..... 7792343 (19205)	EA	118	REF	REF	REF	REF	REF	REF	REF	REF	11	2

Section II. REPAIR PARTS LIST -- Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day GS maint allowance			(8) 1-yr altw per 100 equip 100 cntry	(9) Depot altw per 100 equip	(10) Illustration	
						(a) 1-30	(b) 21-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
			CHUTE, AMMUNITION, RH 7792347-11 (19205) -- Continued												
C	P O	1005-922-8127	FITTING, BOX END: 7792344 (19205)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	11	3
C	P O	5306-274-2119	DRIVE ASSEMBLY, CARTRIDGE, LH 11699510 (19204) AND RH 11699512 (19204)	EA	4	2	2	2	2	2	2	24	400	12	1
C	P U	5310-183-4406	BOLT, MACHINE AN3-5A (88044)	EA	6	2	2	3	2	2	3	36	600	12	2
C	P O	5306-151-0785	WASHER, FLAT: AN960PD10 (88044)	EA	2	*	2	2	*	2	2	24	400	12	3
N	P O H	1005-351-2921	BOLT, MACHINE AN3-7A (88044)	EA	1	*	*	2	*	*	2	12		12	4
N	P O R	1005-351-2922	GEAR ASSEMBLY, SPEED DECREASED: LH (J8001) 11699508-1 (19204)	EA	1	*	*	2	*	*	2	12		12	4
N	P O R	1090-104-4619	GEAR ASSEMBLY, SPEED DECREASED: RH (J9001) 11699508-2 (19204)	EA	1	*	1	2	*	1	2	24	12	12	5
N	P O R	1090-104-4618	FEED ASSEMBLY, CARTRIDGE: LH 8447858 (19204)	EA	1	*	1	2	*	1	2	24	12	12	5
			FEED ASSEMBLY, CARTRIDGE: RH 8447857 (19204)	EA	1	*	1	2	*	1	2	24	12	12	5
			GEAR ASSEMBLY, SPEED DECREASED: LH 11699508-1 (19204) AND RH 11699508-2 (19204)												
N	P F	5310-952-1872	NUT, SELF-LOCKING, HEXAGON: MS21045C08 (96906)	EA	2	2	3	5	2	3	5	60	50	13	1
N	P F	5310-619-3847	WASHER, FLAT: MS15795-707 (96906)	EA	2	2	6	12	2	6	12	144	3000	13	2
C	P F	5340-290-0779	CLAMP, LOOP MS21919DF4 (96906)	EA	4	2	2	2	2	2	2	24	20	13	3
		5305-054-6670	SCREW, MACHINE, ROUND HEAD: NO. 8-32NC-2A MS51957-45 (96906)	EA	2	2	3	5	2	3	5	60	50	13	4
C	P F	5305-912-4839	SCREW, MACHINE: MS35276-262 (96906)	EA	12	2	2	3	2	2	3	36	25	13	5
C	P F	5310-167-0812	WASHER, FLAT: AN960C10L (88044)	EA	18	REF	REF	REF	REF	REF	REF	REF	REF	13	6
C	P F	5305-282-8902	SETSCREW: MS51021-25 (96906)	EA	2	2	2	2	2	2	2	24	20	13	7

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(3) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr slw per 100 equip 100 mily	(9) Depot maint slw per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-50	(c) 51-100	(a) 1-30	(b) 31-50	(c) 51-100			(a) Figure No	(b) Item No
			GEAR ASSEMBLY, SPEED DECREASER, LH 11699508-1 (19204) AND RH 11699508-2 (19204)												
C	P F	5945-922-8055	SOLENOID, ELECTRICAL: 11699538 (19204)	EA	2	2	2	2	2	2	2	24	10	13	8
N	XI		CONSISTING OF: SCREW MS51957-15 (96906)		1									13	9
N	XI		WASHER MS16213-57 (96906)		1									13	10
N	P O	1005-044-1897	CAP, ELECTRICAL: 8447636 (19204)	EA	1	2	2	4	2	2	4	48	15	13	11
N	XI		NUT, HEXAGON (PART OF ITEM 14)		4									13	12
N	XI		STUD, TERMINAL, NO. 5-40 (PART OF ITEM 14)		2									13	13
N	XI		SOLENOID 11699538-1 (19204)		1									13	14
C	P D	5310-889-2543	NUT, SELF-LOCKING, HEXAGON: MS21045-04 (96906)	EA	8								1600	13	15
C	P F	5310-656-0111	WASHER, FLAT: MS15795-703 (96906)		16	2	5	9	2	5	9	108	60	13	16
C	P F	5305-543-5058	SCREW, MACHINE: MS35265-16 (96906)	EA	8	*	*	2	*	*	2	24	8	13	17
N	P F	5315-978-9355	SCREW, CAP, SOCKET HEAD: MS16997-45 (96906)	EA	8	2	2	3	2	2	3	36	400	13	18
N	P F	5310-045-3296	WASHER, LOCK: AN935-10 (88044)	EA	8	2	3	5	2	3	5	60	800	13	19
C	P F	1005-940-9463	BRACKET, CONNECTOR 11699446 (19204)	EA	2	2	2	2	2	2	2	24	15	13	20
C	P F	5940-814-0698	TERMINAL, LUG: MS25036-101	EA	4	2	2	2	2	2	2	24	15	13	21
N			TUBING 11700088 (19204)											13	22
N	P F	5340-823-5322	PLUG, PROTECTIVE, DUST AND MOISTURE SEAL: MS25251-16 (96906)	EA	6	2	3	5	2	3	5	60	60	13	23
C	P F	5935-838-3860	CONNECTOR, RECEPTACLE, ELECTRICAL: LH MS3100R18-11P (96906)	EA	1	*	2	2	*	2	2	24	10	13	24
C	P F	5935-930-0064	CONNECTOR, RECEPTACLE, ELECTRICAL: RH MS3100R18-11PX (96906)	EA	1	*	2	2	*	2	2	24	10	13	24

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allw per 100 equip enclgy	(9) Depot maint allw per 100 equip	(10) Illustration		
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No	
			GEAR ASSEMBLY, SPEEDDECREASER: LH 11699508-1 (19204) AND RH 11699508-2 (19204) — Continued													
C P F		5940-113-9828	TERMINAL, LUG: MS25036-148	EA	4	2	5	9	2	5	9	108	100	13	25	
C P F T		6105-922-8057	MOTOR, DIRECT CURRENT: 11699476 (19204)	EA	2	1	1	2	1	1	2	24	10	13	26	
C P F		5315-949-5366	CONSISTING OF: PIN, STRAIGHT, HEADLESS: 0.078 OD, 0.408 LG 11699373 (19204)	EA	1	*	2	2	*	2	2	24	10	13	27	
N X1			MOTOR: 28YC60-2 MOD (00462)											13	28	
N			WIRE, ELECTRICAL, SHIELDED, E18 BLACK AND E18 RED MIL-W-16878 / 4 (81349)											13	29	
N			WIRE, ELECTRICAL, E22 BLACK MIL-W-16878 / 4 (81349)											13	30	
N			WIRE, ELECTRICAL, E20 BLACK AND E20 RED MIL-W-16878 / 4 (81349)											13	31	
C P F		1005-940-9428	PLATE, RETAINING, BEARING: 11699440 (19205)	EA	4	*	2	2	*	2	2	24	6	13	32	
N P F		1005-940-9419	SHIM: 11699439 (19204)	EA	V	2	2	2	2	2	2	24	12	13	33	
C P F		5305-781-5664	SCREW, MACHINE: MS24693C271 (96906)	HD	6	*	*	2	*	*	2	24	6	13	34	
C P F		5330-286-9942	SEAL, PLAIN ENCASED: 71X7020 (73680)	EA	2	2	2	2	2	2	2	24	7	13	35	
C P F		1005-940-9449	PLATE, RETAINING, BEARING: 11699441 (19205)	EA	2	*	2	2	*	2	2	24	6	13	36	
N P F		1005-940-8897	SHIM: 11699399 (19204)	EA	V	*	2	2	*	2	2	24	6	13	37	
C P F		5305-959-4158	SCREW, MACHINE: NO. 10-32NF-2A, 5 / 8 LG MS24693C273 (96906)	EA	6	2	3	5	2	3	5	60	20	13	38	
X1			COVER: 11699438 (19204)		2									13	39	
C P F		3110-293-8305	BEARING, BALL, ANNULAR 11014596-7 (19205)	EA	4	2	2	2	2	2	2	24	12	13	40	
N P F		5305-912-4838	SCREW, MACHINE: NO. 10-32UNF-2A MS35276-263 (96906)	EA	6	2	2	3	2	2	3	36	25	13	41	

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-30	(b) 21-30	(c) 31-100	(a) 1-30	(b) 21-30	(c) 31-100			(a) Figure No	(b) Item No
			GEAR ASSEMBLY, SPEED DECREASER: LH 11699508-1 (19204) AND RH 11699508-1 (19204) — Continued												
C	P F	1005-940-9415	MOUNT, SOLENOID:	EA	2	*	2	2	*	2	2	24	4	13	42
		11699437 (19205)													
C	P F	5310-807-1474	NUT, EXTENDED WASHER, HEXAGON:	EA	2	2	3	6	2	3	6	72	24	13	43
		MS21042L3 (96906)													
C	P O	5305-054-6669	SCREW, MACHINE:	EA	6	REF	REF	REF	REF	REF	REF	REF	REF	13	44
		MS51957-44 (96906)													
C	P F	1005-940-9536	PLATE, RETAINING, BEARING:	EA	2	*	2	2	*	2	2	24	5	13	45
		11699484 (19205)													
C	P F	3110-948-9840	BEARING, BALL, ANNULAR	EA	2	*	2	2	*	2	2	24	6	13	46
		11014596-8 (19205)													
C	P F	1005-940-9523	PLATE, RETAINING, BEARING:	EA	2	*	2	2	*	2	2	24	5	13	47
		11699483 (19205)													
P	P F	1005-937-3422	GEAR SHAFT AND PINION ASSEMBLY:	EA	2	*	*	2	*	*	2	24	2	13	48
		11699572 (19204)													
			CONSISTING OF:												
C	P F	5315-953-5701	PIN, SPRING: 5/32 DIAM, 5/8 LG	EA	3	2	2	3	2	2	3	36	25	13	49
		MS39086-241 (96906)													
C	P F	1005-922-8017	GEAR, SPUR:	EA	1	*	2	2	*	2	2	24	4	13	50
		11699480 (19205)													
P	P F	1005-940-9708	GEAR SET, WORM AND WORM WHEEL:	EA		*	2	2	*	2	2	24	4		
			(CONSISTING OF ITEMS 51 AND 58)												
			11699495 (19205)												
			GEAR SPIROID											13	51
XI															
			11699531 (19204)												
C	P F	1005-940-9473	GEAR, SPUR:	EA	1	*	2	2	*	2	2	24	4	13	52
		11699481 (19205)													
C	P F	1005-922-8002	SHAFT, SHOULDERED:	EA	1	*	2	2	*	2	2	24	3	13	53
		11699394 (19205)													
C	P F	5315-958-8890	PIN, STRAIGHT, HEADLESS: CRES. PASS- FIN., 0.078 DIAM, 1/2 OA LG	EA	1	2	2	2	2	2	2	24	20	13	54
			MS16555-613 (96906)												
C	P F	1005-940-9492	COUPLING, SHAFT, RIGID:	EA	1	2	2	2	2	2	2	24	15	13	55
		11699482 (19205)													
C	P F	5340-803-7307	RING, RETAINING:	EA	1	2	2	2	2	2	2	24	200	13	56
		MS16624-25 (96906)													
C	P F	3110-293-8306	BEARING, BALL, ANNULAR:	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	13	57
		11014596-6 (19205)													
			PINION, SPIROID GEAR:												
XI			11699532 (19204)											13	58

Section II. REPAIR PARTS LIST -- Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day G5 maint allowance			(8) 1-yr allow per 100 equip ctgry	(9) Depot maint allow per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			DRIVE SHAFT, GEAR AND CLUTCH ASSEMBLY: 11699578 (19204) -- Continued												
C	P F	5340-655-8113	RING, RETAINER: 1.063 ID, 1.50 OD..... MS16627-1106 (96906)	EA	1	2	2	3	2	2	3	36	50	14	11
N	P F	3110-825-0045	BEARING, BALL, ANNULAR:..... 11699534 (19205)	EA	1	2	2	2	2	2	2	24	12	14	12
C	P F	1005-940-9464	GEAR AND CLUTCH HALF:..... 1169467 (19205)	EA	1	*	2	2	*	2	2	24	5	14	13
N	P F	5315-841-9354	PIN, SPRING, 0.156 DIAM, 0.600 LG..... 11699592 (19204)	EA	1	*	2	2	*	2	2	24	50	14	14
C	P F	1005-922-8014	GEARSHAFT, SPUR:..... 11699468 (19205)	EA	1	*	2	2	*	2	2	24	6	14	15
C	P F	5340-804-9739	RING, RETAINING:..... MS16625-1087 (96906)	EA	1	2	2	3	2	2	3	36	50	14	16
C	P F	3110-516-5413	BEARING, BALL, ANNULAR:..... 11014596-5 (19205)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	14	17
C	P F	1005-922-8029	ROLLER, CLUTCH:..... RC081208 (60380)	EA	1	*	2	2	*	2	2	24	4	14	18
C	P F	1005-922-8025	BEARING, ROLLER, NEEDLE:..... 11699533 (19205)	EA	1	*	2	2	*	2	2	24	6	14	19
C	P F	1005-922-8015	GEAR, SPUR:..... 11699477 (19205)	EA	1	*	2	2	*	2	2	24	4	14	20
C	P F	1090-940-9466	CLUTCH HALF, POSITIVE:..... 11699478 (19205)	EA	2	*	2	2	*	2	2	24	3	14	21
C	P F	1005-922-8016	SHAFT, SHOULDERED:..... 11699479 (19205)	EA	2	*	2	2	*	2	2	24	3	14	22
			FEED ASSEMBLY, CARTRIDGE: LH 8447858 (19204) AND RH 8447857 (19204)												
N	P F	5310-902-6676	NUT, SELF-LOCKING, HEXAGON: NO. 10-32UNF- 3B, 3/8 W, 11/16 H	EA	4	2	5	9	2	5	9	108	50	15	1
C	P O	5310-167-0753	WASHER, FLAT:..... MS21083N3 (96906)	EA	16	REF	REF	REF	REF	REF	REF	REF	REF	15	2
N		5305-957-7810	SCREW, MACHINE:..... (LH ONLY)		2									15	3
C		5305-689-5971	SCREW, MACHINE: NO. 10-32UNF-2A, 7/16 LG (RH ONLY)		2									15	3
N	P F	1005-102-6799	ADAPTER, CARTRIDGE DRIVE:..... 11699567 (19204)	EA	4	2	2	2	2	2	2	24	40	15	4

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip cntgy	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
			FEED ASSEMBLY, CARTRIDGE: LH 8447858 (19204) AND RH 8447857 (19204)												
N	P F	5305-454-0334	SCREW, CAP, SOCKET HEAD: 11699573-1 (19205)	EA	8	2	2	2	2	2	2	24	45	15	5
N	P F	5310-576-5752	WASHER, LOCK MS35333-39 (96906)	EA	8	2	2	4	2	2	4	48	50	15	6
C	P F	1005-922-8005	GUIDE ASSEMBLY: 11699420 (19205)	EA	2	2	2	2	2	2	2	24	12	15	7
C	P F	1005-922-8012	GUIDE SUBASSEMBLY: 11699459 (19205)	EA	2	2	2	3	2	2	3	36	16	15	8
N	P F	5305-957-7086	SCREW, MACHINE: NO. 10-32UNF-3, 5/8 LG (LH ONLY)	HD	2	*	2	2	*	2	2	24	10	15	9
N	P F	5305-957-7811	MS24693S273 (96906) SCREW, MACHINE: NO. 10-32UNF-2A, 1/2 LG (RH ONLY)	HD	2	*	2	2	*	2	2	24	10	15	9
N	P F	1005-102-6800	MS24693S272 (96906) ADAPTER, CARTRIDGE DRIVE:	EA	4	2	2	2	2	2	2	24	40	15	10
N	P F	5315-844-3955	11699568 (19204) PIN, SPRING:	EA	4	2	5	9	2	5	9	100	200	15	11
C	P F	5305-989-6265	MS16562-22 (96906) SCREW, MACHINE:	EA	6	2	3	5	2	3	5	60	50	15	12
C	P F	5315-923-1927	MS35207-262 (96906) PIN, SPRING:	EA	4	2	2	2	2	2	2	24	16	15	13
C	P F	5315-953-5701	11699544 (19205) PIN, SPRING: 5/32 DIAM, 5/8 LG	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	15	14
C	P F	1005-947-8400	MS39086-241 (96906) MOUNT ASSEMBLY, CARTRIDGE DRIVE:	EA	2	*	*	2	*	*	2	24	5	15	15
N	P F	1005-102-8511	11699469 (19205) SHIM:	EA	2	2	2	2	2	2	2	24	30	15	16
N	P F	1005-102-8514	11686610-1 (19204) SHIM:	EA	2	2	2	2	2	2	2	24	30	15	17
N	P F	1005-102-8512	11686610-4 (19204) SHIM:	EA	2	2	2	2	2	2	2	24	30	15	18
N	P F	1005-102-8513	11686610-2 (19204) SHIM:	EA	2	2	2	2	2	2	2	24	30	15	19
C	P F	5315-298-9856	11686610-3 (19204) PIN, SPRING:	EA	2	2	2	2	2	2	2	24	200	15	20
C	P F	1005-922-7999	MS39086-129 (96906) COLLAR, SHAFT: 11699387 (19205)	EA	2	2	2	2	2	2	2	24	8	15	21

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allow per 100 equip	(9) Depot maint allow per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			FEED ASSEMBLY, CARTRIDGE: LH8447858 (19204) AND RH 8447857 (19204) — Continued												
C	P	F	1005-940-8839 BEARING, BALL, ANNULAR:	EA	2	2	2	2	2	2	2	24	12	15	22
			11014596-9 (19205)												
N	P	F	5310-275-0616 WASHER, FLAT:	EA	1	2	2	2	2	2	2	24	20	15	23
			AN960C716L (88044)												
N	P	F	1005-070-0953 SPROCKET, WHEEL ASSEMBLY: LH	EA	1	*	2	2	*	2	2	24	5	15	24
			11687065 (19204)												
N	P	F	1005-070-0954 SPROCKET, WHEEL ASSEMBLY: RH	EA	1	*	2	2	*	2	2	24	5	15	24
			11687067 (19204)												
C	P	F	1005-940-8890 SPRING, HELICAL, COMPRESSION:	EA	2	2	2	2	2	2	2	24	10	15	25
			11699388 (19205)												
C	P	F	1090-940-8898 CLUTCH HALF, POSITIVE:	EA	2	*	2	2	*	2	2	24	4	15	26
			11699430 (19205)												
C	P	F	1005-940-8899 CLUTCH HALF, POSITIVE:	EA	2	*	2	2	*	2	2	24	4	15	27
			11699431 (19205)												
N	P	F	1005-070-0952 SPROCKET, WHEEL ASSEMBLY:	EA	2	2	2	2	2	2	2	24	8	15	28
			11687063 (19204)												
C	P	F	5315-923-2209 PIN, STRAIGHT, HEADLESS:	EA	2	2	2	2	2	2	2	24	16	15	29
			11699543 (19205)												
C	P	F	1005-922-8013 GEARSHAFT, SPUR:	EA	2	*	2	2	*	2	2	24	5	15	30
			11699466 (19205)												
C	P	F	5310-167-0805 WASHER, FLAT:	HD	2	*	*	2	*	*	2	24	2	15	31
			AN960C716 (88044)												
C	P	F	3110-198-1297 BEARING, BALL, ANNULAR	EA	2	2	2	2	2	2	2	24	10	15	32
			11014596-10 (19205)												
C	P	F	1005-922-8018 SHAFT, SHOULDERED: LH	EA	1	*	2	2	*	2	2	24	5	15	33
			11699485 (19205)												
C	P	F	1005-922-8019 SHAFT, SHOULDERED: RH	EA	1	*	2	2	*	2	2	24	6	15	33
			11699486 (19205)												
C	P	F	5315-815-1405 PIN, COTTER:	EA	2	2	5	9	2	5	9	108	100	15	34
			MS24665-151 (96906)												
C	P	O	5310-183-4406 WASHER, FLAT:	HD	8	REF	REF	REF	REF	REF	REF	REF	REF	15	35
			AN960PD10 (88044)												
C	P	F	5315-080-0170 PIN, STRAIGHT, HEADED:	EA	4	2	2	3	2	2	3	36	100	15	36
			MS20392-2C9 (96906)												
C	P	F	5315-811-1242 PIN, STRAIGHT, HEADED:	EA	2	2	2	3	2	2	3	36	100	15	37
			MS20392-2C29 (96906)												
C	P	F	1005-922-8007 ARM, CLUTCH:	EA	2	2	2	2	2	2	2	24	8	15	38
			11699432 (19205)												

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr slw per equip catgy	(9) Depot maint slw per 100 equip	(10) Illustration		
						(a) 1-30	(b) 31-50	(c) 51-100	(a) 1-30	(b) 31-50	(c) 51-100			(a) Figure No	(b) Item No	
			FEED ASSEMBLY, CARTRIDGE: LH 8447858 (19204) AND RH 8447857 (19204) — Continued													
C	P F	5305-923-2170	SCREW, SHOULDER:..... 11699403 (19205)	EA	4	2	2	4	2	2	4	48	20	15	39	
C	P F	1005-922-8011	SPRING, HELICAL, TORSION:..... 11699436 (19205)	EA	2	2	2	2	2	2	2	24	8	15	40	
C	P F	1005-922-8024	SPRING, HELICAL, TORSION:..... 11699525 (19205)	EA	2	2	2	3	2	2	3	36	15	15	41	
C	P F	1005-922-7998	SPACER, SLEEVE:..... 11699356 (19205)	EA	2	2	2	2	2	2	2	24	12	15	42	
C	P F	3110-155-8418	BEARING, BALL, ANNULAR..... 11014596-4 (19205)	EA	4	2	2	2	2	2	2	24	16	15	43	
N	P F	1005-891-1181	ROLLER, LOWER CROSSOVER:..... 11686606 (19205)	EA	2	*	2	2	*	2	2	24	10	15	44	
C	P F	1005-922-8000	SHAFT, SHOULDERED:..... 11699390 (19205)	EA	2	*	2	2	*	2	2	24	6	15	45	
N	P F	5305-454-0335	SCREW, CAP, SOCKET HEAD:..... 11699573-2 (19205)	EA	4	2	2	2	2	2	2	24	40	15	46	
N	P F	5310-559-0070	WASHER, LOCK: NO. 8 SCR SIZE..... MS35333-38 (96906)	EA	4	*	2	2	*	2	2	24	24	15	47	
N	P F		SHIM:..... 11699391-1 (19205)	EA										15	48	
N	P F		SHIM:..... 11699391-2 (19205)	EA										15	49	
C	P F	5310-187-2397	WASHER, FLAT:..... AN960PD4L (88044)	HD	2	*	*	2	*	*	2	24	2	15	50	
C	P F	1005-922-7997	ROLLER, CLUTCH RELEASE:..... 11699355 (19205)	EA	2	2	2	2	2	2	2	24	10	15	51	
C	P F	5315-812-3741	PIN, STRAIGHT, HEADED:..... MS20392-1C13 (96906)	EA	2	2	2	3	2	2	3	36	100	15	52	
C	P F	9505-293-4208	WIRE, STEEL, CORROSION RESISTING:..... MS20995C32 (96906)	SL	V	*	2	2	*	2	2	24	1	15	53	
C	P F	5340-068-0526	CLEVIS, ROD END:..... MS21252-2LS (96906)	EA	2	2	2	2	2	2	2	24	100	15	54	
C	P F	5340-067-9870	TURNBUCKLE BODY:..... MS21251-2S (96906)	EA	2	2	2	2	2	2	2	24	100	15	55	
C	P F	5340-068-0525	CLEVIS, ROD END:..... MS21252-2RS (96906)	EA	2	2	2	2	2	2	2	24	100	15	56	
C	P F	5315-582-2832	PIN, GROOVED, HEADLESS:..... MS35677-18 (96906)	EA	4	2	2	3	2	2	3	36	100	15	57	

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allow per 100 equip	(9) Depot maint allow per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			FEED ASSEMBLY, CARTRIDGE: LH 8447858 (19204) AND RH 8447857 (19204) — Continued												
C	P F	1005-922-8021	CATCH, CLUTCH RELEASE: 11699489 (19205)	EA	2	*	2	2	*	2	2	24	5	15	58
C	P F	1005-922-8010	SPRING, HELICAL, TORSION: 11699435 (19204)	EA	2	2	2	2	2	2	2	24	10	15	59
C	P F	1005-922-8009	DETENT, CLUTCH RELEASE: 11699434 (19205)	EA	2	2	2	2	2	2	2	24	8	15	60
C	P F	1005-922-8008	BRACKET ASSEMBLY, LATCH: 11699433 (19205)	EA	2	*	2	2	*	2	2	24	5	15	61
C	P F	7690-922-8028	DECAL: 11699546 (19205)	EA	2	5	15	29	5	15	29	348	200	15	62
N	P F	5325-990-9327	STUD, TURNLOCK FASTENER: 5S10-7 (71286)	EA	4	*	2	2	*	2	2	24	24	15	63
N	P F	5310-530-9963	WASHER, SPLIT: 0.156 ID, 0.271 OD, 0.016 THK 5S3-1 (71286)	EA	4	*	2	2	*	2	2	24	24	15	64
			BOX ASSEMBLY, AMMUNITION: 11686844 (19204)												
C	P O	1005-994-8930	COVER ASSEMBLY: 7792608 (19205)	EA	1	2	5	9	2	5	9	108		16	1
C	P O	5305-088-9044	SCREW, MACHINE: MS35207-260 (96906)	EA	2	*	*	2	*	*	2	24	8	16	2
C	P O	5310-058-2951	WASHER, LOCK: MS35337-81 (96906)	EA	2	4	11	22	4	11	22	264	1000	16	3
N	P O	1005-949-5917	LANYARD, QUICK RELEASE PIN: 11014471-4 (19205)	EA	1	2	5	9	2	5	9	108	50	16	4
C	P O	1005-924-6320	CLIP, ADAPTER: 11699415 (19205)	EA	1	2	2	3	2	2	3	36	25	16	5
C	P O	1005-924-6319	ADAPTER, AMMUNITION BOX: 11699414 (19205)	EA	1	2	2	3	2	2	3	36	100	16	6
C	P O	5340-959-6648	PIN, QUICK RELEASE: 0.1885 DIAM, 1 LG MS17986C310 (96906)	EA	1	2	5	9	2	5	9	108	300	16	7
C	P O	7690-761-3441	DECAL: 11699342 (19205)	EA	1	2	3	5	2	3	5	60	120	16	8
N	X1		BOX, AMMUNITION 11686618 (19205)		1									16	9
			BOX ASSEMBLY, AMMUNITION: 11699331 (19205)												
C	P O	1005-994-8930	COVER ASSEMBLY: 7792608 (19205)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	1-	1

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Ntr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DB maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alt per 100 equip catry	(9) Depot maint alt per 100 equip	(10) Illustration		
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100				(a) Figure No	(b) Figure Item No
			BOX ASSEMBLY, AMMUNITION: 11699331 (19205) — Continued													
C	P O	7690-761-3441	DECAL:	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	REF	17	2
C	X I	11699342 (19205)	AMMUNITION BOX	..	1	..	..	..	..	..	..	..	..	..	17	3
			11699330 (19205)													
			BOX ASSEMBLY, AMMUNITION: 7792372 (19205)													
C	P O	1005-994-8930	COVER ASSEMBLY:	EA	1	2	3	5	2	3	5	60	50	18	1	
C	P O	7690-073-9015	DECAL:	EA	1	2	2	4	2	2	4	48	150	18	2	
C	X I	7791944 (19205)	BOX, AMMUNITION	..	1	..	..	..	..	..	..	..	..	18	3	
			7792157 (19205)													
			CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL: 8434547 (19204), 11010432 (19205), 11699445 (19205), 11699473 (19205), 11699474 (19205), 11699497 (19205), AND 11699555 (19205)													
N	P F	5935-565-9503	PLUG, END SEAL, ELECTRICAL:	EA	17	2	2	2	2	2	2	24	20	19	1	
			MS25251-12 (96906)													
C	P F	5935-834-4869	CONNECTOR, PLUG, ELECTRICAL:	EA	1	2	2	2	2	2	2	24	20	19	2	
			MS3106R32-1S (96906)													
C	P F	5935-879-1833	CONNECTOR, PLUG, ELECTRICAL:	EA	1	2	2	2	2	2	2	24	20	19	3	
			MS3106R32-1P (96906)													
C	P F	5935-930-0067	CONNECTOR, ELECTRICAL:	EA	2	2	2	2	2	2	2	24	20	19	4	
			11699377-1 (19205)													
C	P F	5935-930-0069	CONNECTOR, ELECTRICAL:	EA	2	2	2	2	2	2	2	24	20	19	5	
			11699378 (19205)													
N	P F	5340-823-5322	PLUG, PROTECTIVE, DUST AND MOISTURE SEAL:	EA	2	2	3	5	2	3	5	60	60	19	6	
			MS25251-16 (96906)													
N	X I		CONNECTOR:	..	1	..	..	..	..	..	..	..	..	19	7	
			MS3116F16-8P (96906)													
N	X I		CONNECTOR:	..	1	..	..	..	..	..	..	..	..	19	8	
			MS3108R18-11S (96906)													
N	X I		CONNECTOR:	..	1	..	..	..	..	..	..	..	..	19	9	
			MS3108R18-11SX (96906)													
N	P F	5340-598-5334	BUSHING RUBBER:	EA	2	2	2	2	2	2	2	24	20	19	10	
			MS3420-8A (96906)													
C	P F	5935-930-0068	CONNECTOR, ELECTRICAL:	EA	1	2	2	2	2	2	2	24	20	19	11	
			11699377-2 (19205)													

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allow per 100 equip 100 1000 10000	(9) Depot maint allow per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			CABLE ASSEMBLIES, SPECIAL PURPOSE, ELECTRICAL: 842647 (19204), 11010432 (19205), 11699445 (19205), 11699473 (19205), 11699474 (19205), 11699497 (19205), AND 11699555 (19205) — Continued												
C	P	F	5935-930-0065	EA	1	2	2	2	2	2	2	24	20	19	12
C	P	F	5935-930-0066	EA	1	2	2	2	2	2	2	24	20	19	13
N	X	I	BUSHING		1									19	14
N	X	I	MS3420-12A (969006)		1									19	15
N	P	F	5935-981-0865	EA	1	2	2	2	2	2	2	24	10	19	16
N	X	I	CONNECTOR, ELECTRICAL:		1									19	17
N	X	I	CONNECTOR		1									19	18
N	X	I	MS3116P14-5S (969006)		1									19	19
N	X	I	CONNECTOR		1									19	20
N	X	I	7792352-5 (19205)		1									19	21
N	X	I	7792351 (19205)		1									19	22
N	X	I	CLAMP		1									19	23
N	X	I	MS3057-12A (969006)		1									19	24
N	X	I	CONNECTOR		1									19	25
N	X	I	11014518-3 (19204)		1									19	26
N	X	I	CONNECTOR		1									19	27
N	X	I	11014518-4 (19204)		1									19	28
N	P	F	CONTROL BOX ASSEMBLY:												
N	P	F	11699502 (19205)	EA	1	2	2	2	2	2	2	24	10	20	1
C	P	D	DECAL: MIL-D-86348, TYPE II	LB	16								100	20	2
C	P	D	11699571 (19205)												
C	P	D	RIVET, SOLID:												
C	P	D	MS20470AD4-5 (969006)		4										
N	X	I	LATCH, SPECIAL:												
N	X	I	MS18015-1 (969006)												
N	X	I	CONSISTING OF:												
N	X	I	LATCH		1									20	3
N	X	I	MS18015-2 (969006)											20	4
N	X	I	STRIKE		1									20	5
N	X	I	MS18015-3 (969006)											20	6
N	X	I	COVER ASSEMBLY		1									20	7
N	X	I	11699365 (19205)											20	8

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip catgy	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
CONTROL BOX ASSEMBLY: 11699502 (19205) — Continued															
C	P	F	5305-057-0513 SCREW, MACHINE: MS51958-16 (96906)	EA	8	2	4	7	2	4	7	84	50	20	23
C	P	F	5935-818-5665 CONNECTOR, RECEPTACLE, ELECTRICAL: MS3102R16S1S (96906)	EA	1	*	2	2	*	2	2	24	3	20	24
C	P	F	5310-934-9752 NUT, PLAIN, HEXAGON: MS35650-364 (96906)	EA	10	2	5	10	2	5	10	120	100	20	25
C	P	F	5310-043-1754 WASHER, LOCK: MS35337-79 (96906)	EA	8	2	4	7	2	4	7	84	80	20	26
C	P	F	5305-057-0525 SCREW, MACHINE: MS51958-29 (96906)	EA	8	2	4	7	2	4	7	84	50	20	27
C	P	F	6660-916-1365 CONNECTOR, RECEPTACLE, ELECTRICAL: 11699376-1 (19205)	EA	1	*	2	2	*	2	2	24	3	20	28
C	P	F	5935-925-4768 CONNECTOR, RECEPTACLE, ELECTRICAL: 11699376-2 (19205)	EA	1	*	2	2	*	2	2	24	3	20	29
C	P	F	5935-878-3573 CONNECTOR, RECEPTACLE, ELECTRICAL: MS3102R16S1SW (96906)	EA	1	*	2	2	*	2	2	24	3	20	30
C	P	F	5305-059-3660 SCREW, MACHINE: MS51958-64 (96906)	EA	10	2	3	5	2	3	5	60	100	20	31
C	P	O	5310-058-2951 WASHER, LOCK: MS35337-81 (96906)	EA	6	REF	REF	REF	REF	REF	REF	REF	REF	20	32
N	P	F	5305-059-3670 SCREW, MACHINE: PAN HEAD MS51958-74 (96906)	EA	6	2	2	2	2	2	2	24	20	20	33
N	P	O	5310-350-5054 WASHER, FLAT: MS15795-809 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	20	34
N	P	F	5340-291-5323 CLAMP, LOOP: MS21919WDG4 (96906)	EA	4	2	2	4	2	2	4	48	40	20	35
N	P	F	SPACER, CABLE 11686620 (19205)		2									20	36
N	P	F	SPACER, CABLE 11686619 (19205)		2									20	37
C	P	F	5310-934-9755 NUT, PLAIN, HEXAGON: MS35650-304 (96906)	EA	8									20	38
N	P	F	5310-343-5033 WASHER MS35333-33 (96906)	EA	4									20	39
N	P	F	5310-043-1757 WASHER MS15795-408 (96906)	EA	4									20	40
N	P	F	5310-934-9750 NUT, PLAIN, HEXAGON: MS35650-304 (96906)	EA	2	3	8	16	3	8	16	192	100	20	41

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr per 100 equip caty	(9) Depot alt per 100 equip	(10) Illustration		
					(a) 1-20	(b) 21-40	(c) 51-100	(a) 1-20	(b) 21-40	(c) 51-100			(a) Figure No	(b) Item No	
		CONTROL BOX ASSEMBLY: 11699502 (19205) — Continued													
C P F	5305-059-3676	SCREW, MACHINE: MS51958-80 (96906)	EA	2	2	2	2	2	2	2	24	20	20	42	
N A F		RESISTOR ASSEMBLY 11699367 (19204)	EA	1									20	43	
C P F	5905-951-4908	CONSISTING OF: RESISTOR, FIXED, WIRE WOUND 11699367-1 (19205)	EA	2	2	2	3	2	2	3	36	10	20	44	
C P F	5905-951-4954	BRACKET ASSEMBLY, RESISTOR: 11699367-2 (19205)	EA	2	2	2	2	2	2	2	24	5	20	45	
N P H	5961-924-6981	SEMICONDUCTOR DEVICE, DIODE: IN4245 (81349)	EA	4				2	3	5	60		20	46	
C P F	5945-900-2098	RELAY, ARMATURE: MS25395D1 (96906)		4	2	2	3	2	2	3	36	25	20	47	
C P F	1090-924-6312	BRACKET, ANGLE: 11699409 (19205)	EA	1	2	2	2	2	2	2	24	10	20	48	
C P F	5945-754-9484	RELAY, ARMATURE: MS24140D1 (96906)	EA	2	2	2	3	2	2	3	36	25	20	49	
C P F	5305-059-3677	SCREW, MACHINE: MS51958-81 (96906)	EA	8	2	4	7	2	4	7	84	50	20	50	
C P F	5945-681-8188	RELAY, SOLENOID: MS24182D1 (96906)		4	2	3	5	2	3	5	60	20	20	51	
N P	5310-999-4031	NUT..... MS20341-6S (96906)	EA	14									20	52	
N P F	5340-891-3410	CLAMP, LOOP: PLASTIC, 0.438 LOOP ID, 0.523 OA W, 0.085 THK MS25281F7 (96906)	EA	1	*	2	2	*	2	2	24	10	20	53	
N P F	5310-045-4007	WASHER, LOCK: MS35338-41 (96906)	EA	14	2	2	2	2	2	2	24	200	20	54	
C P F	5945-947-8408	RELAY, TIME DELAY: 11699369 (19205)	EA	5	*	2	2	*	2	2	24	5	20	55	
C P F	5945-925-4764	RELAY, TIME DELAY: 11699353 (19205)	EA	2	2	2	2	2	2	2	24	10	20	56	
C P F	5310-901-9291	NUT, PLAIN, HEXAGON: MS20341-416S (96906)	EA	4	2	2	2	2	2	2	24	15	20	57	
C P F	5310-209-0786	WASHER, LOCK: MS35335-33 (96906)	EA	4	2	3	5	2	3	5	60	50	20	58	
C P F	5970-069-5379	INSULATOR, WASHER: 11014257-5 (19205)	EA	4	2	2	2	2	2	2	24	10	20	59	

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr av per 100 equip 100 unit	(9) Depot maint per 100 equip	(10) Illustration			
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No		
			CONTROL BOX ASSEMBLY: 11699502 (19205) — Continued														
C	P	F	5970-756-3624 WASHER, INSULATING: 11014287-2 (19205)	EA	4	2	5	9	2	5	9	108	40	20	60		
C	P	F	5961-810-5536 SEMICONDUCTOR DEVICE, DIODE: MIL-S-19500 / 134A (81349) IN249B (81349)	EA	4	2	2	2	2	2	2	24	10	20	61		
C	P	F	5310-811-6419 NUT, EXTENDED WASHER, HEXAGON: MS21042-04 (96906)	EA	8	3	8	16	3	8	16	192	100	20	62		
C	P	F	5310-951-4679 WASHER, FLAT: MS27183-3 (96906)	EA	16	4	11	22	4	11	22	264	300	20	63		
N	P	F	5305-054-5652 SCREW, MACHINE: MS51957-18 (96906)	EA	8	2	4	7	2	4	7	84	50	20	64		
C	P	F	1005-924-2061 SPACER, SLEEVE: 7792268-1 (19205)	EA	8	2	3	5	2	3	5	60	20	20	65		
C	P	F	5905-141-0591 RESISTOR, FIXED, COMPOSITION: RCR206103JS (81349)	EA	2	2	2	2	2	2	2	24	10	20	66		
C	P	F	5905-106-1273 RESISTOR, FIXED, COMPOSITION: RCR206153JS (81349)	EA	2	2	2	2	2	2	2	24	10	20	67		
C	P	F	5905-141-0593 RESISTOR, FIXED, COMPOSITION: RCR206182JS (81349)	EA	2	2	2	2	2	2	2	24	10	20	68		
C	P	F	5905-104-8331 RESISTOR, FIXED, COMPOSITION: RCR206304JS (81349)	EA	1								20	20	69		
C	P	F	5961-577-6214 SEMICONDUCTOR DEVICE, DIODE: MIL-S-19500 / 202 (81349) IN538 (81349)	EA	10	2	2	3	2	2	3	36	25	20	70		
C	P	F	1090-924-6665 TERMINAL BOARD: 11699368-1 (19205)	EA	1	*	2	2	*	2	2	24	5	20	71		
C	P	F	1090-924-6524 BRACKET, RELAY: 11699499 (19205)	EA	1	*	2	2	*	2	2	24	5	20	72		
N	P	F	5340-915-2342 CLAMP, LOOP; PLASTIC, 0.375 LOOP ID, 0.460 OA W, 0.085 THK MS25281F6 (96906)	EA	1	*	2	2	*	2	2	24	10	20	73		
C	P	F	5940-924-6650 TERMINAL BOARD: 11699368-2 (19205)	EA	1	*	2	2	*	2	2	24	5	20	74		
C	P	F	1090-924-6348 BRACKET, RELAY: 11699470 (19205)	EA	1	2	2	2	2	2	2	24	10	20	75		
			BOX, CONTROL 11699366 (19205)		1									20	76		

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip ctgry	(9) Depot maint per 100 equip	(10) Illustration			
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No		
			CONTROL BOX ASSEMBLY: 11699502 (19205) — Continued														
C	P F	6145-839-7432	WIRE, ELECTRICAL: BUS (S-20) OO-W-343 (81348)	LB	V	2	5	9	2	5	9	108	100	20	77		
C	P F	6145-913-8015	WIRE, ELECTRICAL: MIL-W-22759 MS17411-6- (add color code for last number) (96906)	FT	V	2	5	9	2	5	9	108	100	20	78		
C	P F		WIRE, ELECTRICAL: MIL-W-22759 MS17411-14- (add color code for last number) (96906)	FT	V	5	15	29	5	15	29	348	400	20	79		
	P F		WIRE, ELECTRICAL: MIL-W-22759 (81349) MS17411-16- (add color code for last number) (96906)	V	V									20	79		
	P F	6145-917-6378	WIRE, ELECTRICAL: MIL-W-22759 (81349) MS17411-20 (add color code for last number) (96906)	FT	V									20	79		
N	P F	5970-740-2971	INSULATION, SLEEVING, ELECTRICAL: MIL-I-23053 (81349)	FT	V	2	5	9	2	5	9	108	100	20	80		
C	P F	5970-088-2975	INSULATION, SLEEVING, ELECTRICAL: MIL-I-23053-8 (81349)	FT	V	2	5	9	2	5	9	108	100	20	81		
C	P F	5970-082-3942	INSULATION, SLEEVING, ELECTRICAL: MIL-I-23053-10 (81349)	FT	V	2	5	9	2	5	9	108	100	20	82		
C	P F	5970-082-3825	INSULATION, SLEEVING, ELECTRICAL: MIL-I-20353-14 (81349)	FT	V	2	5	9	2	5	9	108	100	20	83		
C	P F	5940-143-4771	TERMINAL, LUG: SIZE 22-18, MTG HOLE 0.200 MS25036-103 (96906)	PG	5	2	2	2	2	2	2	24	20	20	84		
C	P F	5940-557-1629	TERMINAL, LUG: SIZE 22-18, MTG HOLE 0.172 MS25036-149 (96906)	PG	33	*	2	2	*	2	2	24	10	20	85		
C	P F	5940-113-0184	TERMINAL, LUG: SIZE 22-18, MTG HOLE 0.267 MS25036-150 (96906)	PG	2	*	2	2	*	2	2	24	10	20	86		
C	P F	5940-143-4780	TERMINAL, LUG: SIZE 16-14, MTG HOLE 0.200 MS25036-108 (96906)	PG	13	2	3	5	2	3	5	60	15	20	87		
C	P F	5940-230-0515	TERMINAL, LUG: SIZE 16-14, MTG HOLE 0.267 MS25036-154 (96906)	PG	9	2	2	3	2	2	3	36	30	20	88		
N	P F	5940-114-1305	TERMINAL, LUG: SIZE 8, MTG HOLE 0.267 MS25036-116 (96906)	EA	2	2	2	4	2	2	4	48	60	20	89		
C	P F	5940-557-4344	TERMINAL, LUG: SIZE 6, MTG HOLE 0.267 MS25036-120 (96906)	PG	23	*	*	2	*	*	2	24	70	20	90		
			SUSPENSION LINKAGE, SIGHTING STATION														
C	P O	1270-909-0409	RING, PULL: 11699858 (19204)	EA	1	2	2	4	2	2	4	48	12	21	1		
C	P F	5310-844-4872	NUT, EXTENDED WASHER, HEXAGON: CORR-RES- S, NO. 1/4-28UNF-3B, 0.420 ID, 0.019 THK MS21043-4 (96906)	EA	5	REF	REF	REF	REF	REF	REF	REF	REF	21	2		

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) Lyr maint per 100 equip	(9) Depot maint per 100 equip	(10) Illustration Figure No
						(a)	(b)	(c)	(a)	(b)	(c)			
						1-20	21-50	51-100	1-20	21-40	41-100			(b) Figure No
			SUSPENSION LINKAGE, SIGHTING STATION — Continued											
C	P F	1270-909-0411	PLUNGER, RELEASE: 11699861 (19204)	EA	1	*	2	2	*	2	2	24	5	21 3
N	P F	5315-845-9890	PIN, SPRING: CORR-RESS, 5/64 DIAM, 1/4 LG, 0.018 THK MS16562-199 (96906)	EA	1	2	2	4	2	2	4	48	12	21 4
C	P F	5340-939-1096	SPRING, HELICAL, COMPRESSION: CORR-RES CHROMIUM PLATED (FOR LOADS BELOW 20 LBS) MS24585-269 (96906)	EA	1	2	2	4	2	2	4	48	12	21 5
C	P F	5310-809-4058	WASHER, FLAT: S, DC-PLTD CHROMATED, 0.250 ID, 0.625 OD, 0.064 THK MS27183-10 (96906)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	21 6
C	P F	5306-889-3035	BOLT, MACHINE: CORR-RESS, HEX-HD, 1/4-28 AND 5/16-24, 3.906 OA LG AN174C37A (88044)	EA	3	2	3	5	2	3	5	60	18	21 7
C	X1		BRACKET, MOUNTING 11699865 (19204)		1									21 8
C	P F	5306-939-1083	BOLT, MACHINE: HEX-HD, NO. 1/4-28UNF-3A, 4.937 GRIP LG AN174C53A (88044)	EA	1	2	2	4	2	2	4	48	12	21 9
C	X1		SUPPORT, SIGHT 11699864 (19204)		1									21 10
C	P F	5310-807-1475	NUT, EXTENDED WASHER, HEXAGON: CD-PLTD CHROMATED, NO. 1/4-28UNF-3B MS21042L4 (96906)	EA	8	2	4	8	2	4	8	96	36	21 11
C	P F	5310-582-5677	WASHER, FLAT: CORR-RESS, PASS-FIN., 0.281 ID, 0.625 OD, 0.080 THK, 1/4 SCR SIZE MS15795-810 (96906)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	21 12
C	P F	5306-281-2583	BOLT, MACHINE: HEX-HD, CORR-RESS, STL FIN., NO. 1/4-28UNF-3A, 1-9/32 OA LG AN174C12A (88044)	EA	8	2	4	8	2	4	8	96	36	21 13
C	P F	1270-073-8995	FITTING ASSEMBLY, SUSPENSION LINKAGE CONTROLLER: 11011265 (19204)	EA	2	2	2	4	2	2	4	48	12	21 14
N	X1		CONSISTING OF: BEARING BALL, ANNULAR DW4K2 11011291 (19204)		2									21 15
N	X1		FITTING, SUSPENSION LINKAGE LOWER 11011264 (19204)		1									21 16

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip 100 cnlgy	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			SUSPENSION LINKAGE, SIGHTING STATION — Continued												
C	P	F	NUT, EXTENDED WASHER, HEXAGON: CORR-RES S, NO. 8-32NC-3B, 0.290 DIAM, 0.015 THK MS21043-08 (96906)	EA	3	2	3	5	2	3	5	60	18	21	17
C	P	F	SCREW, CAP, SOCKET HEAD: CD-PLTD, S, NO. 8-32, 0.500 LG MS24677-15 (96906)	EA	3	2	3	5	2	3	5	60	18	21	18
C	P	F	WASHER, FLAT: ALUMINUM ANODIZED FIN., 0.187 ID, 0.375 OD, 0.036 THK MS15795-707 (96906)	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	21	19
C	P	F	CLAMP, LOOP: MS21919DG7 (96906)	EA	3	2	3	5	2	3	5	60	18	21	20
C	P	F	CLAMP, LOOP: MS21919DG8 (96906)	EA	2	2	2	4	2	2	4	48	12	21	21
C	P	F	ROD, SUSPENSION, CONTROLLER: 11011267 (19204)	EA	4	2	2	2	2	2	2	24	16	21	22
N	X	I	CONSISTING OF: CLEVIS, ROD END 11011269 (19204)		2									21	23
N	X	I	SLEEVE, SUSPENSION ROD 11011268 (19204)		1									21	24
C	P	F	SCREW, CAP SOCKET HEAD: CD-PLTD, S, NO. 10-24, 0.375 LG MS24677-22 (96906)	EA	1	2	2	4	2	2	4	48	12	21	25
C	P	F	NUT, EXTENDED WASHER, HEXAGON: CORR-RES S, NO. 6-32NC-3B, 0.244 THK MS21043-06 (96906)	EA	4	2	3	6	2	3	6	72	24	21	26
C	P	F	WASHER, FLAT: CRES, PASS-FIN., 0.138 ID, 0.312 OD, 0.027 THK MS15795-705 (96906)	EA	4	2	3	6	2	3	6	72	24	21	27
C	P	F	SCREW, CAP, SOCKET HEAD: CD-PLTD, S, 0.750 LG MS24677-10 (96906)	EA	4	2	3	6	2	3	6	72	24	21	28
C	P	F	GUARD: LINK LH 7792251 (19204)	EA	1	*	2	2	*	2	2	24	5	21	29
C	P	F	GUARD: LINK RH 7792252 (19204)	EA	1	*	2	2	*	2	2	24	5	21	30
C	P	F	FITTING ASSEMBLY, SUSPENSION LINKAGE CONTROLLER: 1101126 (19204)	EA	2	2	2	4	2	2	4	48	12	21	31

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Usable on Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			SUSPENSION LINKAGE, SIGHTING STATION — Continued												
			CONSISTING OF:												
N	X1		BEARING, BALL, ANNULAR DW4K2.....		2									21	15
N	X1		11011291 (19204)		1									21	32
C	P F	1270-909-0408	FITTING, SUSPENSION LINKAGE, LOWER	EA	2	2	2	4	2	2	4	48	12	21	33
C	P F	1270-909-0410	SPACER, SLEEVE:.....	EA	1	2	2	4	2	2	4	48	12	21	34
C	P F	1270-909-0407	SPRING, HELICAL, TORSION:.....	EA	1	2	2	2	2	2	2	24	6	21	35
N	X1		LATCH ASSEMBLY:.....		1										
N	X1		11699856 (19204)		1										
C	P F	5305-899-3995	CONSISTING OF:		1										
C	P F	1270-974-7667	INSERT SCREW THREAD.....	EA	1	2	2	4	2	2	4	48	12	21	36
C	P F	5340-726-9819	7792303-3 (19204)		1										
C	P F	5310-807-1474	LATCH.....		1										
C	P F	5310-807-1474	11699859 (19204)		1										
C	P F	5310-807-1474	SETScrew: HEADLESS, SOCKET DRIVE, CORR- RES-S, NO. 8-32, 0.375 LG	EA	1	2	2	4	2	2	4	48	12	21	37
C	P F	5310-807-1474	MS1029-29 (96906)	EA	1	2	2	4	2	2	4	48	12	21	38
C	P F	5310-807-1474	PIN: SHOULDER, HEADLESS.....	EA	1	2	2	4	2	2	4	48	12	21	39
C	P F	5310-807-1474	7792246 (19204)	EA	1	2	2	4	2	2	4	48	12	21	40
C	P F	5310-807-1474	CLAMP, LOOP:.....	EA	1	2	2	4	2	2	4	48	12	21	41
C	P F	5310-807-1474	MS21919DG3 (96906)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	21	41
C	P F	5310-807-1474	NUT, EXTENDED WASHER, HEXAGON: CD-PLTD CHROMATED, NO. 3 / 10-32UNF-3B	EA	6	2	5	9	2	5	9	108	3000	21	42
C	P F	5310-807-1474	MS21042L3 (96906)	EA	2	2	2	4	2	2	4	48	12	21	43
C	P F	5310-807-1474	WASHER, FLAT: ALUMINUM, VARIOUS FIN., NO. 10 SCREW SIZE, 0.437 OD, 0.036 THK	EA	2	2	2	4	2	2	4	48	12	21	44
C	P F	5310-807-1474	MS15795-708 (96906)	EA	1	2	2	4	2	2	4	48	12	21	45
C	P F	5310-807-1474	BOLT, MACHINE: HEX-HD, NO. 10-32UNF-3A, 2.796 OA LG	EA	1	2	2	4	2	2	4	48	12	21	46
C	P F	5310-807-1474	MS20033-23 (96906)	EA	1	2	2	4	2	2	4	48	12	21	47
C	P F	5310-807-1474	ELBOW ASSEMBLY, SUSPENSION LINKAGE CONTROLLER: 11011285 (19204)	EA	1	2	2	4	2	2	4	48	12	21	48

ACT ON CODE	SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc of in mass	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alt per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100				
			SUSPENSION LINKAGE, SIGHTING STATION — Continued												
			CONSISTING OF:												
N	XI		BEARING SLEEVE 7792232-1 (19204)		4									21	45
N	XI		ELBOW 7792238 (19204)		1									21	46
C	P F	1005-924-2072	SPACER, SLEEVE: 11699540-2 (19204)	EA	2	2	2	4	2	2	4	12	12	21	47
C	P F	1270-974-7669	SPACER 7792248 (19204)	EA	4	2	3	6	2	3	6	24	24	21	48
N	XI		STOP ASSEMBLY, LINK 11697274 (19204)		1									21	49
			CONSISTING OF:												
N	XI		SETScrew, HEXAGON SOCKET, CUP POINT MS51964-69 (96906)		1									21	50
N	XI		INSERT, HELICAL COIL 7269995 (19204)		1									21	51
N	XI		STOP, LINK 11697273 (19204)		1									21	52
N	P F	5340-400-2585	SPACER, SLEEVE: 11697338 (19204)	EA	2	2	2	4	2	2	4	12	12	21	53
C	P F	5306-889-3032	BOLT, MACHINE: HEX-HD, CORR-RESS. NO. 10-32NF-3A, 2.546 OA LG MS20033-21 (96906)	EA	2	2	2	4	2	2	4	48	12	21	54
N	P O	1005-987-8611	LOCK, SPRING: 11699596 (19204)	EA	1	2	2	3	2	2	3	36	30	21	55
C	P F	1005-924-2071	SPACER, SLEEVE: 11699540-1 (19204)	EA	1	2	2	4	2	2	4	48	12	21	56
C	P F	1270-974-7676	CONNECTOR, LINK ASSEMBLY: 7792284 (19204)	EA	2	2	2	2	2	2	2	2	2	21	57
			CONSISTING OF:												
N	XI		BEARING SLEEVE 7792231-2 (19204)		2									21	58
N	XI		CONNECTING LINK 7792245 (19204)		1									21	59
C	P F	1005-924-6310	SPRING ASSEMBLY, COUNTER BALANCE: 11699383 (19204)	EA	1	2	2	3	2	2	3	36	25	21	60

Section II. REPAIR PARTS LIST -- Continued

(1) ACT ON CODE	(2) SMR Code	(3) Federal Stock Number	(4) Description Reference Number & Mfr Code	(5) Unit of meas	(6) Qty inc in unit	(7) 30-day DS maint allowance			(8) 30-day GS maint allowance	(9) 1-yr maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			SUSPENSION LINKAGE, SIGHTING STATION -- Continued									
	N XI		CONSISTING OF: SPRING, HELICAL COMPRESSION 11699350 (19204)		1						21	61
	N XI		SUPPORT, SPRING 11699384 (19204)		1						21	62
	N XI		SUPPORT, SPRING ANGULAR 11699381 (19204)		1						21	63
	N XI		WASHER, RETAINING 11699382 (19204)		2						21	64
	C P F	1270-974-7675	CONNECTOR, LINK ASSEMBLY: 7792283 (19204)	EA	1	*	2	2	*	2	21	65
	N XI		CONSISTING OF: BEARING SLEEVE 7792231-3 (19204)		4						21	66
	N XI		CONNECTING LINK 7792249 (19204)		1						21	67
	N P F	5305-054-6651	CONTROLLER GEAR AND ELECTRICAL COMPONENTS, SIGHTING STATION SCREW, MACHINE: PAN-HD, CROSS RECESSED, CORR-RESS, NO. 6-32NC-2A, 5 / 16 LG MS51957-27 (96906)	EA	2	2	2	4	2	4	22	2
	C P F	5310-880-5976	WASHER, FLAT: CORR-RESS, PASS-FIN., 0.156 ID, 0.375 OD, 0.049 THK, NO. 6 SCREW SIZE MS15795-806 (96906)	EA	2	2	2	4	2	4	22	3
	C XI		HOUSING, RHEOSTAT 7791642 (19204)		1						22	4
	C P O	5355-579-6390	KNOB: MS91528-2F2B (96906)	EA	1	2	2	4	2	4	22	5
	C P F	5905-684-4994	RESISTOR VARIABLE 11011313 (19204)	EA	1	*	2	2	*	2	22	6
	C P O	1270-973-3119	SCREW, SIGHTING STATION: 7792348 (19204)	EA	1	2	2	4	2	4	22	7
	C P O	5340-988-3210	CLAMP, LOOP: MS25281R4 (96906)	EA	1	2	2	4	2	4	22	8
	N P F	5305-054-5650	SCREW, MACHINE: PAN-HD, CROSS RECESSED, CORR-RESS, NO. 4-40NC-2A, 7 / 16 LG MS51957-16 (96906)	EA	9	2	4	8	2	4	22	9
	C P F	1270-974-7653	CLAMP, RIM CLENCHING: 7792217 (19204)	EA	9	2	4	8	2	4	22	9

Section II. REPAIR PARTS LIST — Continued

[illegible]

Section II. REPAIR PARTS LIST - Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allw per 100 equip (mgy)	(9) Depot maint per 100 equip	(10) Illustration			
						(a) 1-20	(b)* 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No		
			CONTROLLER GEAR AND ELECTRICAL COMPONENTS, SIGHTING STATION — Continued														
			ADAPTER RESISTOR														
N	X1		11011253 (19204)		1										22	15	
N	P F	5905-879-7726	RESISTOR VARIABLE: 8445009 (19204)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	REF	22	16	
N	P F	5305-940-9491	SCREW, MACHINE: FIL-HD, CORR-RES-S, NO. 10-24NC-2A	EA	4	2	3	6	2	3	6	72	24	22	23		
			MS35275-230 (96906)														
C	P F	1270-066-1318	WASHER, CONTROLLER HOUSING: 7792159-4 (19204)	EA	4	2	3	6	2	3	6	72	24	22	24		
C	P F	5310-878-3292	NUT, EXTENDED WASHER, HEXAGON: CORR- RES-S, NO. 4-40NC-3B, 0.206 THK	EA	5	2	3	6	2	3	6	72	24	22	25		
			MS21043-04 (96906)														
C	P F	5310-782-1349	WASHER, FLAT: CORR-RES-S, PASS-FIN., 0.125 ID, 0.312 OD, 0.040 THK, NO. 4 SCR SIZE	EA	6	REF	REF	REF	REF	REF	REF	REF	REF	REF	22	14	
			MS15795-804 (96906)														
	X1		SCREW, SHOULDER 7792209 (19204)		1										22	26	
C	P F	1270-878-0200	GEAR CLUSTER, SPUR: IDLER 11011259 (19205)	EA	1	2	2	3	2	2	3	36	20	22	27		
			CONSISTING OF:														
N	X1		RING, RETAINING, EXTERNAL		1										22	28	
			MS16624-1037 (96906)														
N	X1		GEAR, SPUR, IDLER		1										22	29	
			11011262 (19204)														
N	X1		SPRING, TORSION		1										22	30	
			11011261 (19204)														
N	X1		GEARSHAFT, SPUR-IDLER		1										22	31	
			11011260 (19204)														
C	P F	5325-185-0017	GROMMET, RUBBER: MS35489-33 (96906)	EA	2	2	2	4	2	2	4	48	12	22	32		
N	X1		INSERT, SCREW THREAD		13										22	33	
			7792303-1 (19204)														
N	X1		INSERT, SCREW THREAD		6										22	34	
			7792303-2 (19200)														
C	X1		BRACKET, MOUNTING, RESISTOR 7792187 (19204)		1										22	35	

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr per 100 equip 100 cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			CONTROLLER GEAR AND ELECTRICAL COMPONENTS, SIGHTING STATION — Continued												
N P F		5305-945-0506	SCREW, MACHINE: FIL-HD, CORR-RES-S, NO.4-40 MS35275-216 (96906)	EA	4	2	3	6	2	3	6	72	24	22	36
C X1			HOUSING, VARIABLE RESISTOR 779224 (19204)		1									22	37
C P F		1270-073-8994	RESISTOR VARIABLE AND GEAR ASSEMBLY: ELEVATION 11011255	EA	1	1	1	2	1	1	2	24	20	22	38
N P F		5315-893-6180	CONSISTING OF: PIN, SPRING: ROCKWELL-HARDNESS C40- 50, 0.062 DIAM, 0.250 LG MS39086-100 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	22	18
N X1			GEARSHAFT, SPUR 11011258 (19204)		1									22	39
N P F		1005-922-7022	SPRING, HELICAL, TORSION: 11011257 (19204)	EA	1	2	2	4	2	2	4	48	12	22	40
N X1			GEAR, SPUR, ELEVATION 11011256 (19204)		1									22	41
N X1			RING, RETAINING, EXTERNAL MS16624-1028 (96906)		1									22	42
N P F		5305-945-0505	SCREW, MACHINE: FIL-HD, CORR-RES-S, NO. 4-40NC-2A, 0.187 LG MS35275-212 (96906)	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	22	13
C P F		5310-782-1349	WASHER, FLAT: CORR-RES-S, PASS-FIN., 0.125 ID, 0.312 OD, 0.040 THK, NO. 4 SCR SIZE MS15795-804 (96906)	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	22	14
N X1			ADAPTER, RESISTOR 11011253 (19204)		1									22	15
N P F		5905-879-7716	RESISTOR, VARIABLE: 8445007 (19204)	EA	1	*	2	2	*	2	2	24	10	22	43
N P F		5305-923-2585	SCREW, MACHINE: FIL-HD, CORR-RES-S, NO. 10-24NC-2A, 0.312 LG MS35275-260 (96906)	EA	1	2	2	4	2	2	4	48	12	22	44
C P F		5310-584-7800	WASHER, FLAT: ALUMINUM, VARIOUS FIN., NO.10 SCR SIZE, 0.437 OD, 0.036 THK MS15795-708 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	22	45
C P F		5340-726-9819	CLAMP, LOOP: MS21919DG3 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	22	46
N P F		5305-925-4780	SCREW, MACHINE: FIL-HD, CORR-RES-S, NO.4-40 MS35275-218 (96906)	EA	4	2	3	6	2	3	6	72	24	22	47

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alt per 100 equip (milgr)	(9) Depot alt per 100 equip	(10) Illustrator	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			CONTROLLER GEAR AND ELECTRICAL COMPONENTS, SIGHTING STATION — Continued												
C	P F	5310-595-6211	WASHER, FLAT: CORR-RESS, PASS-FIN., 0.250 OD, 0.028 THK, NO. 4 SCR SIZE MS15795-803 (96906)	EA	4	2	3	6	2	3	6	72	24	22	48
C	X1		BLOCK, RETAINING, CABLE 7792225 (19204)		1									22	49
C	P F	1270-073-8387	CABLE ASSEMBLY, SPECIAL PURPOSE ELECTRICAL, BRANCHED: 7791649 (19204)	EA	1	*	1	2	*	1	2	24	3	22	50
C	P F	5935-958-8462	CONNECTOR, PLUG, ELECTRICAL: MS3116E10-6S (96906)	EA	1	*	2	2	*	2	2	24	5	22	51
C	P F	5935-812-3268	CONNECTOR, PLUG, ELECTRICAL: MS3116E14-19P (96906)	EA	1	*	2	2	*	2	2	24	5	22	52
N	X1		TUBE, FLEXIBLE, NONMETALLIC, ELEC- TRICAL 7792302 (19205)		V									22	53
			CONTROLLER SIGHT AND GRIP ASSEMBLIES MOUNT, SIGHTING STATION												
C	P O	1270-906-1092	SIGHT ASSEMBLY, CONTROLLER: 7791900 (19204)	EA	1	1	2	3	1	2	3	36	12	23	1
N	P O	5305-543-5799	CONSISTING OF: SCREW, CAP, SOCKET HEAD: CROSS RECESSED, S, NO. 4-40NC-2A, MS24677-1 (96906)	EA	2	2	3	6	2	3	6	72	24	23	2
N	P O	5310-543-2410	WASHER, LOCK: SPLIT, MED, S, CD-PLTD, NO. 4 SCREW SIZE MS35338-40 (96906)	EA	2	2	2	3	2	2	3	36	10	23	3
N	P O	5340-181-1219	CLAMP, RIM GLENCHING: 7791920 (19204)	EA	1	2	2	3	2	2	3	36	20	23	4
N	X1		CONSISTING OF: CLAMP 7791921 (19204)		1									23	5
N	X1		PAD 7791918-2 (19204)		1									23	6
N	P O	1270-497-9761	GLASS, VIEWING, INFINITY: 7791932 (19204)	EA	1	2	2	3	2	2	3	36	20	23	7
N	P O	5305-151-2996	SCREW, MACHINE: FIL-HD, CD-PLTD, NO. 3-48UNC, 3 / 16 LG AN500-3-3 (88044)	EA	8	2	4	8	2	4	8	96	36	23	8

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr per 100 equip catgy	(9) Depot allw per 100 equip	(10) Illustration		
					(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No	
		CONTROLLER SIGHT AND GRIP ASSEMBLIES MOUNT, SIGHTING STATION — Continued													
N P O	5310-183-4354	WASHER, FLAT: CORR-RESS, NO. 3 SCREW SIZE, 0.099 ID, 0.250 OD, 0.016 THK AN960C3L (88044)	EA	8	2	4	8	2	4	8	96	36	23	9	
N P O	1270-497-9764	BRACKET, INFINITY SIGHT: 7791917 (19204) CONSISTING OF: BRACKET: 7791919-1 (19204) PAD: 7791918-1 (19204)	EA	2	*	2	2	*	2	2	24	10	23	10	
N X1				1									23	11	
N X1				1									23	12	
N P O	1270-497-9763	*BRACKET, SIGHTING STATION: 7791919-2 (19204)	EA	2	*	2	2	6	2	2	24	10	23	13	
C P O	5305-264-2316	SCREW, MACHINE: RD-HD, SLOT, DRIVE, CORR- RESS, NO. 5-40NC-2A AN515CS-5 (88044)	EA	4	2	-3	6	2	3	6	72	24	23	14	
C P O	5310-221-3087	WASHER, LOCK: CD-PLTD, S, 0.128 ID, 0.225 OD, 0.025 THK AN935-5L (88044)	EA	4	2	3	6	2	3	6	72	24	23	15	
C P O	5315-815-1405	PIN, COTTER: CORR-RESS, SPRING TYPE, 1/16 DIAM, 1/2 LG MS24665-151 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	23	16	
C P F	1270-974-7642	NUT: PLAIN ROUND 7792198 (19204)	EA	1	2	2	4	2	2	4	48	12	23	17	
C P F	1270-987-8949	WASHER CONTROLLER, GUN MOUNT: 7792197-1 (19204)	EA	1	2	2	4	2	2	4	48	12	23	18	
N P O	1270-089-6973	GRIP ASSEMBLY: CONTROLLER GUN MOUNT: 11686636 (19204)	EA	1	*	1	2	*	1	2	24	10	23	19	
C P O	6240-155-8689	LAMP, INCANDESCENT: DOUBLE CONTACT, BAYONET TWO FIL, BAYONET CANDELABRA BASE, S-8 BULB, 28 V, 0.68 AMPS MS15584-5 (96906)	EA	1	2	3	5	2	3	5	60	40	23	20	
C P F	5305-531-0137	SETSCREW, HEXAGON SOCKET: CUT PT, CORR- RES- S. NO. 632NC-2A, 1/8 LG MS51021-21 (96906)	EA	1	2	2	4	2	2	4	48	12	23	21	
		*SEE FIGURE 24 FOR CONTINUATION OF CONTROLLER SIGHT ASSEMBLY REPAIR PARTS.													

Section II. REPAIR PARTS LIST — Continued

ACT CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description, Reference Number & Mfr Code	(4) Unit of measure	(5) Qty in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip	(9) Illustration		
CONTROLLER SIGHT AND GRIP ASSEMBLIES MOUNT, SIGHTING STATION — Continued															
C	P F	5305-051-4497	SETSCREW: HEADLESS-SOCKET DRIVE CONE PT, S. CD-PLTD, NO. 6-32, 0.250 LG MS51973-19 (96906) SHAFT 7792196 (19204) GEARSHAFT 11011308 (19204)	EA	1		2	4	2	2	4	12	23	22	
C	X I				1										
C	P F	5306-990-6434	BOLT, MACHINE: HEX-HD, CORR-RES-S, NO. 1/4-28UNF-3A MS20034-11 (96906)	EA	1		2	2	4	2	2	4	12	23	24
C	P F	5310-582-5677	WASHER, FLAT: CORR-RES-S, PASS-FIN., 0.281 ID, 0.625 OD, 0.080 THK, 1/4 SCR SIZE MS15795-810 (96906)	EA	1		2	2	4	2	2	4	12	23	25
C	P F	1270-974-7640	BUSHING, SLEEVE: 7792194 (19204)	EA	1		2	2	2	2	2	2	2	23	26
C	P F	1270-016-2619	GEAR SECTOR ASSEMBLY: 11011310 (19204)	EA	1		2	2	2	2	2	2	2	23	27
N	X I		CONSISTING OF: GEAR SECTOR, SPUR 11011309 (19204)		1										28
N	P F	5340-814-0267	INSERT, SCREW THREAD: 7792303-5 (19204)	EA	1		2	2	4	2	2	4	12	23	29
C	P F	5315-616-5514	KEY, WOODRUFF: STL MS35756-6 (96906)	EA	1		2	2	3	2	2	3	12	23	30
C	P F	1270-974-7639	WASHER: FLAT 7792193 (19204)	EA	1		2	2	4	2	2	4	12	23	31
C	P F	1270-066-1332	SHIM: LAMINATED 7792228 (19204)	EA	1		2	2	4	2	2	4	12	23	32
C	P F	1270-066-1331	WASHER ELEVATION ADAPTER: 7792227 (19204)	EA	1		2	2	4	2	2	4	12	23	33
N	P F	1005-916-8240	ADAPTER ASSEMBLY, CONTROLLER GUN MOUNT: 11699599 (19204)	EA	1		2	2	2	2	2	2	10	23	34
N	X I		CONSISTING OF: ADAPTER, SUSPENSION 11699597 (19204)		1										35
N	X I		PIN, STOP 11699598 (19204)		1										36
															37

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc of meas	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day G5 maint allowance			(8) 1-yr per equip 100 cntry	(9) Depot maint per equip 100	(10) Illustration				
						(a)			(b)					(c)			(a) Figure No	(b) Item No
						1-30	31-60	61-100	1-30	31-60	61-100			1-30	31-60	61-100		
SIGHT ASSEMBLY, CONTROLLER: 7791900 (19205) — Continued																		
N	P F	1270-931-8902	COVER ASSEMBLY: 7791923 (19205)	EA	1	*	2	2	*	2	2	24	3	24	3			
N	P F	1270-931-8898	MIRROR, OPTICAL INSTRUMENT: 7791928 (19205)	EA	1	*	2	2	*	2	2	24	4	24	4			
N	P F		SHIM 7791927 (19205)	EA	1	2	2	3	2	2	3	36	12	24	5			
N	P O	1270-496-9728	SUPPORT, SHAFT: INTERNAL THREAD 7791936 (19205)	EA	1	2	2	2	2	2	2	24	10	24	6			
N	P O	5310-807-1472	NUT, EXTENDED WASHER, HEXAGON: CORR-RES- S, NO. 6-32NC-3B, 0.244 DIAM, 0.010 THK MS21042L06 (96906)	EA	1	2	2	4	2	2	4	48	12	24	7			
N	P O	1005-073-9010	SPRING, HELICAL COMPRESSION 7791933 (19205)	EA	1	2	2	2	2	2	2	24	10	24	8			
N	P O	1005-073-9011	SCREW, SIGHT ASSEMBLY: 7791934 (19205)	EA	1	2	2	2	2	2	2	24	10	24	9			
N	P O	1270-497-9758	PLATE ASSEMBLY, REGISTER: 7791909 (19205)	EA	1	*	2	2	*	2	2	24	10	24	10			
N	P O		WASHER, FLAT, SPECIAL 7791935 (19205)	EA	1	2	2	3	2	2	3	36	10	24	11			
N	P O	1270-497-9759	FILTER ASSEMBLY, LIGHT: 7791912 (19205)	EA	1	2	2	3	2	2	3	36	20	24	12			
N	P O	5330-543-5799	SCREW, CAP, SOCKET HEAD: CROSS RECESSED, S, EA NO. 4-40NC-2A MS24677-1 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	24	13			
N	X1		HOUSING 7791926 (19205)		1									24	14			
N	P F	1270-931-8901	RETAINER, OPTICAL ELEMENT: 7791929 (19205)	EA	1	*	2	2	*	2	2	24	4	24	15			
N	P F	1270-931-8899	CELL ASSEMBLY, OPTICAL INSTRUMENT: 7791901 (19205)	EA	1	*	2	2	*	2	2	24	4	24	16			
N	X1		CONSISTING OF: RING, EXTERNAL THREAD 7791903 (19205)		1									24	17			
N	X1		RETICLE, OPTICAL ELEMENT 7791905 (19205)		1									24	18			
N	X1		CELL, OPTICAL ELEMENT 7791904 (19205)		1									24	19			

Section II. REPAIR PARTS LIST — Continued

Section II. REPAIR PARTS LIST — Continued															
ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alw per 100 equip cntry	(9) Depot maint alw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			SIGHT ASSEMBLY, CONTROLLER: 7791900 (19205) — Continued												
N	P F	5305-894-4255	SETSCREW: HEXAGON SOCKET, CORR-RES-S, NO. 4-48NF, 0.188 LG MS51038-28 (96906)	EA	3	2	2	4	2	2	4	48	18	24	20
N	P F	1270-496-9727	WINDOW ASSEMBLY OPTICAL INSTRUMENT: 7791906 (19205)	EA	1	*	2	2	*	2	2	24	10	24	21
N	P F	1270-497-9760	SPACER, SIGHTING STATION: 7791931 (19205)	EA	1	*	2	2	*	2	2	24	10	24	22
N	XI		HOUSING 7791930 (19205)		1									24	23
			GRIP ASSEMBLY, CONTROLLER, GUN MOUNT: SIGHTING STATION 1168636 (19205)												
C	P F	5305-058-2066	SCREW, CAP, SOCKET HEAD: S, CD-PLTD, DLD HD, HEX SOCKET DRIVE, NO. 4-40UNC-3A, 3/8 LG MS24677-2 (96906)	EA	4	2	3	6	2	3	6	72	24	25	1
C	P F	5310-656-0111	WASHER, FLAT: ALUMINUM ANODIZED FIN., 0.112 ID, 0.250 OD, 0.017 THK MS15795-703 (96906)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	25	2
C	P F	5315-087-9553	PIN, STRAIGHT, HEADLESS: CORR-RES-S, 0.188 DIAM, 1.500 LG MS16555-645 (96906)	EA	1	2	2	4	2	2	4	48	12	25	3
C	P F	1005-974-7646	TRIGGER: 7792204 (19205)	EA	1	*	2	2	*	2	2	24	5	25	4
C	P F	5315-753-8386	PIN, STRAIGHT, HEADLESS: CORR-RES-S, 0.0510 DIAM., 0.1205 LG MS16555-641 (96906)	EA	1	2	2	4	2	2	4	48	12	25	5
C	P F	1005-974-7645	BAR, ACTUATOR: 7792203 (19205)	EA	1	2	2	3	2	2	3	36	10	25	6
C	P F	5315-598-6507	PIN, SPRING: CRES, PASS-FIN., TUBULAR, COILED, HEAVY DUTY, 0.187 NOM DIAM, 1.500 LG MS39086-256 (96906)	EA	1	2	2	4	2	2	4	48	12	25	7
C	P F	1270-974-7644	GRIP, CONTROLLER: 7792200 (19205)	EA	1	2	2	2	2	2	2	24	10	25	8
C	P F	5305-725-0124	CONSISTING OF: SCREW, MACHINE: FLAT, CD-PLTD, S, CROSS RECESSED, NO. 8-32 MS24694S22 (96906)	EA	2	2	2	4	2	2	4	48	12	25	9

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alt per 100 equip 100 energy	(9) Depot maint alt per 100 equip	(10) Illustration		
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No	
			GRIP ASSEMBLY, CONTROLLER, GUN MOUNT: SIGHTING STATION 11686636 (19205) — Continued													
			NUT, CONTROLLER GRIP:													
C	P	F	7792562 (19205)	EA	3	2	3	5	2	3	5	60	18	25	10	
C	P	F	SCREW MACHINE: FLAT CSK HD, CD-PLTD, NO. 8-32 MS24694S19 (96906)	EA	1	2	2	4	2	2	4	48	12	25	11	
	X1		GRIP HALF 7792201 (19205)		1									25	12	
	X1		GRIP HALF 7792202 (19205)		1									25	13	
N	X1		INSERT, SCREW THREAD MS21209CO415 (96906)		4									25	14	
N	X1		BUSHING 7792335 (19204)		2									25	15	
N	X1		RING, LOCK 7792336 (19205)		2									25	16	
	X1		NUT 7792206 (19205)		1									25	17	
	X1		LAMP HOLDER 7792257 (19205)		1									25	18	
N	X1		BASE, LAMP HOLDER CONTROLLER 11686635 (19205)		1									25	19	
C	P	F	SWITCH, TOGGLE: MS35058-21 (96906)	EA	1	2	2	3	2	2	3	36	12	25	20	
C	P	F	SWITCH: 7792212 (19205)	EA	2	2	2	3	2	2	3	36	12	25	21	
C	P	F	SEMICONDUCTOR DEVICE, DIODE: MIL-S-19500/240 TYPE IN647 (81349)	EA	1	2	2	2	2	2	2	24	20	25	22	
C	P	F	WIRING HARNESS, BRANCHED: 7791651 (19205)	EA	1	*	2	2	*	2	2	24	3	25	23	
N	X1		CONNECTOR, RECEPTACLE, ELECTRICAL MS3112E10-6P (96906)		1									25	24	
			INTERVALOMETER, ROCKET LAUNCHER: 11699559 (19205)													
C	P	F	COVER ASSEMBLY: 11010490 (19205)	EA	1	*	2	2	*	2	2	24	6	26	1	
C	P	F	LIGHT, PANEL: MS25010A11A (96906)	EA	2	2	5	9	2	5	9	108	100	26	2	

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in meas	(5) Qty in unit	(6) 30-day D8 maint allowance			(7) 30-day G5 maint allowance			(8) 1-yr altw per equip 100 cngly	(9) Depot maint altw per equip 100 cngly	(10) Illustration	
						(a)	(b)	(c)	(a)	(b)	(c)			(a) Figure No	(b) Item No
						1-30	31-100	101-100	1-30	31-100	101-100				
			INTERVALOMETER, ROCKET LAUNCHER: 11699559 (19205) — Continued												
C P O		6240-155-7836	LAMP, INCANDESCENT:	EA	2	5	15	29	5	15	29	348	50	26	3
C P F		5355-813-2078	MS25237-327 (96906)	EA	1	2	2	2	2	2	2	24	12	26	4
C P F		5930-768-0682	KNOB:	EA	1	..	..	..	..	..	..	..	..	..	5
N P F		5310-905-5454	MS91528-001B (96906)	EA	1	2	2	3	2	2	3	36	25	26	6
C P F		1055-930-1842	SWITCH, TOGGLE:	EA	1	2	2	2	2	2	2	24	12	26	7
			MS25306-302 (96906)	EA	1	2	2	2	2	2	2	24	12	26	7
			WASHER, LOCK: 7/16 ID, 0.067 OD, 0.018 THK	EA	1	2	2	2	2	2	2	24	12	26	7
			MS35333-121 (96906)	EA	1	2	2	2	2	2	2	24	12	26	7
			GUARD, SWITCH	EA	1	2	2	2	2	2	2	24	12	26	7
			11699550 (19205)	EA	1	2	2	2	2	2	2	24	12	26	7
			PLATE	EA	1	..	..	..	..	..	..	..	..	26	8
			11010501 (19205)	EA	1	2	2	2	2	2	2	24	12	26	9
N P F		5930-501-1749	SWITCH, PUSH:	EA	1	2	2	2	2	2	2	24	12	26	9
C P F		1055-912-3559	MS25089-3C (96906)	EA	1	..	..	..	..	..	..	..	..	26	10
C P F		1055-999-9877	SWITCH, FIRING SELECTOR, ROCKET:	EA	1	..	..	..	..	..	..	..	..	26	10
			11010396 (19205)	EA	1	..	..	..	..	..	..	..	..	26	11
N P F		5970-899-6660	SWITCH ASSEMBLY, TOGGLE:	EA	1	..	..	..	..	..	..	..	..	26	11
			11699558 (19205)	EA	1	..	..	..	..	..	..	..	..	26	11
C P F		5961-856-0476	INSULATION SLEEVING, ELECTRICAL:	FT	-V	2	5	9	2	5	9	108	100	26	12
			MIL-I-22129/20 (81349)	EA	9	2	2	3	2	2	3	36	100	26	13
			SEMICONDUCTOR DEVICE, DIODE: 0.125 DIAM, 0.300 2 WIRES TERM.	EA	9	2	2	3	2	2	3	36	100	26	13
			IN457 (81349)	EA	9	2	2	3	2	2	3	36	100	26	13
N P F		5970-940-8289	INSULATION SLEEVING, ELECTRICAL:	FT	V	..	..	..	..	..	..	..	..	26	14
N P F		5970-754-7262	MIL-I-18057/15 (81349)	FT	V	2	5	9	2	5	9	108	100	26	15
			INSULATION SLEEVING, ELECTRICAL:	FT	V	2	5	9	2	5	9	108	100	26	15
			MIL-I-18057/13 (81349)	EA	4	2	5	9	2	5	9	108	40	26	16
			NUT, EXTENDED WASHER, HEXAGON:	EA	4	2	5	9	2	5	9	108	40	26	16
			MS21042-06 (96906)	EA	4	2	5	9	2	5	9	108	40	26	16
C P D		5310-983-8483	WASHER, FLAT:	EA	4	..	..	..	..	..	..	..	200	26	17
			MS27183-5 (96906)	EA	4	..	..	..	..	..	..	..	200	26	17
C P F		5945-909-2354	RELAY, ARMATURE: 4P2T	EA	2	2	2	2	2	2	2	24	12	26	18
			11699569 (19204)	EA	2	2	2	2	2	2	2	24	12	26	18
C P F		5310-058-1823	NUT, EXTENDED WASHER, HEXAGON:	EA	10	2	6	12	2	6	12	144	150	26	19
			MS21042-02 (96906)	EA	10	2	6	12	2	6	12	144	150	26	19
C P F		5305-889-3118	SCREW, MACHINE:	EA	10	2	2	4	2	2	4	48	48	26	20
			MS35206-203 (96906)	EA	10	2	2	4	2	2	4	48	48	26	20
C P F		5945-823-2970	RELAY, ARMATURE: TYPE RY4NA3B3LO1	EA	2	2	2	2	2	2	2	24	12	26	21
			MIL-R-5757/10 (81349)	EA	2	2	2	2	2	2	2	24	12	26	21

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code - Usable on Code	(4) Unit inc of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alt per 100 equip (orig)	(9) Depot alt per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-50	(c) 51-100	(a) 1-30	(b) 31-50	(c) 51-100			(a) Figure No	(b) Item No
			INTERVALOMETER, ROCKET LAUNCHER: 1149559 (19205) — Continued												
N	P F	5910-764-7603	CAPACITOR, FIXED, ELECTROLYTIC: CL65CK680KP3 (81349)	EA	2	2	5	9	2	5	9	108	100	26	22
C	P F	5310-087-0057	WASHER, FLAT: MS27183-2 (96906)	EA	6	2	5	9	2	5	9	108	80	26	23
C	P F	1005-906-1091	RELAY: 11011318 (19205)	EA	4	2	5	9	2	5	9	108	60	26	24
N	XI		NUT MS21042L06 (96906)		1									26	25
N	P F	5310-167-0832	WASHER, FLAT: 0.149 ID, 3/8 OD, 1/16 THK, NO. 6 SCR SIZE AN960-6L (88044)	EA	1	*	*	*	*	*	*		1	26	26
N	P F	5305-889-3000	SCREW, MACHINE: NO. 6-32NC-2A, 0.500 LG	EA	1	2	2	3	2	2	3	36	10	26	27
N	P F	5940-939-7825	MS35206-230 (96906)	EA	1	2	2	3	2	2	3	36	10	26	28
C	P F	5310-811-6419	TERMINAL, CIRCULAR, GROUND, STUD: SE26XF03 10549024 (19200)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	26	29
C	P F	5310-951-4679	NUT, EXTENDED WASHER, HEXAGON: MS21042-04 (96906)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	26	30
C	P F	5305-993-0190	WASHER, FLAT: MS27183-3 (96906)	EA	4	2	6	12	2	6	12	144	50	26	31
C	P F	1055-912-3558	SCREW, MACHINE: MS35206-214 (96906)	EA	1	*	2	2	*	2	2	24	6	26	32
C	P H	1055-999-9879	SWITCH ASSEMBLY: 11010395 (19205)	EA	1				*	2	2	24	12	26	33
C	P F	1005-912-3556	WIRING HARNESS, BRANCHED: 11699564 (19205)	EA	1										
			CONVERTER, SIGNAL DATA: 11010394 (19205)	EA	1	2	2	3	2	2	3	36	24	26	34
			CONSISTING OF: CAPACITOR, FIXED CSR13F276K-M	EA	3	2	2	2	2	2	2	24	50	26	35
N	P F	5905-141-0600	RESISTOR, FIXED, COMPOSITION: RCR20G822JS (81349)	EA	1	2	2	3	2	2	3	36	30	26	36
N	P F	5905-141-1130	RESISTOR, FIXED, COMPOSITION: RCR20G272JS (81349)	EA	1	2	2	3	2	2	3	36	30	26	37
N	P F	5905-931-7626	RESISTOR, VARIABLE, NON WIRE WOUND: RJ11CP253 (81349)	EA	1	2	2	3	2	2	3	36	60	26	38
C	P F	5961-866-0476	SEMICONDUCTOR DEVICE, DIODE: 0.125 DIAM, 0.300 2 WIRES TERM. ;N457 (81349)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	26	13

Section II. REPAIR PARTS LIST — Continued

SECTION 11. REPAIR PARTS LIST - Continued																
ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day G6 maint allowance			(8) 1-yr per 100 equip entgty	(9) Depot altw per 100 equip	(10) Discretion		
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No	
			INTERVALOMETER, ROCKET LAUNCHER: 11699559 (19205) - Continued													
N	P F	5905-246-9393	RESISTOR, FIXED, COMPOSITION: RCR07G4R7JS (81349)	EA	1	2	2	3	2	2	3	36	30	26	39	
N	P F	5905-104-8334	RESISTOR, FIXED, COMPOSITION: RCR20G331JS (81349)	EA	1	2	2	3	2	2	3	36	30	26	40	
N	P F	5961-926-7299	TRANSISTOR: 2N489A (81349)	EA	1	2	2	3	2	2	3	36	60	26	41	
N	X1		INSULATOR 7792188 (19204)		2									26	42	
N	P F	5961-840-3561	TRANSISTOR: 2N696 (81349)	EA	1	2	2	3	2	2	3	36	50	26	43	
N	P F	5961-087-6047	SEMICONDUCTOR DEVICE, DIODE: IN645 (01794)	EA	2	2	3	5	2	3	5	60	100	26	44	
N	X1		CIRCUIT BOARD 11010393 (19204)		1									26	45	
C	P F	1090-922-8645	SPACER, SLEEVE: 7792268-2 (19205)	EA	4	2	3	5	2	3	5	60	20	26	46	
C	P F	5305-958-6230	SCREW, MACHINE: MS35190-224 (96906)		4	2	2	3	2	2	3	36	20	26	47	
N	P F	5325-960-2410	GROMMET, PLASTIC: MS21266-IN (96906)	EA	V	2	2	3	2	2	3	36	25	26	48	
N	X1		PLATE, IDENTIFICATION 11699570 (19204)		1										49	
N	X1		FRAME ASSEMBLY 11699562 (19204)		1										50	
			PANEL, CONTROL: 11699332 (19205)													
C	P F	1005-972-8115	COVER ASSEMBLY: 7792127 (19205)	EA	1	2	2	2	2	2	2	24	15	27	1	
C	P O T	1005-078-5518	AMPLIFIER, ELECTRONIC CONTROL PANEL: 7791891 (19205)	EA	4	2	6	12	2	6	12	144	20	27	2	
C	P F	6210-542-6393	LIGHT, INDICATOR: MS25041-2 (96906)	EA	1	2	2	3	2	2	3	36	50	27	3	
C	P O	6240-155-7836	LAMP, INCANDESCENT: MS25237-327 (96906)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	REF	4	
C	P F	6210-538-8770	LIGHT, INDICATOR: MS25041-3 (96906)	EA	1	2	2	3	2	2	3	36	50	27	5	

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1 yr maint per 100 equip	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			PANEL, CONTROL: 11699332 (19205) — Continued												
C	P F	6210-299-6656	LIGHT, PANEL:	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	27	6
C	P F	5940-113-8185	MS25010A11A (96906) TERMINAL, LUG:	PG	3	*	2	2	*	2	2	24	100	27	7
C	P F	5310-982-5003	MS25036-151 (96906) NUT, SELF-LOCKING, HEXAGON:	EA	3	2	2	3	2	2	3	36	500	27	8
C	P F	5310-595-6333	MS21045C06 (96906) WASHER, FLAT:	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	27	9
C	P F	5305-054-6655	MS15795-705 (96906) SCREW, MACHINE:	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	27	10
C	P F	5305-054-6654	MS51957-31 (96906) SCREW, MACHINE:	EA	1	2	2	3	2	2	3	36	50	27	11
	XI		MS51957-30 (96906) PANEL:		1									27	12
C	P F	5305-958-2918	11699326 (19205) SCREW, MACHINE:	EA	4	2	2	2	2	2	2	24	200	27	13
C	P F	5305-059-8682	MS24693C26 (96906) SCREW, MACHINE:	EA	4	2	2	3	2	2	3	36	400	27	14
N	P F	5310-045-3299	MS35218-39 (96906) WASHER, LOCK:	EA	4	2	6	12	2	6	12	144	150	27	15
	XI		MS35338-42 (96906) PLATE, ASSEMBLY:		1									27	16
N			11699328 (19205) WIRE (E 2 0):		V									27	17
C	P F	1005-974-3842	MIL-W-16878 / 4 (81349) SWITCH:	EA	2	2	2	2	2	2	2	24	40	27	18
C	P O F	5310-088-0551	7792260 (19205) NUT, SELF-LOCKING, HEXAGON:	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	27	19
N	P F	5310-951-4679	MS21044NO (96906) WASHER, FLAT:	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	27	20
C	P F	5305-993-0190	MS27183-3 (96906) SCREW, MACHINE:	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	27	21
N			MS35206-214 (96906) INSULATION:	IN	V									27	22
C			MIL-I-18057-11 (81349) WIRE (E 2 2):		V									27	23
C	P F	1005-906-1091	MIL-W-16878 / 4 (81349) RELAY:	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	27	24
			11011318 (19205)												

Section II. REPAIR PARTS LIST — Continued															
ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day Dc maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allw per 100 equip 100 cngly	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100				
			PANEL, CONTROL: 1169332 (19205) — Continued												
C	P F	5310-982-5000	NUT, SELF-LOCKING, HEXAGON: MS21045C04 (96906)	EA	11	2	2	3	2	2	3	36	600	27	25
C	P F	5310-595-6211	WASHER, FLAT: MS15795-803 (96906)	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	27	26
N	P F	5970-754-7262	INSULATION SLEEVING, ELECTRICAL: MIL-I-18057/13 (81349)	FT	V	REF	REF	REF	REF	REF	REF	REF	REF	27	27
C	P F	5945-577-2206	RELAY, ARMATURE: MS25917-1 (96906)	EA	1	*	2	2	*	2	2	24	50	27	28
C	P F	5310-952-1812	NUT, SELF-LOCKING, HEXAGON: MS21045C08 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	27	29
C	P F	5310-619-3847	WASHER, FLAT: MS15795-707 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	27	30
C	P F	5305-889-2994	SCREW, MACHINE: MS24694S3 (96906)	EA	2	*	2	2	*	2	2	24	100	27	31
C	P F	5325-074-3301	GROMMET; PLASTIC: MS21266-2N (96906)	EA	2	*	2	2	*	2	2	24	20	27	32
X1			PLATE: 11699338 (19205)		1									27	33
C	P F	5310-550-5009	WASHER, FLAT: MS15795-704 (96906)	EA	8	2	2	3	2	2	3	36	200	27	34
C	P D	5305-889-2997	SCREW, MACHINE: MS35206-215 (96906)	EA	4								160	27	35
C	P F	5305-889-2998	SCREW, MACHINE: MS35206-216 (96906)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	27	36
C	P D	5305-725-0128	SCREW, MACHINE: MS24694S17 (96906)	EA	2								100	27	37
C	P D	5340-825-7844	SPACER, SLEEVE: NAS43DD3-54 (80205)	EA	2									27	38
C	P D	1005-878-0202	BRACKET ASSEMBLY: 11011316 (19205)	EA	1								10	27	39
C	P F	5935-818-8581	CONNECTOR, RECEPTACLE, ELECTRICAL: (PART OF WIRING HARNESS) MS3112E20-41P (96906)	EA	1	*	2	2	*	2	2	24	30	27	40
C	P F	5935-836-6841	CONNECTOR, RECEPTACLE, ELECTRICAL: (PART OF WIRING HARNESS) MS3102R20-8P (96906)	EA	1	*	2	2	*	2	2	24	30	27	41
C	P F	1090-972-8646	WIRING HARNESS, BRANCHED: 11699325 (19205)	EA	1	*	*	2	*	*	*	24	2	27	42

Section II. REPAIR PARTS LIST -- Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day D8 maint allowance			(7) 30-day G8 maint allowance			(8) 1-yr alt per 100 equip category	(9) Depot maint alt per 100 equip	(10) Illustration Figure No
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			
N	X1	5905-058-8934	PANEL, CONTROL: 11699332 (19205) -- Continued	EA	1									27
			PLATE, IDENTIFICATION 11699346 (19205)											
			GUIDE ASSEMBLY 11701254 (19205)											
			RESISTOR, VARIABLE: RT22C2P101 (81349)											
			RESISTOR, VARIABLE: RT22C2P202 (81349)											
N	P D	5905-067-6473	RESISTOR, VARIABLE: RT22C2P501 (81349)	EA	12									27
			GUIDE ASSEMBLY 11701254 (19205)											
			SCREW, MACHINE: MS35218-39 (96906)											
C	P F	5310-045-3299	WASHER, LOCK: MS35338-42 (96906)	EA	11	REF	REF	REF	REF	REF	REF	REF	REF	28
			POWER SUPPLY: 8436781 (19204)			1	1	2	1	1	2	24	20	
			INSULATOR, PLATE: 11011323-3 (19205)			2	2	2	2	2	2	24	25	
			RESISTOR ASSEMBLY 7792139 (19205)											
			CONSISTING OF: NUT, PLAIN, HEXAGON: MS35649-222 (96906)			8	3	8	3	8	16	192	125	
N	P F	5310-543-5060	WASHER, LOCK: MS35338-39 (96906)	EA	8	*	*	*	*	*	*	12	2	28
			SCREW, MACHINE: MS35218-7 (96906)			2	2	2	2	2	2	24	100	
			RESISTOR, VARIABLE: 7792282 (19205)			2	2	3	2	2	3	36	40	
			WIRING HARNESS 7792233 (19205)											
			TERMINAL: SE07-2 MIL-T-55155 / 7 (81349)											
N	P F	5305-889-2984	BOARD, TERMINAL 7792141 (19205)	EA	1									28
			SCREW, MACHINE: MS35218-42 (96906)			2	3	5	2	3		60	100	

SECTION 11. REPAIR PARTS LIST — Continued															
ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr per equip cost	(9) Depot alt per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
GUIDE ASSEMBLY 11701254 (19205) — Continued															
C P F	5310-619-3847		WASHER, FLAT: MS15795-707 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	28	14
N P O	5340-420-7600		CLAMP, LOOP: MS25281-4 (96906)	EA	1	*	2	2	2	2	2	24	10	28	15
C P F	5325-074-3301		GROMMET, PLASTIC: MS21266-2N (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	28	16
C P D	5310-889-2543		NUT, SELF-LOCKING, HEXAGON: MS21045-04 (96906)	EA	8	..	..	..	..	..	..	..	REF	28	17
N P F	5310-656-0111		WASHER, FLAT: MS15795-703 (96906)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	28	18
N P F	5305-889-2999		SCREW, MACHINE: MS35206-217 (96906)	EA	8	2	4	7	2	4	7	84	80	28	19
C P F	1005-972-8119		CONNECTOR: 7792144 (19205)	EA	4	2	2	2	2	2	2	24	100	28	20
C P D	1005-972-8122		PANEL ASSEMBLY: 7792181 (19205)	EA	1	..	..	..	..	..	..	..	15	28	21
X1	..		PLATE, GUIDE: 7792124 (19205)	..	1	..	..	..	..	..	..	..	..	28	22
X1	..		PLATE ASSEMBLY: 7792125 (19205)	..	1	..	..	..	..	..	..	..	..	28	23
POWER SUPPLY: 8436781 (19204)															
C P F	..		WIRE, ELECTRICAL: E22 WHITE: MIL-W-16878D (81349)	FT	V	2	5	9	2	5	9	108	100	29	1
C P F	5310-081-8087		NUT, SELF-LOCKING, HEXAGON: NO. 6-32UNC-3B, 0.313 W, 0.188 H MS21044NO6 (96906)	EA	4	2	5	9	2	5	9	108	20	29	2
C P D	5310-983-8483		WASHER, FLAT: MS21183-5 (96906)	EA	4	..	..	..	..	..	..	..	REF	29	3
C P F	5310-579-0079		WASHER, LOCK: MS35333-37 (96906)	EA	2	2	3	5	2	3	5	60	100	29	4
C P F	5940-050-2308		TERMINAL, LUG: MS35431-3 (96906)	AV	2	*	2	2	*	2	2	24	10	29	5
C P F	5305-889-3000		SCREW, MACHINE: NO. 6-32NC-2A, 0.500 LG MS35206-230 (96906)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	29	6
C P F	5961-802-7969		TRANSISTOR: 2N285A (80131)	EA	1	2 ⁴	2	4	2	2	4	48	70	29	7

Section II. REPAIR PARTS LIST - Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alt per 100 equip	(9) Depot maint alt per 100 equip	(10) Illustration	
						(a) 1-25	(b) 26-50	(c) 51-100	(a) 1-25	(b) 26-50	(c) 51-100				
															(a) Figure No
			POWER SUPPLY: 8436781 (19204) — Continued												
C	P F	5961-498-8489	TRANSISTOR: MILS 19500-332 (81349) 2N1549A (81349)	EA	1	2	2	4	2	2	4	48	70	29	8
N	P F	5970-940-8289	INSULATION MIL-I-18057-15 (81349)	FT	V	REF	REF	REF	REF	REF	REF	REF		29	9
N	P F	5970-754-7262	INSULATION SLEEVING, ELECTRICAL: MIL-I-18057/13 (81349)	FT	V	REF	REF	REF	REF	REF	REF	REF	REF	29	10
C	P F	5310-088-0551	NUT, SELF-LOCKING, HEXAGON: MS21044N04 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	29	11
N	P F	5310-951-4679	WASHER, FLAT: MS27183-3 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	29	12
C	P D	5305-889-2997	SCREW, MACHINE: MS35206-215 (96906)	EA	2								REF	29	13
C	P F	1005-906-1091	RELAY: 11011318 (19205)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	29	14
C	P F	5970-943-5687	INSULATOR, PLATE: 11011323-2 (19205)	EA	1	2	2	2	2	2	2	24	25	29	15
	X1		HEAT SINK 11011320 (19204)		1									29	16
C	P F	5970-926-2596	INSULATION, SLEEVING, ELECTRICAL: MIL-I-18057-5 (81349)	EA	V	2	2	2	2	2	2	24	20	29	17
N			WIRE, E 22 MIL-W-16878-0 (81349) - BLACK MIL-W-16878-1 (81349) - BROWN MIL-W-16878-2 (81349) - RED MIL-W-16878-3 (81349) - ORANGE MIL-W-16878-4 (81349) - YELLOW MIL-W-16878-6 (81349) - BLUE		V										
N	P H	5905-279-2651	RESISTOR, FIXED, COMPOSITION: RC32GF821J (81349)	EA	1				2	3	5	60	50	29	19
N	P H	5905-988-3019	RESISTOR, FIXED, WIRE WOUND: RW69V120 (81349)	EA	1				2	3	5	60	40	29	20
N	P D	5905-990-5398	RESISTOR, VARIABLE: RT22C2P201 (81349)	EA	1								60	29	21
N	P H	5905-110-0196	RESISTOR, FIXED, COMPOSITION: RCR20G102JS (81349)	EA	1				2	3	5	60		29	22
N	P H	5905-104-5755	RESISTOR, FIXED, COMPOSITION: RCR20G100JS (81349)	EA	1				2	3	5	60		29	23

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in mess	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day G6 maint allowance			(8) 1-yr allw per 100 equp 100 cnlgy	(9) Depot allw per 100 equp	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
			POWER SUPPLY: 8436781 (19204) — Continued												
N P F		5910-783-9381	CAPACITOR, FIXED, ELECTRICAL:.....	EA	1	2	2	3	2	2	3	36	20	29	24
N P H		5961-924-6981	CL65CN430KP3 (81349)	EA	1	..	..	..	REF	REF	REF	REF	..	29	25
C P D		5961-857-1921	SEMICONDUCTOR DEVICE, DIODE:.....	EA	1	..	..	..	..	..	..	..	40	29	26
N P H		5910-984-4142	SEMICONDUCTOR DEVICE, DIODE: PS 6469. 1N4245 (81349)	EA	1	..	..	..	..	..	..	..	..	29	27
N P H		5905-104-8350	CAPACITOR, FIXED, ELECTROLYTIC:..... CM15FD221JP3 (81349)	EA	1	..	..	..	2	3	5	60	..	29	28
N P H		5905-141-0598	RESISTOR, FIXED, COMPOSITION:..... RCR20G221JS (81349)	EA	1	..	..	..	2	3	5	60	..	29	29
N			RESISTOR, FIXED, COMPOSITION:..... RCR20G561JS (81349)	EA	2	..	..	..	2	3	5	..	..	29	30
			CAPACITOR, FIXED, ELECTROLYTIC: MILC- 39003 / 1	EA	1	..	..	..	..	..	..	..	..	29	31
N P H		5905-111-8357	RESISTOR, FIXED, COMPOSITION:..... CSR13F476KM (81349)	EA	1	..	..	..	2	3	5	60	..	29	32
N X1			CIRCUIT BOARD, POWER SUPPLY..... RCR20G681JS (81349)	..	1	..	..	..	..	..	..	..	..	29	32
			11011319 (19204)												
			MOUNT ASSEMBLY, LH 11699314 AND RH 11699315 (19204)												
C P F		5306-150-9527	BOLT, MACHINE:.....	EA	24	3	8	16	3	8	16	192	100	30	1
C P F		5310-584-7800	AN3C5A (88044)	EA	28	REF	REF	REF	REF	REF	REF	REF	REF	30	2
C X2		1005-940-9758	WASHER, FLAT:..... MS15795-708 (96906)	EA	1	..	..	..	..	..	..	..	..	30	3
C X2 F		1005-940-9806	PLATE, IDENTIFICATION: LH..... 11699551 (19205)	EA	1	..	..	..	..	..	..	..	..	30	3
C P FR		1005-940-8844	PLATE, IDENTIFICATION: RH..... 11699552 (19205)	EA	1	..	..	..	..	..	..	..	..	30	4
C P FR		1005-940-8845	PYLON, HELICOPTER: LH..... 11699306 (19205)	EA	1	1	1	2	1	1	2	24	5	30	4
C P F		1005-940-8851	PYLON, HELICOPTER: RH..... 11699307 (19205)	EA	1	1	1	2	1	1	2	24	5	30	4
C P O		1005-974-9772	SWIVEL JOINT, HYDRAULIC:..... 11699341 (19205)	EA	2	2	2	2	2	2	2	24	10	30	5
C P F		4720-922-7023	DISCONNECT:..... 7792540-6 (19204)	EA	2	2	2	4	2	2	4	48	100	30	6
			HOSE ASSEMBLY, NON METALIC:..... 11699337-1 (19205)	EA	2	2	2	2	2	2	2	24	10	30	7

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr. Code	(4) Unit inc of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr slw per 100 equip cntry	(9) Depot maint slw per 100 equip	(10) Illustra No	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
			MOUNT ASSEMBLY, LH 11699314 AND RH 11699315 (19204) — Continued												
C	P F	1005-974-9765	ELBOW:.....	EA	2	2	2	2	2	2	2	24	7	30	8
C	P F	7792520 (19205)	SWIVEL:.....	EA	2	2	5	9	2	5	9	108	100	30	9
C	P O	7792559 (19205)	DISCONNECT:.....	EA	2	2	2	4	2	2	4	48	100	30	10
C	P F	7792540-4 (19204)	HOSE ASSEMBLY, NON METALIC:.....	EA	2	2	2	2	2	2	2	24	5	30	11
C	P F	11699337-2 (19205)	TUBE ASSEMBLY:.....	EA	2	2	2	2	2	2	2	24	7	30	12
C	P F	7792495 (19205)	TUBE ASSEMBLY:.....	EA	2	2	2	2	2	2	2	24	7	30	13
C	P F	7792496 (19205)	TUBE ASSEMBLY, METAL:.....	EA	2	2	2	3	2	2	3	36	20	30	14
C	P O	11699339 (19204)	NUT, SELF-LOCKING, HEXAGON: S, CD-PLTD, N FLATS, 0.281 H, 250 DEG F TEMP RATING	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	30	15
C	P F	5305-989-7435	SCREW, MACHINE:.....	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	30	16
C	P F	5340-283-0649	CLAMP, LOOP: 7/16 LOOP ID, 1/2 W	EA	2	2	5	9	2	5	9	108	75	30	17
C	P F	5340-200-6535	CLAMP, LOOP:.....	EA	2	2	2	2	2	2	2	24	7	30	18
C	P F	5310-807-1467	NUT, EXTENDED WASHER, HEXAGON: HEX-HD, S, CD-PLTD, 450 DEG F, NO. 10-32UNF-3B, 0.330 OD, 0.188 H	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	30	19
C	P O	5310-167-0753	WASHER, FLAT:.....	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	30	20
C	P F	5306-156-2335	BOLT, MACHINE:.....	EA	2	2	2	4	2	2	4	48	50	30	21
C	P O	5340-543-4394	CLAMP, LOOP: CUSHION TYPE, AL-ALY, 3/8 LOOP ID, 1/2 W	EA	2	2	2	3	2	2	3	36	25	30	22
C	P F	5340-726-9819	CLAMP, LOOP:.....	EA	2	2	3	5	2	3	5	60	700	30	23
C	P F	5305-207-0895	SCREW, CAP, SOCKET HEAD:.....	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	30	24

SECTION 11. REPAIR PARTS LIST — Continued																
ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allw per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration		
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No	
			MOUNT ASSEMBLY, LH 11699314 AND RH 11699315 (19204) — Continued													
C	P	F	5305-087-9651 SCREW, CAP, SOCKET HEAD:	EA	12	2	4	7	2	4	7	84	25	30	25	
			MS24678-26 (96906)													
C	P	F	5310-187-2354 WASHER, FLAT:	EA	16	REF	REF	REF	REF	REF	REF	REF	REF	30	26	
			AN960PD416 (88044)													
C	P	F	5340-922-9778 CLAMP, LOOP:	EA	2	2	3	5	2	3	5	60	700	30	27	
			7792606 (19205)													
C	P	F	5305-978-9371 SCREW, CAP, SOCKET HEAD:	EA	4	2	2	3	2	2	3	36	300	30	28	
			MS16997-33 (96906)													
C	P	F	5310-619-3847 WASHER, FLAT:	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	30	29	
			MS15795-707 (96906)													
C	P	F	1005-878-0214 BRACKET ASSEMBLY, TEE:	EA	2	*	2	2	*	2	2	24	40	30	30	
			7792519 (19205)													
C	P	F	1005-940-8846 WIRING HARNESS, BRANCHED:	EA	2	*	*	2	*	*	2	24	10	30	31	
			11699308 (19205)													
			CONSISTING OF:													
N	P	F	5940-143-4774 TERMINAL, LUG:	EA	2	2	2	2	2	2	2	24	25	30	32	
			MS25036-153 (96906)													
C	P	F	5940-557-4398 TERMINAL, LUG:	PG	4	REF	REF	REF	REF	REF	REF	REF	REF	30	33	
			MS25036-148 (96906)													
C	P	F	1005-974-9702 CONNECTOR:	EA	1	2	2	2	2	2	2	24	7	30	34	
			7792380 (19205)													
C	P	F	5935-892-9090 CONNECTOR, PLUG, ELECTRICAL:	EA	1	2	2	2	2	2	2	24	7	30	35	
			MS3116E8-4SW (96906)													
C	P	F	5935-964-5468 CONNECTOR, PLUG, ELECTRICAL:	EA	2	2	2	3	2	2	3	36	50	30	36	
			MS3116E8-3S (96906)													
C	P	F	5935-975-4139 CONNECTOR, PLUG, ELECTRICAL:	EA	1	*	2	2	*	2	2	24	25	30	37	
			MS3116E14-12S (96906)													
C	P	F	1005-878-0211 TEE, MOUNT SUBASSEMBLY, GUN:	EA	4	2	2	3	2	2	3	36	40	30	38	
			7792142 (19205)													
C	P	F	1005-974-9790 NUT:	EA	12	3	7	16	3	7	16	192	60	30	39	
			7792563-1 (19205)													
C	P	F	5330-805-2966 PACKING, PREFORMED:	EA	12	5	13	26	5	13	26	312	100	30	40	
			MS28778-4 (96906)													
C	P	F	4730-803-7439 ELBOW, TUBE:	EA	2	2	2	3	2	2	3	36	30	30	41	
			MS24396J4 (96906)													
C	P	F	4730-722-7214 ELBOW, TUBE:	EA	2	2	2	2	2	2	2	24	24	30	42	
			MS24394C4 (96906)													
C	P	F	1005-974-9762 FILTER:	EA	2	*	2	2	*	2	2	24	3	30	43	
			7792511 (19205)													

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allw per 100 equip mncy	(9) Depos maint allw per 100 equip	(10) Illustration		
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No	
			MOUNT ASSEMBLY, LH 11699314 AND RH 11699315 (19204) — Continued													
C P F		5306-156-2334	BOLT, MACHINE; AN3C15A (88044)	EA	2	2	2	3	2	2	3	36	50	30	44	
C P F		1005-878-0212	ELBOW, TUBE ASSEMBLY; 7792174 (19205)	EA	4	2	2	3	2	2	3	36	40	30	45	
C P F T		1005-974-9763	SERVOMECHANISM; 7792513 (19205)	EA	4	1	2	3	1	2	3	36	25	30	46	
C P F		5305-068-0540	SCREW, CAP, SOCKET HEAD; MS24677-23 (96906)	EA	14	2	2	4	2	2	4	48	700	30	47	
C P O		5330-584-0266	PACKING, PREFORMED; MS28775-010 (96906)	EA	16	2	2	4	2	2	4	48	200	30	48	
C P F		5305-543-5794	SCREW, CAP, SOCKET HEAD; MS24677-24 (96906)	EA	2	2	2	3	2	2	3	36	100	30	49	
C P F		5305-226-7605	SCREW, CAP, SOCKET HEAD; MS24678-27 (96906)	EA	4	2	3	5	2	3	5	60	30	30	50	
C P F		1005-974-9770	SUPPORT ASSEMBLY, HYDRAULIC COMPONENTS; 7792530 (19205)	EA	2	2	2	2	2	2	2	24	7	30	51	
C P F T		1005-974-9764	MOTOR; 7792515 (19205)	EA	4	1	2	3	1	2	3	36	10	30	52	
C P F		1005-066-1341	DISK, DRIVE SHAFT, HYDRAULIC MOTOR; 7792585 (19205)	EA	4	2	2	2	2	2	2	24	50	30	53	
C P F		5340-958-9547	SPRING, HELICAL, COMPRESSION; UNCOATED, 0.120 FREE OD, 0.560 FREE LG MS24585-15 (96906)	EA	4	*	2	2	*	2	2	24	1000	30	54	
C P F		1005-912-3629	SLEEVE, SWAGING; 8427871 (19205)	EA	8	2	2	4	2	2	4	48	15	30	55	
C P F		4010-222-4482	WIRE ROPE, STEEL; 11686843 (19207)	FT	4	3	8	16	3	8	16	192	500	30	56	
N P O		1090-400-2525	SAFETY PIN ASSEMBLY; 8448007 (19205)	EA	4	2	3	5	2	3	5	60	50	30	57	
N P O		4030-270-5436	CONSISTING OF: HOOK, CHAIN, S; MS87006-3 (96906)	EA	1	2	5	9	2	5	9	108	100	30	58	
N P O		5315-456-6803	PIN, LOCK; 8448006 (19204)	EA	1	3	8	16	3	8	16	192	200	30	59	
N X1			SLEEVE, SWAGING 8427871 (19205)		2									30	55	
N X1			CABLE 8427869-2 (19204)		1									30	60	

Section II. REPAIR PARTS LIST

(1) ACT ON CODE	(2) SMR Code	(3) Federal Stock Number	(4) Description Reference Number & Mfr Code	(5) Unit of meas	(6) Qty inc in unit	(7) 30-day GS maint allowance			(8) 1-yr allw per equip 100 cngcy	(9) Depot maint allw per 100 equip	(10) Illustration Figure No
						(a) 1-30	(b) 31-60	(c) 61-100			
N X1			MOUNT ASSEMBLY, LH 11699314 AND RH 11699315 (19204) — Continued								
N X1			PIN, SPRING MS51987-18 (96906)	..	1	..	..	..	..	..	30 61
X1			PIN, SAFETY 8448005 (19204)	..	1	..	..	..	..	..	30 62
X1			GEAR ASSEMBLY, MECHANICAL DRIVE 11699312 (19205)	..	1	..	..	..	..	..	30 63
X1			GEAR ASSEMBLY, MECHANICAL DRIVE 11699313 (19205)	..	1	..	..	..	..	..	30 63
C P O		4730-852-4115	PYLON, HELICOPTER: LH 11699306 (19205) AND RH 11699307 (19205)	EA	2	*	2	2	2	2	31 1
C P O		5330-297-6468	PLUG, MACHINE THREAD: S, CD-OR ZN PLTD, NO. 5 / 1624UNF-3A, 0.173 HD H, 9 / 16 W ACROSS FLATS, 1 / 16 CONE, 37 / 64 OA LG, 45 DEG SEAT MS24391-2 (96906)	EA	2	2	5	9	2	108	200 31 2
C P F		5310-820-7014	PACKING WITH RETAINER: 7792418 (19206)	EA	16	2	5	9	2	108	800 31 3
C P F		5935-926-0702	NUT, SELF-LOCKING HEXAGON: NAS679C04M (80205)	EA	2	2	2	2	2	24	7 31 4
C P F		1005-974-9706	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3119E14-12 (96906)	EA	2	2	2	3	2	36	7 31 5
C P F		5310-782-1349	GASKET: 7792417-1 (19205)	EA	16	REF	REF	REF	REF	REF	31 6
C P F		5305-054-5648	WASHER, FLAT: MS15795-804 (96906)	EA	14	2	5	9	2	108	700 31 7
C P F		5935-892-9089	SCREW, MACHINE: MS51957-14 (96906)	EA	2	2	2	2	2	24	25 31 8
C P F		5330-974-9707	CONNECTOR, RECEPTACLE, ELECTRICAL: MS3119E8-4W (96906)	EA	2	2	3	5	2	60	30 31 9
C P F		5935-892-9093	GASKET: 7792417-2 (19205)	EA	2	*	2	2	*	24	40 31 10
C P F		5305-054-5650	COVER, ELECTRICAL CONNECTOR: MS3181-8C (96906)	EA	2	REF	REF	REF	REF	REF	31 11
C P F			SCREW, MACHINE: MS51957-16 (96906)	EA	2	REF	REF	REF	REF	REF	31 11

Section II. REPAIR PARTS LIST -- Continued

(1) ACT ON CODE	(2) SMR Code	(3) Federal Stock Number	(4) Description Reference Number & Mfr Code	(5) Unit or meas	(6) Qty inc in unit	(7) 30-day GS maint allowance			(8) 1-yr maint allow per 100 eq cntry	(9) Depot maint allow per 100 eq equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
			FILTER: 7792511 (19205)									
C	P O	9505-596-5101	WIRE, STEEL, CORROSION RESISTANT: QQW423 (81348)	LB	V	*	*	*			32	1
C	P O	1005-066-1335	FILTER ELEMENT, HYDRAULIC MOTOR: 7792512 (19205)	EA	1	2	3	5	60	80	32	3
C	P O	5330-584-0266	PACKING, PREFORMED: MS28775-010 (96906)	EA	2	REF	REF	REF	REF	REF	32	4
XI			HOUSING, FILTER 7792511-1 (19205)		1						32	5
			GEAR ASSEMBLY, MECHANICAL DRIVE LM 11699312 AND RH 11699313									
N	P O	5305-941-9437	SCREW, MACHINE: NO. 4-40NC-2A, 3/8 LG MS35275-215 (96906)	EA	6	3	7	16	192	60	33	1
C	P F	5310-782-1349	WASHER, FLAT: MS15795-804 (96906)	EA	12	REF	REF	REF	REF	REF	33	2
C	P F	1005-974-9729	CLAMP, RIM CLENCHING: 7792451 (19205)	EA	6	2	3	5	60	20	33	3
C	P F	1005-974-9739	RESISTOR AND GEAR ASSEMBLY: 7792478 (19205)	EA	2	2	2	2	24	7	33	4
N	P F	5305-939-9231	SCREW, MACHINE: MS35275-244 (96906)	EA	2						33	5
C	P F	5310-880-5978	WASHER, FLAT: MS15795-807 (96906)	EA	4	2	2	2	24	100	33	6
C	P F	1005-974-9723	TOOL ADJUSTING: 7792444 (19205)	EA	2	2	3	5	60	25	33	7
C	P F	5305-984-7164	SETSCREW: NAS1081-5D6 (80205)	EA	4	2	2	2	24	200	33	8
C	P F	5340-056-9392	SPRING, HELICAL, COMPRESSION: S, 0.038 STK SIZE, 0.164 ID, 0.240 FREE OD, 0.080 FREE OA LG, 10 COILS MS24585-118 (96906)	EA	4	*	2	2	24	100	33	9
C		3110-198-1050	BALL, BEARING MS19060-22 (96906)	EA	4						33	10
C	P F	5340-067-3870	SPRING, HELICAL, COMPRESSION: MS24585-114 (96906)	EA	2	*	2	2	24	100	33	11
A	F		SOLENOID AND ADAPTER ASSEMBLY 11011305 (19205)		2						33	12
C	P F	5330-974-9767	ADAPTER: 7792523 (19205)	EA	2	2	2	4	48	15	33	13

Section II. REPAIR PARTS LIST

Section II. REPAIR PARTS LIST — Continued																
ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day G5 maint allowance			(8) 1-yr allw per equip engcy	(9) Depot per 100 equip	(10) Illustration		
						(a) 1-30	(b) 21-50	(c) 51-100	(a) 1-30	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No	
			GEAR ASSEMBLY, MECHANICAL DRIVE LH 11699312 AND RH 11699313 — Continued													
C P F		1005-974-9734	W A S H E R : 7792454-2 (19204)	EA	2	2	2	2	2	2	2	24	7	33	14	
C P F		1005-974-9784	S O L E N O I D : 7792551 (19205)	EA	4	2	4	7	2	4	7	84	25	33	15	
C P F		5330-248-3840	P A C K I N G , P R E F O R M E D : MS29513-014 (96906)	EA	4	2	2	2	2	2	2	24	400	33	16	
C A F			S O L E N O I D A N D A D A P T E R A S S E M B L Y 11011306 (19205)		2											
C P F		1005-974-9766	A D A P T E R : 7792522 (19205)	EA	2	2	2	4	2	2	4	48	15	33	17	
C P F		5305-969-6495	S C R E W , M A C H I N E : MS24693C-5 (96906)	EA	2	*	2	2	*	2	2	24	40	33	19	
N P F		5305-206-6599	S C R E W , C A P , S O C K E T H E A D : MS24678-24 (96906)	EA	16	2	5	9	2	5	9	108	100	33	20	
N		5310-809-8536	W A S H E R , F L A T : MS27183-24 (96906)	EA										33	21	
C P F		1005-974-9703	G E A R A S S E M B L Y : D E F L E C T I O N 7792402 (19205)	EA	2	2	2	2	2	2	2	24	7	33	22	
C P F		1005-974-9704	G E A R A S S E M B L Y : E L E V A T I O N 7792404 (19205)	EA	2	2	2	2	2	2	2	24	7	33	23	
C P F		1005-974-9705	S H I M : 7792407 (19204)	EA	2	2	2	5	2	5	9	108	24	33	24	
C P F		5310-208-9255	NUT, SELF-LOCKING, HEXAGON; PREVAILING TORQUE NM INSERT TYPE, CRES. PASS-FIN., NO. 10-32UNF-3A, 3/8 W, 15/64 LG MS21044C3 (96906)	EA	8	*	2	2	*	2	2	24	20	33	25	
		5305-983-6654	SREW, CAP, SOCKET HEAD: MS16998-31 (96906)	EA	4	2	2	4	2	2	4	48	40	33	26	
C P F		1005-924-6325	COVER, GUN CRADLE SUPPORT; UPPER 11699428 (19205)	EA	2	*	2	2	*	2	2	24	5	33	27	
C P F		5310-807-1468	NUT, EXTENDED WASHER, HEXAGON; MS21042-4 (96906)	EA	16	4	11	22	4	11	22	264	100	33	28	
C P O		5310-187-2354	WASHER, FLAT: AN960PD416 (88044)	EA	3	REF	REF	REF	REF	REF	REF	REF	REF	33	29	
C P F		1005-066-1329	BOLT, DEFLECTION STOP: 7791864 (19205)	EA	1	2	2	2	2	2	2	24	10	33	30	
C P F		5305-983-6662	SREW, CAP, SOCKET HEAD: MS16998-45 (96906)	EA	1	2	5	9	2	5	9	108	100	33	31	

Section II. REPAIR PARTS LIST — Continued

(1) ACT ON CODE	(2) SMR Code	(3) Federal Stock Number	(4) Description Reference Number & Mfr Code	(5) Unit of meas	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip	(9) Depot maint per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			GEAR ASSEMBLY, MECHANICAL DRIVE LH 11699312 AND RH 11699313 — Continued											
C P O		5310-531-9515	WASHER, FLAT: AN960C416 (88044)	EA	REF	REF	REF	REF	REF	REF	REF	REF	33	32
C P F		1005-924-6525	SUPPORT, GUN CRADLE: 11699501 (19205)	EA	*	2	2	*	2	2	24	5	33	33
C P F		1005-922-8004	BUSHING, SLEEVE: 11699410 (19205)	EA	2	2	4	2	2	4	48	20	33	34
C P F		5306-584-8425	BOLT, MACHINE: AN4C43A (88044)	EA	2	4	7	2	4	7	84	50	33	35
C P F		1005-924-6336	SUPPORT, GUN CRADLE: UPPER, LH 11699465 (19205)	EA	*	2	2	*	2	2	24	5	33	36
C P F		5306-156-2329	BOLT, MACHINE: AN3C10A (88044)	EA	2	3	5	2	3	5	60	50	33	37
C P F		5310-619-1148	WASHER, FLAT: MS15795-808 (96906)	EA	58	5	9	2	5	9	108	28	33	38
C P F		1005-924-6333	BRACKET AND GUARD ASSEMBLY: 11686845 (19205)	EA	1	2	2	*	2	2	24	5	33	39
			S C R E W	EA	4								33	40
C P F		1005-924-6521	MS35460-15 (96906) SUPPORT, GUN CRADLE: UPPER, RH 11699475 (19205)	EA	1	*	2	*	2	2	24	5	33	41
N		5305-939-9232	SCREW, MACHINE: MS35275-246 (96906)	EA	6								33	43
N P F		5310-878-0203	WASHER, FLAT: 7792159-6 (19205)	EA	8	2	4	2	2	4	48	60	33	44
C P F R		1005-974-9735	HOUSING, VARIABLE RESISTOR: 7792457 (19205)	EA	2	1	2	4	1	2	48	7	33	45
C P F		5330-974-9736	G A S K E T: 7792460 (19205)	EA	2	2	3	5	2	3	60	7	33	46
C P F		5305-543-4517	SCREW, CAP, SOCKET HEAD: MS24673-2 (96906)	EA	6	2	2	3	2	2	36	100	33	47
C P F R		1005-922-8034	VARIABLE RESISTOR AND SWITCH ASSEMBLY: 11699316 (19205)	EA	2	1	3	5	1	3	60	25	33	48
C P F		1005-974-9737	SHIM, VARIABLE RESISTOR SUPPORT: 7792465 (19205)	EA	2	2	4	2	2	4	48	7	33	49
C X2 F		1005-974-9708	HOUSING, MECHANICAL DRIVE: (CONSISTING OF ITEMS 50, 51, 52, AND 70) 7792420 (19205)		2									
N P F		5305-071-1320	SCREW, MACHINE: NO. 10-32UNF-2A, 3/8 LG MS51969-63 (96906)	EA	8	*	2	*	*	2	24	8	33	50

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr altw per 100 equip 100 enrgy	(9) Depot maint altw per 100 equip	(10) Illustration	
						(a) 1-30	(b) 21-50	(c) 51-100	(a) 1-30	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			GEAR ASSEMBLY, MECHANICAL DRIVE LH 11699312 AND RH 11699313 — Continued												
	XI		HOUSING HALF 7792421 (19205)		2									33	51
	C P F	5315-753-8386	PIN, STRAIGHT, HEADLESS: MS16555-641 (96906)	EA	4									33	52
	C P F	5310-974-9781	NUT, SELF-LOCKING, ROUND: NO. 31/32-32NS-3B 7792548-1 (19204)	EA	2	2	2	4	2	2	4	48	7	33	53
	C P F	1005-974-9740	GEAR SECTOR, SPUR: 7792479 (19205)	EA	2	*	2	2	*	2	2	24	3	33	54
	C P F	4730-288-8555	PLUG, PIPE: AN932D6 (88044)	EA	2	*	2	2	*	2	2	24	3	33	55
	C P F	5306-655-9767	BOLT, MACHINE: NAS1303-3 (80205)	EA	16	2	2	4	2	2	4	48	15	33	56
	C P F	5330-974-9779	SEAL, PLAIN ENCASED: 7792546-1 (19204)	EA	6	2	2	4	2	2	4	48	7	33	57
	C P F	1005-974-9719	PLATE, RETAINING, BEARING: 7792436-1 (19205)	EA	4	2	2	4	2	2	4	48	15	33	58
	C P F	1005-974-9717	SHIM: 7792434 (19204)	EA	8	2	4	7	2	4	7	84	15	33	59
	C P F	1005-974-9791	BEARING, BALL ANNULAR: 7792576-4 (19204)	EA	4	2	4	7	2	4	7	84	25	33	60
	C P F	1005-973-3671	GEAR SET, WORM AND WORMWHEEL: (CONSISTING OF ITEMS 61, 69, AND 94) 7792604 (19205)	EA	4	2	2	2	2	2	2	24	3	33	
	XI		GEAR SHAFT 7792484 (19205)		2									33	61
	N P F	5305-054-6650	SCREW, MACHINE: MS1957-26 (96906)	EA	4	2	2	3	2	2	3	36	50	33	62
	N P F	5310-045-4007	WASHER, LOCK: MS35338-41 (96906)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	33	63
	C P F	5310-638-9837	WASHER, FLAT: AN960C6L (88044)	EA	4	2	2	3	2	2	3	36	200	33	64
	C P F	1005-974-9712	DIAL, SCALE: 7792427 (19205)	EA	2	*	2	2	*	2	2	24	3	33	65
	C P F	5306-702-1475	BOLT, MACHINE: NAS1303-5 (80205)	EA	12	2	2	3	2	2	3	36	500	33	66
	C P F	1005-974-9714	SHIM, BEARING RETAINING PLATE: 7792429 (19205)		8	2	6	12	2	6	12	144	25	33	67
	C P F	1005-974-9794	BEARING, BALL, ANNULAR: 7792576-7 (19204)	EA	2	2	2	2	2	2	2	24	7	33	68

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr alt per 100 equip 100 cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			GEAR ASSEMBLY, MECHANICAL DRIVE LH 11699312 AND RH 11699313 — Continued												
	X1		GEAR SECTOR 7792440 (19205)	EA	2									33	69
	X1		HOUSING HALF 7792422 (19205)	EA	2									33	70
C	P F	1005-974-9785	NUT: NO. 1-9 / 16-18NS-3B 7792548-2 (19204)	EA	2	2	2	4	2	2	4	48	7	33	71
C	P F	1005-974-9711	HOUSING, BEARING UNIT: 7792426 (19204)	EA	2	2	2	3	2	2	3	36	15	33	72
C	P F	1005-974-9793	BEARING: 7792576-6 (19204)	EA	4	2	4	7	2	4	7	84	28	33	73
C	P F	1005-974-9746	PLATE, RETAINING, BEARING: 7792490 (19204)	EA	2	2	2	2	2	2	2	24	10	33	74
C	P F	1005-974-9780	SEAL: 7792546-2 (19204)	EA	2	2	2	4	2	2	4	48	7	33	75
C	P F	5306-680-5285	BOLT, MACHINE: NAS1303-6 (80205)	EA	8	2	2	3	2	2	3	36	50	33	76
C	P F	5310-167-0818	WASHER, FLAT: AN960-10 (88044)	EA	8	*	*	2	*	*	2	24	100	33	77
C	P F	1005-922-8006	PLATE, RETAINING, SHAFT: 11699429 (19205)	EA	2	*	2	2	*	2	2	24	10	33	78
C	P F	1005-974-9713	PLATE, RETAINING, BEARING: 7792428 (19205)	EA	2	2	2	2	2	2	2	24	3	33	79
C	P F	1005-974-9720	SHIM: 7792437 (19204)	EA	8	2	2	4	2	2	4	48	7	33	80
C	P F	1005-974-9792	BEARING: 7792576-5 (19204)	EA	4	2	4	7	2	4	7	84	25	33	81
C	P F	1005-973-3670	GEAR SET, WORM AND WORMWHEEL: (CONSISTING OF ITEMS 82 AND 90) 7792603 (19205)	EA	2	2	2	4	2	2	4	48	3	33	82
	X1		WORM SHAFT 7792438 (19205)	EA	24	3	8	16	3	8	16	192	500	33	83
C	P F	5306-156-2336	BOLT, MACHINE: AN3C3A (88044)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	33	84
C	P F	5306-150-9527	BOLT, MACHINE: AN3C5A (88044)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	33	85
C	P F	5310-167-0812	WASHER, FLAT: AN960C10L (88044)	EA	4	2	4	7	2	4	7	84	15	33	86
C	P F	5330-974-9718	PACKING, PREFORMED: 7792435 (19205)	EA	4	2	4	7	2	4	7	84	15	33	86

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr slw per 100 equip	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) \$1-100	(a) 1-20	(b) 21-50	(c) \$1-100				(a) Figure No
			GEAR ASSEMBLY, MECHANICAL DRIVE LH 1169312 AND RH 1169313 — Continued												
C P F		1005-974-9725	PLATE, RETAINING, BEARING: 7792447 (19205)	EA	4	2	2	2	2	2	2	24	3	33	87
C P F		1005-974-9726	SHIM: 7792448 (19204)	EA	4	2	4	7	2	4	7	84	15	33	88
C P F		3110-142-4492	BEARING, BALL, AIRFRAME: MS2020KP49B	EA	4	2	4	7	2	4	7	84	300	33	89
X1			GEAR SECTOR 7792488 (19205)		2									33	90
C P O		9505-596-5101	WIRE, STEEL, CORROSION RESISTANT: QQW423 (81348)	LB	V	REF	REF	REF	REF	REF	REF	REF	REF	33	91
C P F		5306-180-2778	BOLT, MACHINE: AN4CH4A (88044)	EA	8	*	2	2	*	2	2	24	20	33	92
C P F		5310-515-7449	WASHER, FLAT: AN960C416L (88044)	EA	8	2	2	4	2	2	4	48	400	33	93
X1			GEAR SHAFT 7792480 (19205)		2									33	94
C P F		1005-974-9724	STOP: 7792446 (19205)	EA	2	2	2	4	2	2	4	48	15	33	95
C P F		5315-686-8719	PIN, STRAIGHT, HEADLESS: MS16555-325 (96906)	EA	4	*	2	2	*	2	2	24	400	33	96
C P F		5315-842-3673	PIN, STRAIGHT, HEADLESS: MS16555-649 (96906)	EA	4	2	2	2	2	2	2	24	200	33	97
C P F		1005-974-9715	S T O P : 7792425 (19205)	EA	2	2	2	4	2	2	4	48	15	33	98
N P F		1005-974-9727	BUSHING, SLEEVE: 7792449 (19205)	EA	4	2	2	4	2	2	4	48	15	33	99
C P F		1005-974-9710	STOP: 7792430 (19205)	EA	2	2	2	4	2	2	4	48	15	33	100
C P F R		1005-869-8840	HOUSING, DEFLECTION: 7791937 (19205)	EA	2	*	1	1	*	1	1	12	2	33	101
			RESISTOR AND GEAR ASSEMBLY: 7792478 (19205)												
N		5315-702-9650	PIN, STRAIGHT, HEADLESS MS16555-602 (96906)	EA	1									34	1
N			GEAR CLUSTER 7792475 (19205)	EA	1									34	2
C P O		9505-596-5101	WIRE, STEEL, CORROSION RESISTANT: QQW423 (81348)	LB	V	REF	REF	REF	REF	REF	REF	REF	REF	34	3

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-50	(c) 51-100	(a) 1-30	(b) 31-50	(c) 51-100			(a) Figure No	(b) Item No
			RESISTOR AND GEAR ASSEMBLY: 7792478 (19205) — Continued												
N		5305-945-0505	SCREW, MACHINE MS35275-212 (96906)	EA	3									34	4
N			WASHER 7792159-7 (19205)	EA	3									34	5
N			ADAPTER 7792474 (19205)	EA	1									34	6
N	P H	5905-879-7718	RESISTOR, VARIABLE 8445008 (19205)	EA	1				2	4	7	84	100	34	7
			OR GEAR ASSEMBLY: DEFLECTION 7792402 (19205)												
			GEAR ASSEMBLY: ELEVATION 7792404 (19205)												
X1			NUT MS21044N4 (96906)		4									35	1
C P F		5310-167-0835	WASHER, FLAT: AN960-416L (88044)	EA	8	2	5	9	2	5	9	108		35	2
C P F		5305-206-6599	SCREW, CAP, SOCKET HEAD: MS24678-24 (96906)	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	35	3
X1			HOUSING, HALF 7792406 (19205)		1									35	4
C P F		1005-974-9705	SHIM: 7792407 (19204)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	35	5
			VARIABLE RESISTOR AND SWITCH ASSEMBLY: 1169316 (19205)												
C P F		5305-951-8875	SETSCREW: NAS1081-04A3 (80205)	EA	2	*	2	2	*	2	2	24	5	36	1
C P F		1005-924-6135	GEAR, BEVEL: 11686349 (19205)	EA	1	*	2	2	*	2	2	24	5	36	2
C P F		9505-596-5701	WIRE, STEEL, CORROSION RESISTANT: QQW423 (81348)	LB	V	REF	REF	REF	REF	REF	REF	REF	REF	36	3
		5305-558-4887	SCREW, MACHINE MS35265-14	EA	3									36	4
N P F		5310-543-2410	WASHER, LOCK: MS35338-40 (96906)	EA	5									36	5
C P F		5905-924-6636	PLATE, MOUNTING, RESISTOR: 7792461 (19205)	EA	1	*	*	2	*	*	2	24	4	36	6

Section II. REPAIR PARTS LIST — Continued

(1) ACT ON CODE	(2) FMR Code	(3) Federal Stock Number	(4) Description Reference Number & Mfr Code	(5) Unit of meas	(6) Qty inc in unit	(7) 30-day GS maint allowance			(8) 1-yr per 100 equip enrgy	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			VARIABLE RESISTOR AND SWITCH ASSEMBLY: 11699316 (19205) — Continued									
C	P	5305-151-2999	SCREW, MACHINE: ANS00-3-12 (88044)	EA	2	*	*	2	24	2	36	7
C	P	5310-261-7437	WASHER, LOCK: AN935-3L (88044)	EA	2	*	*	2	24	80	36	8
C	P	5310-167-0830	WASHER, FLAT: AN960-3L (88044)	EA	2	2	2	3	36	200	36	9
C	P	5930-993-3986	SWITCH, SENSITIVE: MS25349-1 (96906)		1	2	2	2	24	100	36	10
C	X1		SCREW ANS00-4-8 (88044)		2						36	11
C	P	5305-724-6744	SETSCREW: MS51965-19 (96906)	EA	1	2	2	2	24	20	36	12
C	P	5305-724-6745	SETSCREW: MS51965-20 (96906)	EA	2	2	2	2	24	20	36	13
N		5315-815-1405	PIN, COTTER MS24665-151 (96906)	EA	1						36	14
N			SPRING 7791860 (19205)	EA	1						36	15
N			ADAPTER 7791881 (19205)								36	16
N			BAR 7791883 (19205)	EA	1						36	17
N		5315-080-1939	PIN, STRAIGHT, HEADED: MS20392-1C35 (96906)	EA	1						36	18
C	X1		ARM 7791882 (19205)		1						36	19
C	P	1005-924-6255	WIRING HARNESS, BRANCHED: 11699317 (19205)	EA	2	*	*	2	24	5	36	20
N	P	5905-879-7727	RESISTOR, VARIABLE, LINEAR PRECISION: 8445010 (19204)	EA	1	2	5	9	108	100	36	21
C	P	1005-924-6635	ADAPTER, RESISTOR: 7792459 (19205)	EA	1	*	*	2	24	4	36	22
N		5315-807-7684	PIN, STRAIGHT, HEADLESS: MS16555-603 (96906)	EA	1						36	23
N			GEAR 7792443-2 (19205)	EA	1						36	24
N			WASHER 7792197-2 (19205)	EA	1						36	25

Section II. REPAIR PARTS LIST -- Continued

(1) ACT ON CODE	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration	
					(a) 1-30	(b) 31-50	(c) 51-100	(a) 1-30	(b) 31-50	(c) 51-100			(a) Figure No	(b) Item No
N	5330-248-3835	VARIABLE RESISTOR AND SWITCH ASSEMBLY: 11699316 (19205) -- Continued	EA	1									36	26
N		PACKING, PREFORMED: MS29513-010 (96906)	EA	1									36	27
N		PIN 7792458 (19205)	EA	1									36	28
		SUPPORT 7791888 (19205)												
		RACK AND SUPPORT ASSEMBLY, LH 11699318 AND RH 11699319												
C	5305-051-6521	SCREW, MACHINE: MS24693S25 (96906)	EA	16	3	8	16	3	8	16	192	100	37	1
C	5340-911-6636	COVER, ACCESS, LEFT HAND: 11700526 (19205)	EA	2	*	2	2	*	2	2	24	3	37	2
C	5340-911-6637	COVER, ACCESS, RIGHT HAND: 11700527 (19205)	EA	2	*	2	2	*	2	2	24	3	37	3
N	5310-989-5945	NUT, PLAIN, HEXAGON: MS35691-35 (96906)	EA	12	REF	REF	REF	REF	REF	REF	REF	REF	37	4
C	1055-999-8867	PAD, SWAY BRACE: 11700523 (19205)	EA	8	2	2	2	2	2	2	24	10	37	5
C	5305-983-6662	SCREW, CAP, SOCKET HEAD: MS16998-45 (96906)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	37	6
C	5310-982-4988	NUT, SELF-LOCKING, HEXAGON: MS21045C4 (96906)	EA	12	3	8	16	3	8	16	192	72	37	7
C	5310-184-9001	WASHER, FLAT: AN960PD416L (88044)	EA	16	2	2	4	2	2	4	48	40	37	8
C	5306-180-2765	BOLT, MACHINE: AN174-33A (88044)	EA	6	2	5	9	2	5	9	108	48	37	9
C	1090-911-6648	BRACKET ASSEMBLY, SWAYBRACE, RIGHT HAND 11700570 (19205)	EA	4	2	2	2	2	2	2	24	12	37	10
		CONSISTING OF: INSERT, SCREW THREAD: 11700522 (19204)	EA	1	12	34	68	12	34	68	816	500	37	11
N	5340-848-4723	INSERT, SCREW THREAD: NO. 1/2-13NC, 0.622 EXT THD, 0.500 OA LG MS21208C8-10 (96906)	EA	1	12	34	68	12	34	68	816	500	37	12
N	5340-290-4505	BUSHING 11700535 (19205)		1									37	13

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr altw per 100 equip cnlgy	(9) Depot maint altw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
N XI			RACK AND SUPPORT ASSEMBLY, LH 11699318 AND RH 11699319 — Continued		1									37	14
			BRACKET, SWAY BRACE, RH 11700574 (19205)												
			NOTE: ITEMS 13 AND 14 ARE A WELDED ASSEMBLY.												
C P O		1005-938-9528	CLAMP ASSEMBLY, AMMUNITION CHUTE: 11699321 (19205)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	15
C P O		1090-911-6639	ARM, CLAMP: 11700540 (19205)	EA	2	2	2	2	2	2	2	24	15	37	16
C P O		1090-911-6643	BRACKET ASSEMBLY, LEFT HAND: ARM 11700542 (19205)	EA	1	*	2	2	*	2	2	24	6	37	17
C P O		1090-911-6644	BRACKET ASSEMBLY, RIGHT HAND: ARM 11700543 (19205)	EA	1	*	2	2	*	2	2	24	6	37	17
C P O		1090-911-6647	BRACKET ASSEMBLY, SWAY BRACE, LEFT HAND: 11700569 (19205)	EA	4	2	2	2	2	2	2	24	12	37	18
			CONSISTING OF:												
N P F		5340-848-4723	INSERT, SCREW THREAD: 11700522 (19204)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	37	11
N P F		5340-290-4505	INSERT, SCREW THREAD: NO. 1/2-13NC, 0.622 EXT THD, 0.500 OA LG MS21208C8-10 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	37	12
N XI			BUSHING 11700535 (19205)		1									37	13
N XI			BRACKET, SWAY BRACE, LH 11700573 (19205)		1									37	19
N P O		5306-527-4530	NOTE: ITEMS 13 and 19 ARE A WELDED ASSEMBLY. BOLT, MACHINE: 2-13/16 GRIP LG, 3-9/32 oa lg, NO. 1/4-28UNF-3A AN174H32A (88044)	EA	2	2	3	5	2	3	5	60	50	37	20
N P O		5310-187-2354	WASHER, FLAT: AN960PD416 (88044)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	37	21
C P O		5306-180-2764	BOLT, MACHINE: AN174-32A (88044)	EA	6	3	8	16	3	8	16	192	400	37	22
C P O		1055-911-6641	SPACER, SLEEVE: 11700541-2 (19205)	EA	4	2	2	2	2	2	2	24	15	37	23
C P O		1055-911-6642	SPACER, SLEEVE: 11700541-3 (19205)	EA	4	2	2	2	2	2	2	24	15	37	24

Section II. REPAIR PARTS LIST -- Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint per 100 equip cntry	(9) Depot maint per 100 equip		(10) Illustration Figure No Item No
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100		(a) per 100 equip	(b) per 100 equip	
			RACK AND SUPPORT ASSEMBLY, LH 11699318 AND RH 11699319 -- Continued												
C	P	F	FAIRING ASSEMBLY, REAR: 11700579 (19205)	EA	2	*	2	2	*	2	2	24	10	37	25
C	P	O	SCREW, MACHINE: MS24694S50 (96906)	EA	8	*	2	2	*	2	2	24	4	37	26
C	P	O	SWITCH, FIRING, RACK ASSEMBLY: 11700593 (19205)	EA	2	*	2	2	*	2	2	24	3	37	27
N	P	F	WIRE, STEEL, CORROSION RESISTING: MS20995C32 (96906)	SL	V	REF	REF	REF	REF	REF	REF	REF	REF	37	28
C	P	O	PIN, COTTER: MS24665-151 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	29
C	P	O	WASHER, FLAT: AN960PD10L (88044)	EA	6	REF	REF	REF	REF	REF	REF	REF	REF	37	30
N	P	O	PIN, STRAIGHT, HEADED: MS20392-2C9 (96906)	EA	2	2	2	3	2	2	2	36	100	37	31
C	P	F	SPRING, HELICAL, EXTENSION: 11700578 (19205)	EA	2	2	2	2	2	2	2	24	12	37	32
C	P	O	RACK, BOMB, AIRCRAFT MA4A 55J4312 (80049)	EA	2	1	1	2	1	1	2	24	4	37	33
N	P	F	NUT, SELF-LOCKING: 250 DEG F MS21045-04 (96906)	EA	2	*	2	2	*	2	2	24	10	37	34
N	P	F	SCREW, MACHINE: PAN-HD, NO. 4-40UNC-2A, 3/4 LG MS1957-19 (96906)	EA	2	*	2	2	*	2	2	24	10	37	35
N	P	F	NUT, SELF-LOCKING, HEXAGON: MS21083N4 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	36
C	P	F	WASHER, FLAT: MS15795-710 (96906)	EA	2	*	*	2	*	*	2	24	2	37	37
C	P	F	PULLEY, GROOVE: MS20219A1 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	38
C	P	F	BOLT, MACHINE: AN174-7A (88044)	EA	2	2	4	7	2	4	7	84	30	27	39
C	P	F	BOLT, MACHINE: MS20073-03-04 (96906)	EA	4	2	5	9	2	5	9	108	40	37	40
C	P	F	BRACKET, PULLEY: 11700558 (19205)	EA	2	*	2	2	*	2	2	24	3	37	41
C	P	F	CABLE ASSEMBLY, MANUAL RELEASE: 11700568 (19205)	EA	2	*	2	2	*	2	2	24	5	37	42

Section II. REPAIR PARTS LIST — Continued

Section II. REPAIR PARTS LIST — Continued															
ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr slw per 100 equip caty	(9) Depot maint slw per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No.
			RACK AND SUPPORT ASSEMBLY, LH 11699318 AND RH 11699319 — Continued												
C	P F	5310-807-1477	NUT, EXTENDED WASHER, HEXAGON: MS21042L6 (96906)	EA	2	2	5	9	2	5	9	108	50	37	43
C	P F	5310-903-1244	WASHER, KEY: 11700546 (19205)	EA	2	*	2	2	*	2	2	24	3	37	44
N	P F	5310-183-4355	WASHER, FLAT: AN960C616L (88044)	EA	4	2	2	3	2	2	3	36	25	37	45
N			P I N												
C	P F	5310-903-1243	MS171526 (96906) NUT, PLAIN, HEXAGON:	EA	2	*	2	2	*	2	2	24	3	37	46
C	P F	5307-903-1245	11700528 (19205) STUD, SHOULDERED:	EA	2	*	2	2	*	2	2	24	2	37	47
C	P F	5340-807-2636	11700553 (19205) RING, RETAINING:	EA	2	*	2	2	*	2	2	24	2	37	48
C	P F	1090-911-6645	MS16625-1100 (96906) NUT ASSEMBLY, PLAIN BARREL:	EA	8	2	6	12	2	6	12	144	125	37	49
N	P F		11700552 (19205) CONSISTING OF:	EA	2	*	2	2	*	2	2	24	3	37	50
N	X I	5340-680-8768	INSERT, SCREW THREAD: S, 0.562 LG MS21209F6-15 (96906)	EA	1	2	3	5	2	3	5	60	100	37	51
C	P F	1090-911-6635	NUT, BARREL 11700551 (19205)		1									37	52
C	P F	5306-151-2415	SHAFT, ADJUSTING STUD: 11700525 (19205)	EA	2	*	2	2	*	2	2	24	3	37	53
N	P F	5310-841-2576	BOLT, MACHINE: AN174-11A (88044)	EA	6	2	5	9	2	5	9	108	100	37	54
C	P F	1090-911-6651	WASHER, FLAT: NO. 1/4 IN., 0.275 ID, 0.683 OD, 0.069 THK MS25440-4 (96906)	EA	6	2	5	9	2	5	9	108	100	37	55
C	P F	5315-949-5378	ADAPTER ASSEMBLY, LEFT HAND RACK SUPPORT 11700598 (19205)	EA	1	*	2	2	*	2	2	24	3	37	56
N	X I		CONSISTING OF: PIN, STRAIGHT, HEADLESS: 0.375 OD, 1 OA LG 11699549 (19205)	EA	2	2	2	2	2	2	2	24	30	37	57
C	P F	1090-911-6652	ADAPTER, LH 11700596 (19205)		1									37	58
C	P F		ADAPTER ASSEMBLY, RIGHT HAND RACK SUPPORT: 11700599 (19205)	EA	1	*	2	2	*	2	2	24	3	37	56

Section II. REPAIR PARTS LIST

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas ¹	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr per 100 equip cost	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100				(a) Figure No
			RACK AND SUPPORT ASSEMBLY, LH 11699318 AND RH 11699319 — Continued												
C P F		5315-949-5378	CONSISTING OF: PIN, STRAIGHT, HEADLESS: 0.375 OD, 1 OA LG	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	57
N X I			11699549 (19205) ADAPTER, RH		1									37	58
C P F		5310-902-6676	11700597 (19205) NUT, SELF-LOCKING, HEXAGON: NO. 10-32UNF- 3B, 3/8 W, 1 1/16 H	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	59
C P F		5310-584-7800	MS21083N3 (96906) WASHER, FLAT:	EA	4	REF	REF	REF	REF	REF	REF	REF	REF	37	60
C P F		1090-911-6638	MS15795-708 (96906) SPOOL, LANYARD:	EA	2	*	2	2	*	2	2	2	2	37	61
C P F		5340-912-3562	11700534 (19205) BRACKET, ANGLE:	EA	2	2	2	2	2	2	2	2	2	37	62
C P F		5305-995-3444	11700533 (19205) SCREW, MACHINE:	EA	2	2	2	5	2	5	9	108	75	37	63
C P F		5310-807-1472	MS35207-266 (96906) NUT, EXTENDED WASHER, HEXAGON:	EA	2	2	5	9	2	5	9	108	48	37	64
C P F		5305-957-7819	MS21042L06 (96906) SCREW, MACHINE:	EA	2	2	2	3	2	2	3	36	24	37	65
N P O		5310-877-5797	MS24693S30 (96906) NUT, SELF-LOCKING, HEXAGON: S, CD-PLTD, N INSERT, NO. 10-32UNF-3B, 0.376 ACROSS FLATS, 0.281 H, 250 DEG F TEMP RATING	EA	6	REF	REF	REF	REF	REF	REF	REF	REF	37	66
C P F		5310-619-1148	MS21044N3 (96906) WASHER, FLAT:	EA	6	REF	REF	REF	REF	REF	REF	REF	REF	37	67
N P F		5340-283-0649	MS15795-808 (96906) CLAMP, LOOP: 7/16	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	68
C P F		5305-957-7086	MS21919DG7 (96906) SCREW, MACHINE: NO. 10-32UNF-3, 5/8 LG	EA	6	2	2	3	2	2	3	36	40	37	69
C P F		5340-205-6302	MS24693S273 (96906) CLAMP, LOOP: CUSHION TYPE, AL-ALLOY, 5/16 LOOP DIAM, 1/2 W	EA	4	2	2	3	2	2	3	36	25	37	70
C P F		5305-889-3001	MS21919DG5 (96906) SCREW, MACHINE: MS35206-231 (96906)	EA	2	2	5	9	2	5	9	108	7	37	71

Section II. REPAIR PARTS LIST — Continued

(1) ACT ON CODE	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day GS maint allowance			(7) 30-day DS maint allowance			(8) 1-yr allw per 100 equip (nigcy)	(9) Depot maint per 100 equip	(10) Illustration	
					(a)	(b)	(c)	(a)	(b)	(c)			(a) Figure No	(b) Item No
		RACK AND SUPPORT ASSEMBLY, LH 1169318 AND RH 1169319 — Continued												
C	P F	5310-807-1471 NUT, EXTENDED WASHER, HEXAGON; MS21042L04 (96906)	EA	8	2	5	9	2	5	9	108	50	37	72
C	P F	5310-656-0111 WASHER, FLAT; MS15795-703 (96906)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	37	73
C	P F	5305-889-2998 SCREW, MACHINE; MS35206-216 (96906)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	37	74
C	P F	1090-909-0887 CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRI- CAL, BRANCHED; RH 11700090 (19205)	EA	1	*	2	2	*	2	2	24	2	37	75
C	P F	1090-911-6633 CABLE ASSEMBLY, SPECIAL PURPOSE, ELECTRICAL, BRANCHED; LH 11700089 (19205)	EA	1	*	2	2	*	2	2	24	3	37	75
C	P F	5325-960-2410 GROMMET, PLASTIC; MS21266-1N (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	37	76
C	P F	5325-298-7006 STUD ASSEMBLY, TURNLOCK FASTENER; 11700516 (19205)	EA	4	2	5	9	2	5	9	108	80	37	77
C	P F	1010-792-9040 NUT, PUSH-ON; 11014538 (19205)	EA	4	2	2	2	2	2	2	24	25	37	78
C	P F	1090-911-6632 SUPPORT ASSEMBLY, RACK; 11700084 (19205)	EA	2	*	2	2	*	2	2	24	3	37	79
		BRACKET ASSEMBLY, LEFT HAND: ARM 11700542 (19205)												
		AND												
		BRACKET ASSEMBLY, RIGHT HAND: ARM 11700543 (19205)												
C	P O	5310-877-5797 NUT, SELF-LOCKING, HEXAGON: S, CD-PLTD, N INSERT, NO. 10-32UNF-3B, 0.376 ACROSS FLATS, 0.281 H, 250 DEG F TEMP RATING MS21044N3 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	38	1
C	P O	5310-809-8546 WASHER, FLAT; MS27183-8 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	38	2
C	P F	5305-989-7435 SCREW, MACHINE; MS35207-264 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	38	3
C	P O	1090-911-6308 LANYARD, QUICK RELEASE PIN; 11014471-3 (19205)	EA	1	2	2	2	2	2	2	24	16	38	4
C	P O	5340-903-7880 PIN, QUICK RELEASE; MS17987C308 (96906)	EA	1	2	2	3	2	2	3	36	24	38	5

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr allow per 100 equip unit	(9) Depot maint allow per 100 equip unit	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			BRACKET ASSEMBLY, LEFT HAND: ARM 11700542 (19205)												
			AND												
			BRACKET ASSEMBLY, RIGHT HAND: ARM 11700543 (19205) — Continued												
N	X1		PLATE 11700544 (19204)		1									38	6
N	X1		TUBE 11700545 (19204)		1									38	7
			NOTE: ITEMS 6 AND 7 ARE A WELDED ASSEMBLY. RACK, BOMB, AIRCRAFT: MA4A 55J4312 (80049)												
N	P F	5305-958-5473	SCREW, MACHINE; MS35190-251 (96906)	EA	4	3	8	16	3	8	16	192	100	39	1
C	P F	5310-550-0284	WASHER, LOCK; MS35336-9 (96906)	EA	4	3	8	16	3	8	16	192	200	39	2
C	P F	1095-570-9192	PLATE ASSEMBLY, INSPECTION; 52A4602 (80049)	EA	1	*	2	2	*	2	2	24	8	39	3
C	P F	5305-993-1849	SCREW, MACHINE; MS35207-259 (96906)	EA	11	3	8	16	3	8	16	192	200	39	4
C	P F	5310-576-5752	WASHER, LOCK; MS35333-39 (96906)	EA	1	REF	REF	REF	REF	REF	REF	REF	REF	39	5
C	P F	1095-212-0188	GUARD AND REINFORCEMENT; 44B28378 (80049)	EA	1	*	2	2	*	2	2	24	5	39	6
N	P F	5310-902-6676	NUT, SELF-LOCKING, HEXAGON: NO. 10- 32UNF-3B, 3/8 W, 11/16 H MS21083N3 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	39	7
C	P F	5305-989-6265	SCREW, MACHINE; MS35207-262 (96906)	EA	2	2	5	9	2	5	9	108	50	39	8
C	X1		PLATE ASSEMBLY 44G28399 (80049)		1									39	9
C	P F	1095-338-0773	SPRING, HELICAL TORSION, BOMB RACK; 54A4400 (27096)	EA	1	2	3	5	2	3	5	60	25	39	10
C	P F	1095-488-2890	SPRING, MANUAL TRIP; 44A28398 (80049)	EA	1	*	2	2	*	2	2	24	10	39	11
C	P F	1095-488-0787	LEVER AND BUSHING, MANUAL; 44A28395 (80049)	EA	1	*	2	2	*	2	2	24	4	39	12
C	P F	1095-488-0803	LEVER ASSEMBLY, SOLENOID SWITCH 44B28386 (80049)	EA	1	*	2	2	*	2	2	24	6	39	13

Section II. REPAIR PARTS LIST --- Continued

ACT ON CODE	(1) SMR Code	(3) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc in meas	(5) Qty inc in unit	(6) 30-day D6 maint allowance			(7) 30-day G8 maint allowance			(8) 1-yr maint per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100				(a) Figure No
			RACK, BOMB, AIRCRAFT: MA4A 55J4312 (80049) — Continued												
C	P F	1095-488-1428	PLUNGER, MANUAL TRIP 44A28266 (80049)	EA	1	*	2	2	*	2	2	24	6	39	14
C	P F	1095-488-1429	PLUNGER, SOLENOID SWITCH: 44A28265 (80049)	EA	1	*	2	2	*	2	2	24	5	39	15
C	P F	1095-141-9712	BEARING, SLEEVE: 53A5455 (80049)	EA	2	*	2	2	*	2	2	24	10	39	16
C	P F	1095-216-2941	BUSHING: 44A28381 (80049)	EA	1	*	2	2	*	2	2	24	10	39	17
C	P F	5315-598-9360	PIN, SHOULDER, HEADLESS: 54A4401 (97151)	EA	1	*	2	2	*	2	2	24	4	39	18
C	P F	1095-893-0008	LINK AND HOOK ASSEMBLY: 60D98801 (80049)	EA	1	*	2	2	*	2	2	24	5	39	19
C	P F	1095-290-4955	SPRING, HELICAL TORSION: 44A28356 (80049)	EA	1	2	2	4	2	2	4	48	40	39	20
C	P F	1095-494-9089	TUMBLER, BOMB RACK: 44B28354 (80049)	EA	1	*	2	2	*	2	2	24	4	39	21
C	P F	5315-864-0477	PIN, PAWL PIVOT TUMBLER: 44A28366 (27096)	EA	1	*	2	2	*	2	2	24	10	39	22
N	P F	5310-167-0838	WASHER, FLAT: AN960-716L (88044)	EA	1	2	2	2	2	2	2	24	10	39	23
C	P F	5310-209-5525	WASHER, SPRING TENSION: 44A28376 (80049)	EA	1	2	2	2	2	2	2	24	20	39	24
C	P F	1095-487-8911	BUSHING, SLEEVE: 44A28377 (80049)	EA	1	*	2	2	*	2	2	24	20	39	25
C	P F	1095-212-0345	LEVER, COCKING, BOMB RACK: 44B28373 (80049)	EA	1	*	2	2	*	2	2	24	10	39	26
C	P F	1095-488-2513	SHIM, COCKING LEVER: 44A28433 (80049)	EA	V	2	3	5	2	3	5	60	100	39	27
C	P F	1095-347-8010	SPRING, RELEASE 44B28374 (80049)	EA	1	2	2	4	2	2	4	48	40	39	28
C	P F	1095-056-2272	TOGGLE ASSEMBLY 44A28357 (80049)	EA	1	*	2	2	*	2	2	24	4	39	29
C	P F	1095-282-9423	SPRING, HELICAL, EXTENSION: 44A28264 (80049)	EA	1	*	2	2	*	2	2	24	6	39	30
N	P F	5315-234-1854	PIN, COTTER: MS24665-153 (96906)	EA	1	*	2	2	*	2	2	24	2	39	31
C	P F	5310-167-0816	WASHER, FLAT: AN960-6 (88044)	EA	2	2	3	5	2	3	5	60	100	39	32
C	P F	5315-812-3734	PIN, STRAIGHT HEADED: MS20392-1C7 (96906)	EA	1	2	2	3	2	2	3	36	15	39	33

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr slw per 100 equip	(9) Depot maint slw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			RACK, BOMB, AIRCRAFT: MA4A 55J4312 (80049) — Continued												
C	P F	1095-211-9437	BRACKET, MANUAL COCKING 44A28259 (80049)	EA	1	*	2	2	*	2	2	24	6	39	34
C	P F	1095-488-1751	RING ASSEMBLY, MANUAL COCKING 47B4270 (80049)	EA	1	2	2	2	2	2	2	24	10	39	35
N	XI		NUT AN340B6 (88044)		2									39	36
N	XI		WASHER 44A28256 (80049)		2									39	37
N	XI		INSULATOR, BINDING POST 44A28319 (80049)		1									39	38
N	XI		POST ASSEMBLY, BINDING 56B22907 (80049)		2									39	39
C	P F	5310-081-8087	NUT, SELF-LOCKING, HEXAGON; NO. 6-32UNF. 3B, 0.313 W, 0.183H MS21044N06 (96906)	EA	2	REF	REF	REF	REF	REF	REF	REF	REF	39	40
C	P F	5305-984-4980	SCREW, MACHINE; MS35206-229 (96906)	EA	2	*	2	2	*	2	2	24	5	39	41
C	P F	1095-487-9122	CLIP, LEAD CABLE, BOMB RACK; 46A4556 (80049)	EA	1	*	2	2	*	2	2	24	15	39	42
C	P F	1095-371-2546	CLIP 46A4802 (80049)	EA	1	*	2	2	*	2	2	24	15	39	43
	XI		PLATE 46A4803 (27096)		1									39	44
C	P F	5320-264-3282	RIVET, TUBULAR; MS16535-62 (96906)	EA	2	2	5	9	2	5	9	108	50	39	45
	XI		NUT 44A28325 (27096)		2									39	46
C	P F	1095-488-0439	HARNES ASSEMBLY, ELECTRICAL; 55CA702 (80049)	EA	1	*	2	2	*	2	2	24	5	39	47
	XI		COVER 45A5995 (27096)		1									39	48
C	P F	5930-683-2814	SWITCH, SENSITIVE; MS25253-1 (96906)	EA	1	*	2	2	*	2	2	24	4	39	49
C	XI		INSULATOR 57B4764 (80049)		1									39	50
C	P F	5945-488-2618	SOLFNO'S ASSEMBLY, RELEASE; 34D7835 (80049)	EA	1	2	2	2	2	2	2	24	5	39	51

Section II. REPAIR PARTS LIST --- Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr aw per 100 equip	(9) Depot maint aw per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			RACK, BOMB, AIRCRAFT: MA4A 55J4312 (80049) - Continued												
C P F		1095-488-3152	SWITCH ASSEMBLY, BOMB RACK	EA	1	*	2	2	*	2	2	24	6	39	52
C X1			47B4474 (80049)		1									39	53
C X1			GROMMET		1									39	54
C X1			46A4801 (80049)		1									39	55
C X1			CLIP		V									39	56
C X1			44A28314 (80049)		1									39	57
C X1			SOLENOID ASSEMBLY		1									39	58
C X1			44A28302-2 (27096)		1									39	59
C X1			SHIM		1									39	60
C X1			44A28437 (80049)		1									39	61
C X1			BRACKET		1									39	62
C X1			47A5094 (27096)		1									39	63
C X1			SOLENOID ASSEMBLY		1									39	64
C X1			44A28302-1 (27096)		1									39	65
C X1			CONDUIT ASSEMBLY		1									39	66
C X1			55B4703 (80049)		1									39	67
C X1			CONSISTING OF:		1									39	68
C X1			CONNECTOR, PLUG, ELECTRICAL:		1									39	69
C X1			MS3106A18-1P (96906)	EA	1	*	2	2	*	2	2	24	3	39	70
C X1			NUT		2									39	71
C X1			47A4214 (27096)		1									39	72
C X1			CONDUIT, CABLE LEAD		1									39	73
C X1			55C4438 (80049)		1									39	74
C X1			WASHER		1									39	75
C X1			46A4560 (27096)		1									39	76
C X1			FERRULE		1									39	77
C X1			46A4795 (27096)		1									39	78
C X1			SWIVEL, CONDUIT		1									39	79
C X1			(PART OF HARNESS ASSEMBLY)		1									39	80
C X1			46A4800 (80049)		1									39	81
C X1			SPRING, RELEASE ROTARY SOLENOID:		1									39	82
C X1			43A19847 (80049)		1									39	83
C P F		1095-488-2930		EA	1	2	2	2	2	2	2	24	10	39	84

Section II. REPAIR PARTS LIST — Continued

ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit inc of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr maint allow per 100 equip catgy	(9) Depot maint allow per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			SIGHT, REFLEX: HELICOPTER, XM60 10341577 (19200)												
			OR SIGHT, REFLEX: HELICOPTER, XM60E1 10533488 (19200) REFER TO TM 9-1270-205-35 MOUNT, SIGHT: (FOR REFLEX SIGHT XM60) 10511780 (19200)												
			OR MOUNT, SIGHT: (FOR REFLEX SIGHT XM60E1, XM60E2, AND M60A1) 10533489 (19200)												
N	P O	5310-934-9765	NUT, PLAIN, HEXAGON: CRES, NO. 10-32UNF-2B, 1/8 H, 3/8 W MS35650-304 (96906)	EA	3	2	3	5	2	3	5	60	12	40	1
N	P O	5310-933-8120	WASHER, LOCK: SPLIT, HELICAL CRES, PASS- FIN., NO. 10 SCREW SIZE, .047 THK, 0.334 OD MS35338-138 (96906)	EA	3	2	3	5	2	3	5	60	12	40	2
N	P O	5310-619-1148	WASHER, FLAT: RD, CRES, NO. 10 SCREW SIZE, 0.49 THK, 0.438 OD MS15795-808 (96906)	EA	8	REF	REF	REF	REF	REF	REF	REF	REF	40	3
N	P O	5330-993-4908	GASKET: 1/16 THK, 5/8 OD 8635475 (19200)	EA	3	2	2	3	2	2	3	36	10	40	4
N	P O	5310-197-4456	WASHER, FLAT: AL-ALY, 1/16 THK, 7/32 ID, 3/4 W, 1-1/2 LG 10511796 (19200)	EA	1	2	4	8	2	4	8	96	72	40	5
N	P O	5305-059-3663	SCREW, MACHINE: PAN-HD, CROSS RECESSED HEAD, CRES, PASS-FIN., NO. 10-32UNF-2A, 1 LG MS51958-67 (96906)	EA	3	2	3	5	2	3	5	60	36	40	6
N	P O	5310-197-4458	WASHER, FLAT: AL-ALY, 1/16 THK, 7/16 W, 3-1/4 LG 10511797 (19200)	EA	1	2	4	8	2	4	8	96	72	40	7
			BULLET TRAP ASSEMBLY 8448153 (19204)												
N	P O	4933-404-7447	HARNES ASSEMBLY: 8448127 (19204)	EA	1	2	2	2	2	2	2	20	50	41	1
N	P O	4030-270-5436	CONSISTING OF: HOOK, CHAIN, S: MS87006-3 (96906)	EA	1	1	1	2	1	1	2		20	41	2

Section II. REPAIR PARTS LIST -- Continued

(1) ACT ON CODE	(2) SMR Code	(3) Federal Stock Number	(4) Description Reference Number & Mfr Code	(5) Unit inc in unit	(6) 30-day D8 maint allowance			(7) 30-day GS maint allowance			(8) 1-yr a/w per 100 equip crdg	(9) Depot maint a/w per 100 equip	(10) Illustration	
					(a) 1-20	(b) 21-50	(c) 51-100	(a) 1-20	(b) 21-40	(c) 41-100			(a) Figure No	(b) Item No.
			BULLET TRAP ASSEMBLY 8448133 (19204) -- Continued											
N P O		1730-995-7806	STREAMER, AIRCRAFT GROUND SAFETY: EA NAS1091-30H (80205)	1	*	1	2	1	1	2	24	80	41	3
N P O		1090-936-8035	PIN, ASSEMBLY, QUICK RELEASE: EA 11691238 (19204)	1	2	2	2	2	2	2	24	20	41	4
N P O		4933-254-6342	PIN ASSEMBLY, LOCK: EA 8448128 (19204)	1	2	2	2	1	2	2	10	20	41	5
N P O		4030-270-5436	CONSISTING OF: HOOK, CHAIN, S: EA MS87006-3 (96906)	1	REF	REF	REF	REF	REF	REF	REF	REF	41	2
N X1			CABLE: 1 8448126 (19204)	1	..	..	..	..	..	..	..	..	41	6
N X1			PIN: 1 8448129 (19204)	1	..	..	..	..	..	..	..	..	41	7
N P O		4933-235-4941	PAD, DEFLECTOR STOP: EA 11691229 (19204)	1	2	2	2	2	2	2	24	100	41	8
N P O		4933-254-6344	INSERT, DEFLECTOR: EA 8448164 (19204)	1	2	3	5	2	3	5	60	100	41	9
N P O		4933-254-6345	DEFLECTOR, BULLET TRAP: EA 8448151 (19204)	1	2	3	5	2	3	5	60	80	41	10
N X1			HOUSING: 1 8448152 (19204)	1	..	..	..	..	..	..	..	..	41	11
C P O T		4933-867-6607	BORESIGHT KIT: 7.62 MILLIMETER GUN 11686583 (19205)	1	*	1	1	*	1	1	12	..	42	1
N P O		4933-930-8951	BORESIGHT, TELESCOPE: 40 MILLIMETER 7799773 (19205)	1	*	*	*	*	*	*	12	..	42	2
N P O		4933-930-8952	ADAPTER ASSEMBLY, BORESIGHT: EA 11686592 (19205)	1	*	*	*	*	*	*	24	..	42	3
N X1			STREAMER ASSEMBLY, BORESIGHT: EA 5910791 (19204)	1	*	2	2	*	2	2	..	..	42	4
N X1			CORD, NYLON (10 INCHES) MIL-C-43307 (81349)	1	..	..	..	..	..	..	..	..	42	5
N X1			STREAMER, WARNING 11686403 (19205)	1	..	..	..	..	..	..	..	..	42	6
C P O		4933-930-1958	CASE, BORESIGHT KIT: 1 11686584 (19205)	1	*	*	*	*	*	*	24	..	42	6

Section II. REPAIR PARTS LIST — Continued


ACT ON CODE	(1) SMR Code	(2) Federal Stock Number	(3) Description Reference Number & Mfr Code	(4) Unit of meas	(5) Qty inc in unit	(6) 30-day DS maint allowance			(7) 30-day GS maint allowance			(8) 1-yr altw per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-30	(b) 31-60	(c) 61-100	(a) 1-30	(b) 31-60	(c) 61-100			(a) Figure No	(b) Item No
			INSTALLATION KIT, VARIABLE RESISTOR: 5910826 (19204)												
N P F		4933-933-5991	POSITIONING TOOL, GEAR: 11686731 (19205)	EA	1	*	2	2	*	2	2	24	12	43	1
N P F		4933-933-5990	SETTING TOOL, GEAR: 11686726 (19205)	EA	1	*	2	2	*	2	2	24	12	43	2
N P F		4933-933-5992	CASE, CARRYING: 11686737 (19205)	EA	1	*	2	2	*	2	2	24	12	43	3
			BORE BRUSH ASSEMBLY 10602118 (18877)												
C P C		1055-227-0637	STAFF, BORE BRUSH: 10602118-1 (18877)	EA	1	2	2	3	2	2	3	36	10	44	1
C P C		1055-871-8467	CORENUT: 10648013 (18876)	EA	1	2	2	3	2	2	3	36	10	44	2
C P C		1055-871-8466	CORE: 10648012 (18876)	EA	1	2	2	3	2	2	3	36	10	44	3
C P C		1055-871-8468	BRUSH, BORE: 10648014 (18876)	EA	1	2	4	7	2	4	7	84	10	44	4
			SUPPRESSOR ASSEMBLY, FLASH: 7.62 MILLIMETER MACHINE GUN 11691135 (19204)												
N P O		1005-133-6007	BOLT AND NUT ASSEMBLY 5911079 (19204)	EA	1	1	2	3	1	2	3	36	100	45	1
N X1			SUPPRESSOR CLUSTER 11691134 (19204)											45	2

[illegible]

Section III. TOOLS, TEST AND SUPPORT EQUIPMENT — Continued


(1) ACT ON CODE	(2) SMR Code	(3) Federal Stock Number	(4) Description Reference Number & Mfr Code	(5) Unit meas.	(6) Qty inc	(7) 30-day DS maint allowance			(8) 1-yr per 100 equip cntry	(9) Depot maint per 100 equip	(10) Illustration	
						(a) 1-20	(b) 21-50	(c) 51-100			(a) Figure No	(b) Item No
			MOUNT, 7.42 MILLIMETER MACHINE GUN— 2.75 INCH ROCKET LAUNCHER 11699400 (19204)									
C	P C	1090-945-9875	HOOK, COCKING, BOMB RACK: 11699557 (19205)	EA							46	10
N	P F R	4933-933-5993	INSTALLATION KIT, VARIABLE RESISTOR: 5910826 (19204)	EA							43	
N	P F	5970-930-9892	INSULATING COMPOUND, ELECTRICAL: 5 OZ RTV-732 (97403)	TU		*	1	2	24			
C	P C	7510-763-5996	ENVELOPE, TRANSPARENT: MIL-E-43183 (81349)	PG		*	2	2	24		46	9
			SPECIAL TOOLS FOR DIRECT AND GENERAL SUPPORT MAINTENANCE THE 30-DAY LEVEL DOES NOT APPLY TO SPECIAL TOOLS AND EQUIPMENT FOR DIRECT AND GENERAL SUPPORT MAINTENANCE. THE FOLLOWING TOOLS ARE AUTHORIZED ONE (1) EACH UNLESS OTHERWISE INDICATED TO THE DIRECT SUPPORT COMPANY									
			MACHINE GUN, 7.42 MILLIMETER: M134 65F9877 (18894)									
C			EXTRACTOR, RUPTURED CARTRIDGE CASE: 7790352 (19205)									
			MOUNT, 7.42 MILLIMETER MACHINE GUN— 2.75 INCH ROCKET LAUNCHER 11699400 (19204)									
N	P F S	4933-933-4742	TEST STAND, HYDRAULIC-ELECTRIC (FOR INITIAL ISSUE ONLY.) (AUTHORIZED ONE (1) PER DIRECT SUPPORT COMPANY AND TWO (2) PER GENERAL SUPPORT COMPANY.) 5910821 (19204)								47	1
			NOTE. THE FOLLOWING TWO ITEMS ARE AUTHORIZED AS REPAIR PARTS FOR THE TEST STAND-REQUISITION AS REQUIRED.									
N	P F S	4933-916-9582	PANEL AND CABLING, DISTRIBUTION, HYDRAULIC-ELECTRIC: B538C60REVA (82386)	EA							47	3
N	P F R	6140-753-2251	BATTERY, STORAGE: BB433A (80058)	EA							47	2

(1) ACT ON CODE	(2) SMR Code	(3) Federal Stock Number	(4) Description Reference Number & Mfr Code Usable on Code	(5) Unit of meas	(6) Qty inc in unit	(7) 30-day GS maint allowance	(8) Depot maint per equip -cntry	(9) Illustration (a) Figure No (b) Item No
N		4933-933-5993	MOUNT, 7.62 MILLIMETER MACHINE GUN—2.75 INCH ROCKET LAUNCHER 11699400 (19204) — Continued INSTALLATION KIT, VARIABLE RESISTOR: (FOR INITIAL ISSUE ONLY. FOR COMPONENTS AND REPLACEMENT ITEMS SEE HEADING, UNDER REPAIR PARTS.) (AUTHORIZED TWO (2) PER DIRECT SUPPORT UNIT AND ONE (1) PER GENERAL SUPPORT UNIT.) 5910826 (19204)	.	.		.	43
N			SPECIAL MAINTENANCE TOOLS THE SETS LISTED BELOW WILL BE ISSUED AS REQUIRED.	.	.		.	
C			TOOL SET, AIRCRAFT ARMAMENT REPAIRMAN: MOS 45J BASIC (FSN 4933-987-9816) (LISTED IN SC 4933-95-CL-A13.)	.	.		.	
C P F S		4933-056-0202	TOOL SET, AIRCRAFT ARMAMENT REPAIRMAN: MOS 45J SUPPLEMENTAL (FSN 4933-994-9242) (LISTED IN SC 4933-95-CL-A14.) (AUTHORIZ- ED PER TOE) TEST SET, ARMAMENT SUBSYSTEM: M6 7799724 (19205)	EA	.		.	48 1
N P F S		4933-912-3215	TEST SET, ARMAMENT SUBSYSTEM: M16 SA40033 (19205)	EA	.		.	48 2




WE 6513A

Figure 1 Components of major combination.



* ITEM IS PART OF DELINKING FEEDER (4).


Figure 2. Machine gun assembly exploded view.



WE 61746


Figure 3. 7.62 Millimeter machine gun M134 — partially exploded view.

*P. RT OF PIN AND
S RING SET.




WE 15695B

Figure 4. Bolt assembly — partially exploded view.



WE 61489

Figure 5. Rotor assembly — exploded view.



WE 61497A




Figure 6. Delinking feeder MAU-56 / A — partially exploded view (sheet 2 of 3).

WE 61495A






Figure 6. Delinking feeder MAU-56 / A — partially exploded view (sheet 3 of 3).



WE 65115

Figure 7. Recoil adapter assembly — exploded view.



WE 12890A

Figure 8. Electric drive assembly — partially exploded view.





Figure 9. 2.75 Inch aircraft rocket launcher M158 and M158A1, (E1) — partially exploded view (sheet 1 of 2).



WE 128128

Figure 9. 2.75 Inch aircraft rocket launcher M158 and M158A1, (E1) — partially exploded view (sheet 2 of 2).

• ASSEMBLY PIN, LANYARD, ADAPTER
AND ATTACHING HARDWARE TO
OPPOSITE SIDE




Figure 10. 7.62 Millimeter machine gun — 2.75 inch rocket launcher mount — partially exploded view
(sheet 1 of 4).





Figure 10. 7.62 Millimeter machine gun — 2.75 inch rocket launcher mount — partially exploded view



WE 65420

Figure 10. 7.62 Millimeter machine gun — 2.75 inch rocket launcher mount — partially exploded view
(sheet 3 of 4).






Figure 10. 7.62 Millimeter machine gun — 2.75 inch rocket launcher mount — partially exploded view (sheet 4 of 4).




W/E 12854A

Figure 11. Ammunition chute — partially exploded view.




WE 65131

Figure 12. Cartridge drive assembly — left hand or right hand — partially exploded view.




WE 65130

Figure 13. Speed decenter gear assembly — partially exploded view (sheet 1 of 2).




WE 65116

Figure 13. Speed decriaser gear assembly — partially exploded view (sheet 2 of 2).




WE 65119

Figure 14. Gear and clutch assembly drive shaft — exploded view.




WE 12772A

Figure 15. Cartridge feed assembly — left hand and right hand — partially exploded view (sheet 1 of 3).




WE 12773A

Figure 15. Cartridge feed assembly — left hand and right hand — partially exploded view (sheet 2 of 3).



WE 12774A

Figure 15. Cartridge feed assembly — left hand and right hand — partially exploded view (sheet 3 of 3).



WE 65405

Figure 16. Ammunition box assembly — partially exploded view.






Figure 17. Ammunition box assembly — partially exploded view.




WE 65407

Figure 18. Ammunition box assembly — partially exploded view.




WE 45400

Figure 19. Electrical special purpose cable assemblies — partially exploded views.



WF 12907A

Figure 20. Control box assembly — partially exploded view (sheet 1 of 3).



WE 12908A

Figure 20. Control box assembly — partially exploded view (sheet 2 of 3).






Figure 20. Control box assembly — partially exploded view (sheet 3 of 3).




WE 52583




WE 52584

Figure 22. Sighting station — partially exploded view — controller gear and electrical component.



WE 52585

Figure 23. Sighting station -- partially exploded view -- controller sight and grip assemblies mount.



WE 52586

Figure 24. Sighting station — partially exploded view — controller sight assembly.





Figure 25. Sighting station — partially exploded view — gun mount controller grip assembly.



WE 155864

Figure 26. Rocket launcher internal meter — exploded view.






Figure 27. Control panel — partially exploded view (sheet 1 of 2).



ROTATED 180°
FROM SHEET 1

Figure 27. Control panel — partially exploded view (sheet 2 of 2).

WE 12869A



WE 65463

Figure 28. Guide assembly — partially exploded view.






Figure 29. Power supply — partially exploded view.



WE 65433


Figure 30. Mount assembly — left hand and right hand - partially exploded view (sheet 1 of 3).



* LUG TERMINALS ARE PART OF
WIRING HARNESS (ITEM 31)


WE 65434

Figure 30. Mount assembly — left hand and right hand - partially exploded view (sheet 2 of 3).



WE 65455


Figure 30. Mount assembly — left hand and right hand — partially exploded view (sheet 3 of 3).



WE 12776


Figure 33. Mechanical drive gear assembly — left hand and right hand — partially exploded view
(sheet 1 of 9).

* HARDWARE ITEMS SUPPLIED TO SECURE
ELEVATION AND DEFLECTION GEAR
ASSEMBLIES




WE 65436

Figure 33. Mechanical drive gear assembly -- left hand and right hand -- partially exploded view
(sheet 2 of 9).



WE 65437


Figure 33. Mechanical drive gear assembly — left hand and right hand — partially exploded view (sheet 3 of 9).



* PARTS OF MECHANICAL DRIVE HOUSING

WE 12843A


Figure 33. Mechanical drive gear assembly — left hand and right hand — partially exploded view (sheet 4 of 9).



* PART OF WORM AND WORMWHEEL GEAR SET 7792604

WE 12842A

Figure 33. Mechanical drive gear assembly — left hand and right hand — partially exploded view (sheet 5 of 9).



WE 12841A

Figure 33. Mechanical drive gear assembly — left hand and right hand — partially exploded view (sheet 6 of 9).




Figure 33. Mechanical drive gear assembly — left hand and right hand — partially exploded view
(sheet 7 of 9).




Figure 33. Mechanical drive gear assembly — left hand and right hand — partially exploded view (sheet 9 of 9).





Figure 34. Resistor and gear assembly — partially exploded view.




* SECURING HARDWARE IS
REPLACED AT INSTALLATION

** NOT AUTHORIZED AS REPAIR
PARTS - REQUISITION COMPLETE
ASSEMBLY


WE 65439

Figure 35. Deflection gear assembly or elevation gear assembly — partially exploded view.




WE 65440

Figure 36. Variable resistor and switch assembly — partially exploded view.




WE 15582A

Figure 37. Rack and support assembly — partially exploded view — left hand shown (sheet 1 of 2).




WE 15583A

Figure 37. Rack and support assembly — partially exploded view — left hand shown (sheet 2 of 2).



WE 13787C

Figure 38. Arm bracket assembly — exploded view - left hand shown.



WE 15584

Figure 39. Aircraft bomb rack MA4A — partially exploded view (sheet 1 of 2).






Figure 39. Aircraft bomb rack M44A — partially exploded view (sheet 2 of 2).



WE 66417

Figure 40. Sight mount.



WE 65507

Figure 41. Bullet trap assembly.




Figure 42. Boresight kit.






Figure 43. Variable resistor installation kit.




WE 1225T

Figure 44. Borebrush assembly.



WE 60487

Figure 45. Flash suppressor assembly — exploded view.



WE 65491

Figure 46. Tools and equipment.





Figure 1. 11yd- 'ac-el 'es: stand.



WE 55485

Figure 48. Armament subsystem test sets.

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER**

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
1005-042-5188	1	2	1005-921-5137	2	9
1005-044-1897	13	11	1005-921-5172	8	3
1005-052-9558	4		1005-921-5187	2	9
1005-066-1329	33	30	1005-921-5189	8	2
1005-066-1335	32	3	1005-921-5191	8	1
1005-066-1341	30	3	1005-921-6239	10	4
1005-070-0952	15	28	1005-921-6240	10	3
1005-070-0953	15	24	1005-921-6241	2	4
1005-070-0954	15	24	1005-921-6264	10	39
1005-073-9010	24	8	1005-922-7022	22	40
1005-073-9011	24	9	1005-922-7997	15	51
1005-078-5518	27	2	1005-922-7998	15	42
1005-102-6799	15	4	1005-922-7999	15	21
1005-102-6800	15	10	1005-922-8000	15	45
1005-102-8511	15	16	1005-922-8002	13	53
1005-102-8512	15	18	1005-922-8003	14	8
1005-102-8513	15	19	1005-922-8004	33	34
1005-102-8514	15	17	1005-922-8005	15	7
1005-133-6007	45	1	1005-922-8006	33	78
1005-169-6945	10	5	1005-922-8007	15	38
1005-192-9551	6	4	1005-922-8008	15	61
1005-253-5885	45		1005-922-8009	15	60
1005-351-2921	12		1005-922-8010	15	59
1005-351-2922	12	4	1005-922-8011	15	40
1005-556-4174	46	6	1005-922-8012	15	8
1005-650-4508	46	5	1005-922-8013	15	30
1005-690-3115	46	7	1005-922-8014	14	15
1005-694-1662	46	2	1005-922-8015	14	20
1005-726-6109	46	3	1005-922-8016	14	22
1005-726-6110	46	4	1005-922-8017	13	50
1005-793-6761	46	1	1005-922-8018	15	33
1005-861-4639	6	52	1005-922-8019	15	33
1005-869-8840	33	101	1005-922-8021	15	58
1005-878-0202	27	39	1005-922-8024	15	41
1005-878-0211	30	38	1005-922-8025	14	19
1005-878-0212	30	45	1005-922-8026	14	6
1005-878-0214	30	30	1005-922-8027	6	32
1005-880-3725	28	3	1005-922-8029	14	18
1005-884-2169	3		1005-922-8031	6	4
1005-891-1181	15	44	1005-922-8032	6	3
1005-902-3604	8	4	1005-922-8033	6	7
1005-903-0751	2	10	1005-922-8034	33	48
1005-903-0933	3	14	1005-922-8035	6	49
1005-906-1091	26	24	1005-922-8036	6	24
1005-906-1091	27	24	1005-922-8037	6	25
1005-906-1091	29	14	1005-922-8038	6	16
1005-912-3556	26	34	1005-922-8039	6	47
1005-912-3629	30	55	1005-922-8040	6	26
1005-913-9900	5	2	1005-922-8041	6	10
1005-913-9901	5	6	1005-922-8042	6	11
1005-915-5700	6		1005-922-8043	6	20
1005-916-3183	30	14	1005-922-8044	6	36
1005-916-8240	23	35	1005-922-8045	6	34
1005-919-3916	3	9	1005-922-8047	6	45
1005-919-3918	3	6	1005-922-8048	6	46
1005-919-3919	3	13	1005-922-8049	6	22
1005-919-3920	3	15	1005-922-8050	6	17
1005-919-3921	3	26	1005-922-8052	6	31
1005-919-7014	4	1	1005-922-8053	6	37
1005-919-7015	4	9	1005-922-8054	6	42
1005-919-8594	3	2	1005-924-2061	20	65
1005-919-8595	3	4	1005-924-2071	21	56
1005-920-3049	8	12			

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
1005-924-2073	10	27	1005-974-3846	28	9
1005-924-6135	36	2	1005-974-7645	25	6
1005-924-6159	13	63	1005-974-7646	25	4
1005-924-6255	36	20	1005-974-9702	30	34
1005-924-6257	10	6	1005-974-9703	33	22
1005-924-6310	21	60	1005-974-9704	33	23
1005-924-6319	16	6	1005-974-9705	33	24
1005-924-6320	16	5	1005-974-9705	35	5
1005-924-6325	33	27	1005-974-9706	31	5
1005-924-6333	33	39	1005-974-9708	33	
1005-924-6336	33	36	1005-974-9710	33	100
1005-924-6521	33	41	1005-974-9711	33	72
1005-924-6525	33	33	1005-974-9714	33	67
1005-924-6635	36	22	1005-974-9715	33	98
1005-925-4164	4	6	1005-974-9717	33	59
1005-925-4750	4	7	1005-974-9719	33	58
1005-930-6305	2	3	1005-974-9720	33	80
1005-930-6306	2	2	1005-974-9723	33	7
1005-930-7587	2	6	1005-974-9724	33	95
1005-937-3422	13	48	1005-974-9726	33	88
1005-937-3423	13	62	1005-974-9727	33	99
1005-938-9528	10	43	1005-974-9729	33	3
1005-938-9528	37	15	1005-974-9734	33	14
1005-940-8839	15	22	1005-974-9735	33	45
1005-940-8844	30	4	1005-974-9737	33	49
1005-940-8845	30	4	1005-974-9739	33	4
1005-940-8846	30	31	1005-974-9740	33	54
1005-940-8851	30	5	1005-974-9751	30	12
1005-940-8890	15	25	1005-974-9752	30	13
1005-940-8892	14	10	1005-974-9762	30	43
1005-940-8893	14	7	1005-974-9763	30	46
1005-940-8896	13	61	1005-974-9764	30	52
1005-940-8897	13	37	1005-974-9765	30	8
1005-940-8899	15	27	1005-974-9766	33	18
1005-940-9415	13	42	1005-974-9770	30	51
1005-940-9419	13	33	1005-974-9772	30	6
1005-940-9428	13	32	1005-974-9780	33	75
1005-940-9449	13	36	1005-974-9784	33	15
1005-940-9463	13	20	1005-974-9787	30	9
1005-940-9464	14	13	1005-974-9790	30	39
1005-940-9473	13	52	1005-974-9792	33	81
1005-940-9492	13	55	1005-974-9793	33	73
1005-940-9523	13	47	1005-974-9796	30	10
1005-940-9536	13	45	1005-987-8611	21	55
1005-940-9708	13		1005-994-8930	16	1
1005-940-9758	30	3	1005-994-8930	17	1
1005-940-9806	30	3	1005-994-8930	18	1
1005-943-5488	11	1	1005-994-9079	10	7
1005-943-5661	6	41	1055-128-146B	9	
1005-947-6066	3	22	1055-133-9543	9	14
1005-947-8400	15	15	1055-133-9544	9	39
1005-947-8401	13	64	1055-227-0637	44	1
1005-948-1277	8	10	1055-443-9796	9	10
1005-949-5917	16	4	1055-805-0689	1	3
1005-972-8115	27	1	1055-871-8466	44	3
1005-972-8119	28	20	1055-871-8467	44	2
1005-972-8122	28	21	1055-871-8468	44	4
1005-972-8125	11	1	1055-882-5948	9	
1005-972-8126	11	2	1055-886-1078	9	14
1005-972-8127	11	3	1055-911-6641	37	23
1005-973-3670	33		1055-911-6642	37	24
1005-973-3671	33		1055-912-3039	1	3
1005-974-3842	27	18	1055-912-3558	26	32

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
1055-912-3559	26	10	1090-922-7430	10	65
1055-912-3560	26	1	1090-922-7432	10	62
1055-912-3563	37	32	1090-922-7433	10	59
1055-912-3564	10	75	1090-922-7435	10	59
1055-912-3565	10	75	1090-922-7437	10	60
1055-912-3566	10	70	1090-922-7438	10	60
1055-912-3567	10	70	1090-922-8645	26	46
1055-912-3614	9	39	1090-922-8646	27	42
1055-912-3615	9	28	1090-924-6312	20	48
1055-912-3617	9	27	1090-924-6348	20	75
1055-912-3618	9	26	1090-924-6524	20	72
1055-912-3619	9	25	1090-936-8035	41	4
1055-912-3620	9	14	1090-924-6665	20	71
1055-912-3622	9	10	1090-940-8898	15	26
1055-912-3632	9	8	1090-940-9466	14	21
1055-912-3633	9	37	1090-945-9875	46	10
1055-912-3662	9	4	1090-999-8722	10	41
1055-912-3665	9	19	1090-999-9878	10	38
1055-921-6166	9	15	1095-056-2272	39	29
1055-929-8289	9		1095-141-9328	37	33
1055-930-1842	26	7	1095-141-9712	39	16
1055-939-6880	9	6	1095-211-9437	39	34
1055-939-6882	9		1095-212-0188	39	6
1055-941-5048	9		1095-212-0345	39	26
1055-999-1107	9	34	1095-216-2941	39	17
1055-999-1456	9	30	1095-282-9423	39	30
1055-999-8867	37	5	1095-290-4955	39	20
1055-999-9877	26	11	1095-338-0773	39	10
1055-999-9879	26	33	1095-347-8010	39	28
1090-089-6196	10	46	1095-371-2546	39	43
1090-104-4618	12	5	1095-487-8911	39	25
1090-104-4619	12	5	1095-487-9122	39	42
1090-400-2525	30	57	1095-488-0438	39	47
1090-761-7818	7	2	1095-488-0787	39	12
1090-804-2880	7	3	1095-488-0803	39	13
1090-804-2909	2	7	1095-488-1428	39	14
1090-909-0887	37	75	1095-488-1429	39	15
1090-911-6308	38	4	1095-488-1751	39	35
1090-911-6309	37	27	1095-488-2513	39	27
1090-911-6632	37	79	1095-488-2890	39	11
1090-911-6633	37	75	1095-488-2930	39	66
1090-911-6635	37	53	1095-488-3152	39	52
1090-911-6638	37	61	1095-494-9089	39	21
1090-911-6639	37	16	1095-570-9192	39	3
1090-911-6643	37	17	1095-893-0008	39	19
1090-911-6644	37	17	1099-936-8035	41	4
1090-911-6645	37	50	1240-986-0265	45	12
1090-911-6646	37	41	1270-016-2618	22	12
1090-911-6647	37	18	1270-016-2619	23	28
1090-911-6648	37	10	1270-066-1318	22	24
1090-911-6650	37	25	1270-066-1331	23	34
1090-911-6651	37	56	1270-066-1332	23	32
1090-911-6652	37	56	1270-066-1339	25	10
1090-918-2607	37	42	1270-073-8387	22	50
1090-921-6243	10	26	1270-073-8389	25	23
1090-922-6927	10	8	1270-073-8992	22	10
1090-922-7322	10	21	1270-073-8993	22	17
1090-922-7327	10	19	1270-073-8994	22	38
1090-922-7375	10	20	1270-073-8995	21	14
1090-922-7412	10	18	1270-073-8996	21	31
1090-922-7419	10	67	1270-073-8997	21	22
1090-922-7429	10	58	1270-073-9005	21	44
			1270-089-6973	23	19

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
1270-450-9682	1	6	3110-974-9746	33	11
1270-496-9727	24	21	3110-974-9791	33	60
1270-496-9728	24	6	3110-974-9794	33	68
1270-497-9758	24	40	4010-222-4482	30	56
1270-497-9759	24	12	4030-270-5436	30	58
1270-497-9760	24	22	4030-270-5436	41	2
1270-497-9761	23	7	4720-922-7023	30	7
1270-497-9763	23	13	4720-922-7111	30	11
1270-497-9764	23	10	4730-288-8555	33	55
1270-760-5940	23	42	4730-722-7214	30	42
1270-808-9417	1	7	4730-803-7439	30	41
1270-878-0200	22	27	4730-852-4115	31	1
1270-906-1092	23	1	4933-056-0202	48	1
1270-909-0407	21	35	4933-235-4941	41	8
1270-909-0408	21	33	4933-254-6342	41	5
1270-909-0409	21	1	4933-254-6344	41	9
1270-909-0410	21	34	4933-254-6345	41	10
1270-909-0411	21	3	4933-254-6346	41	
1270-921-6242	10	30	4933-404-7447	41	1
1270-922-7439	10	37	4933-652-9950	46	11
1270-931-8898	24	4	4933-867-6607	42	1
1270-931-8899	24	16	4933-912-3215	48	2
1270-931-8901	24	15	4933-916-9582	47	15
1270-931-8902	24	3	4933-930-1951	42	
1270-973-3119	22	6	4933-930-1958	42	6
1270-974-7639	23	32	4933-930-8951	42	2
1270-974-7640	23	27	4933-930-8952	42	3
1270-974-7642	23	17	4933-933-4742	47	13
1270-974-7644	25	8	4933-933-5990	43	2
1270-974-7650	25	21	4933-933-5991	43	1
1270-974-7653	22	9	4933-933-5992	43	3
1270-974-7667	21	39	4933-933-5993	43	
1270-974-7669	21	48	5305-051-4497	23	22
1270-974-7670	21	29	5305-051-6521	37	1
1270-974-7671	21	30	5305-054-5648	31	7
1270-974-7672	23	39	5305-054-5650	22	8
1270-974-7675	21	65	5305-054-5650	31	11
1270-974-7676	21	57	5305-054-5652	20	64
1270-987-8949	23	18	5305-054-5653	37	35
1270-979-7121	1	5	5305-054-6650	33	62
1325-183-5303	9	23	5305-054-6651	22	1
1730-995-7806	41	3	5305-054-6654	27	11
3020-288-3411	10	53	5305-054-6655	23	40
3020-541-3227	10	74	5305-054-6655	27	10
3020-541-3227	37	38	5305-054-6669	6	19
3110-089-5035	5	8	5305-054-6669	13	44
3110-100-2362	14	9	5305-054-6670	13	4
3110-142-4492	33	89	5305-057-0513	20	23
3110-155-8418	15	43	5305-057-0525	20	27
3110-198-1050	33	10	5305-057-0530	20	20
3110-198-1297	15	32	5305-058-2066	25	1
3110-293-8305	13	40	5305-058-2068	21	28
3110-293-8306	8	9	5305-058-9361	13	59
3110-293-8306	13	57	5305-059-3656	6	15
3110-516-5413	8	8	5305-059-3657	6	6
3110-516-5413	14	17	5305-059-3659	6	1
3110-825-0045	14	12	5305-059-3660	20	31
3110-921-5820	5	7	5305-059-3661	6	13
3110-941-7467	3	16	5305-059-3662	20	9
3110-948-9840	13	46	5305-059-3663	40	6
3110-974-9713	33	79	5305-059-3670	20	33
3110-974-9725	33	87	5305-059-3676	20	42
			5305-059-3677	20	50

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
5305-059-4552	23	38	5305-912-4839	13	5
5305-059-8682	27	14	5305-923-2170	15	39
5305-059-8682	26	1	5305-923-2585	22	44
5305-059-8685	28	13	5305-925-4780	22	47
5305-068-0540	30	47	5305-925-7856	10	56
5305-071-1320	33	50	5305-925-9674	10	61
5305-071-2094	20	18	5305-933-6254	2	8
5305-079-1748	25	11	5305-937-4242	6	2
5305-082-6984	8	1	5305-939-9230	9	12
5305-082-6986	3	8	5305-939-9231	33	5
5305-087-9651	30	25	5305-939-9232	33	43
5305-088-9044	16	2	5305-940-9491	22	23
5305-143-2901	3	11	5305-941-9437	33	1
5305-151-2996	23	8	5305-945-0505	22	13
5305-151-2999	36	7	5305-945-0505	34	4
5305-206-6599	33	20	5305-945-0506	22	36
5305-206-6599	35	3	5305-951-8875	36	1
5305-207-0895	10	24	5305-957-7086	15	9
5305-207-0895	30	24	5305-957-7086	37	69
5305-226-7605	30	50	5305-957-7810	15	3
5305-253-5607	6	18	5305-957-7811	15	9
5305-253-5614	3	21	5305-957-7819	37	65
5305-253-5614	9	5	5305-958-2918	23	13
5305-264-2316	23	14	5305-958-5473	39	1
5305-273-6438	21	25	5305-958-6230	26	47
5305-276-6082	10	76	5305-959-4158	13	38
5305-282-8902	13	7	5305-969-6495	33	19
5305-454-0334	15	5	5305-969-6503	21	18
5305-454-0335	15	46	5305-975-3841	24	1
5305-531-0137	23	21	5305-978-9371	30	28
5305-543-4517	33	47	5305-983-6654	33	26
5305-543-5058	13	17	5305-983-6662	33	31
5305-543-5794	30	49	5305-983-6662	37	6
5305-543-5799	23	2	5305-984-4989	39	41
5305-558-4887	36	4	5305-984-7164	33	8
5305-614-3423	9	11	5305-989-6265	15	12
5305-685-3013	10	22	5305-989-6265	39	8
5305-689-5971	15	3	5305-989-7434	10	12
5305-701-5061	20	13	5305-989-7435	10	31
5305-702-0609	37	26	5305-989-7435	30	16
5305-724-6744	36	12	5305-989-7435	38	3
5305-724-6745	36	13	5305-990-6444	10	69
5305-725-0124	25	9	5305-993-0190	26	31
5305-725-0128	27	37	5305-993-0190	27	21
5305-762-6054	23	44	5305-993-1849	39	4
5305-781-5664	13	34	5305-995-3444	37	63
5305-781-9057	10	63	5306-150-9527	30	1
5305-857-5861	2	5	5306-150-9527	33	84
5305-889-2981	28	8	5306-151-0785	12	3
5305-889-2994	27	31	5306-151-1418	10	29
5305-889-2997	27	35	5306-151-1423	10	49
5305-889-2997	29	13	5306-151-1426	10	50
5305-889-2998	10	16	5306-151-2415	37	54
5305-889-2998	27	36	5306-156-2329	33	37
5305-889-2998	37	74	5306-156-2334	30	44
5305-889-2999	28	19	5306-156-2335	30	21
5305-889-3000	26	27	5306-156-2336	33	83
5305-889-3000	29	6	5306-156-2339	10	54
5305-889-3001	37	71	5306-180-1738	10	36
5305-889-3118	26	20	5306-180-2764	37	22
5305-894-4255	24	20	5306-180-2765	37	9
5305-899-3995	21	38	5306-180-2778	33	92
5305-912-4838	13	41	5306-206-5748	37	39

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
5306-274-2119	12	1	5310-263-2862	9	2
5306-281-2583	21	13	5310-275-0616	15	23
5306-527-4530	37	20	5310-337-8329	37	78
5306-584-8425	33	35	5310-515-7449	33	93
5306-655-9767	33	56	5310-530-9963	15	64
5306-680-5285	33	76	5310-531-9515	9	17
5306-702-1475	33	66	5310-531-9515	10	35
5306-754-3049	37	40	5310-531-9515	33	32
5306-889-3032	21	54	5310-543-2009	37	37
5306-889-3035	21	7	5310-543-2410	23	3
5306-939-1083	21	9	5310-543-2410	24	2
5306-988-3184	21	43	5310-543-2410	36	5
5306-990-6434	21	25	5310-543-5060	28	7
5307-903-1245	37	48	5310-543-5933	20	39
5307-921-5130	5	4	5310-550-0284	39	2
5310-043-1754	20	26	5310-550-5009	27	34
5310-043-5862	20	16	5310-550-5054	10	25
5310-045-3296	13	19	5310-550-5054	20	34
5310-045-3299	27	15	5310-558-6207	9	13
5310-045-3299	28	2	5310-559-0070	15	47
5310-045-4007	20	54	5310-576-5752	15	6
5310-045-4007	33	63	5310-576-5752	39	5
5310-058-1823	26	19	5310-579-0079	29	4
5310-058-2951	16	3	5310-582-5677	10	23
5310-058-2951	20	32	5310-582-5677	20	17
5310-081-9087	29	2	5310-582-5677	23	26
5310-081-9087	39	40	5310-582-5677	21	12
5310-087-0057	26	23	5310-584-7800	21	42
5310-088-0551	10	13	5310-584-7800	22	45
5310-088-0551	27	19	5310-584-7800	36	2
5310-088-0551	29	11	5310-584-7800	37	60
5310-141-1795	10	28	5310-595-6211	22	48
5310-167-0753	10	32	5310-595-6211	27	26
5310-167-0753	15	2	5310-595-6333	21	27
5310-167-0753	30	20	5310-595-6333	27	9
5310-167-0753	37	30	5310-619-1148	33	38
5310-167-0805	15	31	5310-619-1148	37	67
5310-167-0812	9	3	5310-619-1148	40	3
5310-167-0812	13	6	5310-619-3847	13	2
5310-167-0812	33	85	5310-619-3847	21	19
5310-167-0816	39	32	5310-619-3847	27	30
5310-167-0818	33	77	5310-619-3847	28	14
5310-167-0830	36	9	5310-619-3847	30	29
5310-167-0832	26	26	5310-638-9857	33	64
5310-167-0835	35	2	5310-656-0111	13	16
5310-167-0838	39	23	5310-656-0111	25	2
5310-183-4354	23	9	5310-656-0111	28	18
5310-183-4355	37	45	5310-656-0111	37	73
5310-183-4406	12	2	5310-727-0857	20	40
5310-183-4406	15	35	5310-782-1349	31	6
5310-184-9001	37	8	5310-782-1349	33	2
5310-187-2354	10	48	5310-782-1349	22	14
5310-187-2354	30	26	5310-807-1465	26	16
5310-187-2354	33	29	5310-807-1467	10	55
5310-187-2354	37	21	5310-807-1467	20	8
5310-187-2397	15	50	5310-807-1467	30	19
5310-197-4456	40	5	5310-807-1468	10	47
5310-197-4458	40	7	5310-807-1468	33	28
5310-208-9255	33	25	5310-807-1471	37	72
5310-209-0786	20	58	5310-807-1472	24	7
5310-209-5525	39	24	5310-807-1472	37	64
5310-221-3087	23	15	5310-807-1474	13	43
5310-261-7437	36	8	5310-807-1474	21	41

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
5310-807-1475	21	11	5310-971-7989	20	41
5310-807-1477	37	43	5310-974-9781	33	53
5310-809-4058	9	17	5310-974-9735	33	71
5310-809-4058	21	6	5310-982-4988	37	7
5310-809-8536	33	21	5310-982-5000	27	25
5310-809-8546	9	3	5310-982-5003	27	8
5310-809-8546	38	2	5310-983-8483	26	17
5310-811-6419	20	62	5310-983-8483	29	3
5310-811-6419	26	29	5310-989-5945	10	44
5310-820-7014	31	3	5310-989-5945	37	4
5310-823-8804	10	11	5310-999-4031	20	52
5310-840-5785	20	15	5315-058-9747	8	11
5310-841-2576	37	55	5315-058-9767	3	10
5310-844-3302	6	12	5315-080-0170	15	36
5310-844-4872	10	34	5315-080-0170	37	31
5310-844-4872	21	2	5315-081-7046	9	18
5310-877-5797	10	9	5315-087-9553	25	3
5310-877-5797	30	15	5315-143-6422	6	35
5310-877-5797	37	66	5315-234-1854	39	31
5310-877-5797	38	1	5315-234-7465	6	43
5310-818-0203	33	44	5315-236-8357	10	51
5310-878-3291	21	26	5315-298-9856	15	20
5310-878-3292	22	25	5315-456-6803	30	59
5310-878-7196	21	17	5315-558-5141	6	40
5310-880-5976	22	2	5315-582-2832	15	57
5310-880-5978	20	19	5315-598-6507	25	7
5310-880-5978	33	6	5315-598-9360	39	18
5310-889-2543	13	15	5315-616-5514	23	31
5310-889-2543	28	17	5315-686-8719	33	96
5310-889-2543	37	34	5315-702-9650	34	1
5310-901-9291	20	57	5315-721-5295	9	24
5310-902-6676	15	1	5315-733-8386	33	52
5310-902-6676	37	59	5315-753-8386	25	5
5310-902-6676	39	7	5315-811-1242	15	37
5310-903-1243	37	47	5315-812-3734	39	33
5310-903-1244	37	44	5315-812-3741	15	52
5310-903-8282	10	52	5315-812-4658	5	1
5310-903-8282	37	36	5315-812-4658	6	8
5310-905-5454	26	6	5315-815-1405	15	31
5310-921-5126	3	5	5315-815-1405	23	16
5310-933-8118	20	22	5315-815-1405	32	14
5310-933-8118	20	12	5315-815-1405	37	29
5310-933-8120	40	2	5315-823-8740	6	38
5310-934-9738	28	6	5315-826-3251	6	23
5310-934-9750	20	11	5315-828-9829	7	1
5310-934-9752	20	25	5315-839-2325	9	16
5310-934-9765	20	38	5315-841-9354	14	14
5310-934-9765	40	1	5315-842-3673	33	97
5310-934-9766	9	29	5315-844-3955	15	11
5310-937-2248	8	6	5315-845-9890	21	4
5310-938-2012	20	21	5315-846-2140	6	18
5310-940-8860	14	4	5315-846-2141	14	1
5310-941-5409	9	31	5315-846-2142	6	9
5310-947-8637	3	23	5315-846-5998	6	18
5310-947-8638	3	12	5315-864-0477	39	22
5310-950-0039	9	35	5315-881-2253	6	5
5310-950-1310	10	15	5315-893-6180	22	18
5310-951-4679	20	63	5315-923-1926	14	2
5310-951-4679	26	30	5315-923-1927	15	13
5310-951-4679	27	20	5315-923-2209	15	29
5310-951-4679	29	12	5315-930-0014	5	5
5310-952-1872	13	1	5315-933-9481	5	3
5310-952-1872	27	29	5315-949-5366	13	27

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
5315-949-5378	37	57	5340-800-7874	3	24
5315-953-5701	13	49	5340-800-7874	6	51
5315-953-5701	15	14	5340-803-7307	13	56
5315-958-8890	13	54	5340-804-9734	14	3
5315-978-9355	13	18	5340-804-9739	14	16
5315-989-1157	23	41	5340-807-2636	37	49
5320-264-3282	39	45	5340-814-0267	23	30
5320-754-0822	20	2	5340-815-4929	6	21
5325-074-3301	27	32	5340-823-5322	13	23
5325-074-3301	28	16	5340-823-5322	19	6
5325-185-0017	22	32	5340-825-7844	27	38
5325-298-7006	37	77	5340-848-4723	37	11
5325-960-2410	26	48	5340-891-3410	20	53
5325-960-2410	37	76	5340-903-7880	38	5
5325-990-9327	15	63	5340-911-6636	37	2
5330-248-3835	36	26	5340-911-6637	37	3
5330-248-3840	33	16	5340-912-3562	37	62
5330-286-9942	13	35	5340-912-3635	9	9
5330-297-6468	31	2	5340-915-2342	20	73
5330-543-5799	24	13	5340-921-5135	2	1
5330-584-0266	30	48	5340-921-5159	3	1
5330-584-0266	32	4	5340-921-5161	3	3
5330-805-2966	30	40	5340-922-9778	30	27
5330-974-9707	31	9	5340-939-1096	21	5
5330-974-9718	33	86	5340-944-7664	10	33
5330-974-9736	33	46	5340-958-9547	30	54
5330-974-9767	33	13	5340-959-6648	16	7
5330-974-9779	33	57	5340-975-2126	20	
5330-993-4908	40	4	5340-991-6959	14	5
5340-056-9392	33	9	5355-579-6390	22	4
5340-067-3870	33	11	5355-813-2078	26	4
5340-067-9820	15	55	5355-974-9712	33	65
5340-067-9871	10	68	5365-912-3634	9	36
5340-068-0525	15	56	5905-058-8934	27	45
5340-068-0526	15	54	5905-067-6473	27	47
5340-143-0034	10	64	5905-104-5755	29	23
5340-143-0040	10	57	5905-104-8331	20	69
5340-181-1219	23	4	5905-104-8334	26	40
5340-200-6535	30	18	5905-104-8350	29	28
5340-205-6302	37	70	5905-106-1273	20	67
5340-283-0649	21	20	5905-110-0196	29	22
5340-283-0649	30	17	5905-111-8357	29	31
5340-283-0649	37	68	5905-141-0591	20	66
5340-290-0779	13	3	5905-141-0593	20	68
5340-290-4505	37	12	5905-141-0598	29	29
5340-291-5323	20	35	5905-141-0600	26	36
5340-400-2585	21	53	5905-141-1130	26	37
5340-420-7606	21	27	5905-246-9393	26	39
5340-420-7606	28	15	5905-279-2651	29	19
5340-543-4394	30	22	5905-684-4994	22	5
5340-565-0004	10	10	5905-764-1182	27	46
5340-598-0415	10	40	5905-879-7716	22	43
5340-598-0597	21	21	5905-879-7718	34	7
5340-598-5394	19	10	5905-879-7726	22	16
5340-619-7031	10	66	5905-879-7727	36	21
5340-655-8113	14	11	5905-924-6636	36	6
5340-680-8768	37	51	5905-931-7626	26	38
5340-682-1617	10	17	5905-951-4908	20	44
5340-721-7906	6	50	5905-951-4954	20	45
5340-721-8182	10	14	5905-988-3019	29	20
5340-726-9819	21	40	5905-990-5398	29	21
5340-726-9819	22	46	5910-441-6302	26	35
5340-726-9819	30	23	5910-764-7603	26	22

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

STOCK NUMBER	FIGURE NO	ITEM NO	STOCK NUMBER	FIGURE NO	ITEM NO
5910-783-9381	29	24	5945-925-4764	20	56
5910-984-4142	29	27	5945-947-8408	20	55
5920-050-4953	20	7	5961-087-6047	26	44
5920-875-4100	20	6	5961-498-8489	29	8
5925-949-5937	20	10	5961-577-6214	20	70
5930-501-1749	26	9	5961-802-7969	29	7
5930-655-1513	25	20	5961-810-5536	20	61
5930-683-2814	39	49	5961-840-3561	26	43
5930-768-0682	26	5	5961-857-1921	29	26
5930-993-3986	36	10	5961-866-0476	26	13
5935-201-7969	39	60	5961-924-6981	20	46
5935-565-9503	19	1	5961-924-6981	29	25
5935-812-3268	22	52	5961-926-7299	26	41
5935-818-3826	8	15	5961-985-4900	25	22
5935-818-5665	20	24	5970-069-5379	20	59
5935-818-8581	27	40	5970-082-3825	20	83
5935-834-4869	19	2	5970-082-3942	20	82
5935-835-4337	20	14	5970-088-2975	20	81
5935-836-6841	27	41	5970-740-2971	20	80
5935-838-3860	13	24	5970-754-7262	26	15
5935-878-3573	20	30	5970-754-7262	27	27
5935-879-1833	19	3	5970-754-7262	29	10
5935-892-9089	31	8	5970-756-3624	20	60
5935-892-9090	30	35	5970-899-6660	26	12
5935-892-9093	31	10	5970-924-6173	28	4
5935-925-4768	20	29	5970-926-2596	29	17
5935-926-0702	31	4	5970-939-6965	9	32
5935-930-0064	13	24	5970-939-6881	9	33
5935-930-0065	19	12	5970-940-8289	26	14
5935-930-0066	19	13	5970-940-8289	29	9
5935-930-0067	19	4	5970-943-5687	29	15
5935-930-0068	19	11	5975-912-3663	9	
5935-930-0069	19	5	6105-921-5194	8	13
5935-932-2977	8	14	6105-922-8057	13	26
5935-958-8462	22	51	6140-753-2251	47	2
5935-964-5468	30	36	6145-578-3244	29	1
5935-975-4139	30	37	6145-839-7432	20	77
5935-981-9865	19	16	6145-913-8015	20	78
5940-050-2308	29	5	6145-917-6378	20	79
5940-113-8184	20	86	6210-299-6656	26	2
5940-113-8185	27	7	6210-299-6656	27	6
5940-113-9828	13	25	6210-538-8770	27	5
5940-113-9828	30	33	6210-542-6393	27	3
5940-114-1305	20	89	6240-155-7836	26	3
5940-143-4771	20	84	6240-155-7836	27	4
5940-143-4774	30	32	6240-155-8689	23	20
5940-143-4780	20	87	6660-916-1365	20	28
5940-230-0515	20	88	7510-763-5996	46	9
5940-557-1629	20	85	7690-073-9015	18	2
5940-557-4344	20	90	7690-761-3441	16	8
5940-813-0698	13	2	7690-761-3441	17	2
5940-912-3661	9	7	7690-922-8028	15	62
5940-924-6650	20	74	9150-949-0323	46	8
5940-939-7825	22	28	9505-293-4208	15	53
5945-488-2618	39	51	9505-293-4208	37	28
5945-577-2206	27	28	9505-596-5101	32	1
5945-681-8188	20	51	9505-596-5101	33	91
5945-754-9484	20	49	9505-596-5101	34	?
5945-823-2970	26	21	9505-596-5101	36	3
5945-900-2098	20	47	9525-063-1444	9	1
5945-909-2354	26	18	9525-878-2958	9	1
5945-922-8055	13	8	9525-995-3177	9	1
5945-922-8056	6	14			

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
A334-2	19204	21	66	AN960PD416	88044	30	26
AN174-11A	88044	37	54	AN960PD416	88044	33	29
AN174-12	88044	10	36	AN960PD416	88044	37	21
AN174-32A	88044	37	22	AN960PD416L	88044	37	8
AN174-33A	88044	37	9	BB433A	88058	45	14
AN174-7A	88044	37	39	B538C-60 REVA	82386	45	15
AN174C12A	88044	21	13	CA22181-20	71468	8	14
AN174C37A	88044	21	7	CL65CK680KP3	81349	26	22
AN174C53A	88044	21	9	CL65CN430KP3	81349	29	24
AN174H32A	88044	37	20	CM15FD221JP3	81349	29	27
AN3-5A	88044	12	1	CSR13F276K-M		26	35
AN3-7A	88044	12	3	CSR13F476KM	81349	29	30
AN3C10A	88044	33	37	FHN26G2	81349	20	6
AN3C15A	88044	26	44	LCO42F5	84830	14	5
AN3C16A	88044	30	21	MIL-C-43307		42	4
AN3C3A	88044	33	83	MIL-E-43183	81349	45	9
AN3C5A	88044	30	1	MIL-F-15160 / 02	81349	20	7
AN3C5A	88044	33	84	MIL-F-19207 / 16		20	6
AN340B6	88044	39	36	MIL-I-18057-11	81349	27	22
AN4-11A	88044	10	49	MIL-I-18057 / 13	81349	26	15
AN4-16A	88044	10	29	MIL-I-18057 / 13	81349	27	27
AN4-6A	88044	10	50	MIL-I-18057 / 13	81349	29	10
AN4CH4A	88044	33	92	MIL-I-18057 / 15	81349	26	14
AN4C43A	88044	33	35	MIL-I-18507-1F	81349	29	9
AN4C7A	88044	10	54	MIL-I-18057-5	81349	29	17
AN500-3-12	88044	36	7	MIL-I-22129 / 20	81349	26	12
AN500-3-3	88044	23	8	MIL-I-23053	81349	20	80
AN500-4-8	88044	36	11	MIL-I-23053-10	81349	20	82
AN515C5-5	88044	23	14	MIL-I-23053-14	81349	20	83
AN743-13	88044	10	14	MIL-I-23053-8	81349	20	81
AN932D6	88044	33	55	MIL-R-5757 / 10	81349	26	21
AN935-10	88044	13	19	MIL-S-19500 / 134A	81349	20	61
AN935-3L	88044	36	8	MIL-S-19500 / 202	81349	20	70
AN935-5L	88044	23	15	MIL-S-19500 / 240		25	22
AN960-10	88044	33	77	MIL-T-55155 / 7	81349	28	11
AN960C3L	88044	23	9	MIL-W-16878D	81349	29	1
AN960-3L	88044	36	9	MIL-W-16878-0	81349	29	18
AN960-416	88044	10	28	MIL-W-16878-1	81349	29	18
AN960-416L	88044	35	2	MIL-W-16878-2	81349	29	18
AN960-6	88044	39	32	MIL-W-16878-3	81349	29	18
AN960-6L	88044	26	26	MIL-W-16878-4	81349	29	18
AN960-716L	88044	39	23	MIL-W-16878 / 4	81349	13	29
AN960C10L	88044	9	3	MIL-W-16878 / 4	81349	13	31
AN960C10L	88044	13	6	MIL-W-16878 / 4	81349	27	17
AN960C10L	88044	33	85	MIL-W-16878 / 4	81349	13	30
AN960C416	88044	9	17	MIL-W-16878 / 4	81349	27	23
AN960C416	88044	10	35	MIL-W-16878-6	81349	29	18
AN960C416	88044	33	32	MIL-W-22759 / 20		20	79
AN960C416L	88044	33	93	MIL-W-22759 / 6		20	78
AN960C6L	88044	33	64	MS122199	96906	6	50
AN960C616L	88044	37	45	MS15584-5	96906	23	20
AN960C716	88044	15	31	MS15795-408	96906	20	40
AN960C716L	88044	15	23	MS15795-703	96906	13	16
AN960C8L	88044	9	13	MS15795-703	96906	25	2
AN960PD10	88044	12	2	MS15795-703	96906	28	18
AN960PD10	88044	15	35	MS15795-703	96906	37	73
AN960PD10L	88044	10	32	MS15795-704	96906	27	34
AN960PD10L	88044	15	2	MS15795-705	96906	21	27
AN960PD10L	88044	30	20	MS15795-705	96906	27	9
AN960PD10L	88044	37	30	MS15795-707	96906	13	2
AN960PD4L	88044	15	50	MS15795-707	96906	21	19
AN960PD416	88044	10	48	MS15795-707	96906	27	30

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS15795-707	96906	28	14	MS171526	96906	37	46
MS15795-707	96906	30	29	MS171644	96906	5	5
MS15795-708	96906	21	42	MS17411-14	96906	20	79
MS15795-708	96906	22	45	MS17411-16	96906	20	79
MS15795-708	96906	30	2	MS17411-20	96906	20	79
MS15795-708	96906	37	60	MS17411-6	96906	20	78
MS15795-710	96906	37	37	MS17986C310	96906	16	7
MS15795-803	96906	22	48	MS17987C308	96906	38	5
MS15795-803	96906	27	26	MS18015-1	96906	20	
MS15795-804	96906	22	14	MS18015-2	96906	20	3
MS15795-804	96906	31	6	MS18015-3	96906	20	4
MS15795-804	96906	33	2	MS19060-22	96906	33	10
MS15795-806	96906	22	2	MS20033-21	96906	21	54
MS15795-807	96906	20	19	MS20033-23	96906	21	43
MS15795-807	96906	33	6	MS20034-11	96906	23	25
MS15795-808	96906	33	38	MS20073-03-04	96906	37	40
MS15795-808	96906	37	67	MS20202KP49B	96906	33	89
MS15795-808	96906	40	3	MS20219A1	96906	10	74
MS15795-809	96906	10	25	MS20219A1	96906	37	38
MS15795-809	96906	20	34	MS20219A2	96906	10	53
MS15795-810	96906	10	23	MS20341-416S	96906	20	57
MS15795-810	96906	20	17	MS20341-6S	96906	20	52
MS15795-810	96906	21	12	MS20365-440C	96906	37	34
MS15795-810	96906	23	26	MS20392-1C13	96906	15	52
MS16213-57	96906	13	10	MS20392-1C35	96906	36	18
MS16535-62	96906	39	45	MS20392-1C7	96906	39	33
MS16555-325	96906	33	96	MS20392-2C29	96906	15	37
MS16555-602	96906	34	1	MS20392-2C9	96906	15	36
MS16555-603	96906	36	23	MS20392-2C9	96906	37	31
MS16555-613	96906	13	54	MS20392-3C89	96906	9	18
MS16555-627	96906	13	65	MS20470AD4-5	96906	20	2
MS16555-627	96906	23	47	MS20995C32	96906	15	53
MS16555-641	96906	25	5	MS20995C32	96906	37	28
MS16555-641	96906	33	52	MS21042-02	96906	26	19
MS16555-645	96906	25	3	MS21042-04	96906	20	62
MS16555-649	96906	33	97	MS21042-04	96906	26	29
MS16562-100	96906	7	4	MS21042-06	96906	26	16
MS16562-132	96906	7	1	MS21042-3	96906	10	55
MS16562-192	96906	6	38	MS21042-3	96906	20	8
MS16562-194	96906	3	18	MS21042-3	96906	30	19
MS16562-194	96906	4	2	MS21042-4	96906	10	47
MS16562-194	96906	6	27	MS21042-4	96906	33	28
MS16562-199	96906	21	4	MS21042L04	96906	37	72
MS16562-22	96906	15	11	MS21042L06	96906	24	7
MS16562-220	96906	6	43	MS21042L06	96906	26	25
MS16562-221	96906	6	5	MS21042L06	96906	37	64
MS16562-222	96906	8	11	MS21042L3	96906	13	43
MS16562-223	96906	6	23	MS21042L3	96906	21	41
MS16562-231	96906	3	10	MS21042L4	96906	21	11
MS16562-241	96906	6	40	MS21042L6	96906	37	43
MS16624-1028	96906	22	42	MS21043-04	96906	22	25
MS16624-1031	96906	22	22	MS21043-06	96906	21	26
MS16624-1037	96906	22	28	MS21043-08	96906	21	17
MS16624-25	96906	13	56	MS21043-3	96906	6	12
MS16625-1043	96906	14	3	MS21043-4	96906	10	34
MS16625-1087	96906	14	16	MS21043-4	96906	21	2
MS16625-1100	96906	37	49	MS21C44C3	96906	33	25
MS16627-1106	96906	14	11	MS21044N04	96906	10	13
MS16997-33	96906	30	28	MS21044N04	96906	27	19
MS16997-45	96906	13	18	MS21044N04	96906	29	11
MS16998-31	96906	33	26	MS21044N06	96906	29	2
MS16998-45	96906	33	31	MS21044N06	96906	39	40
MS16998-45	96906	37	6	MS21044N3	96906	10	9

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS21044N3	96906	30	15	MS24585-15	96906	30	54
MS21044N3	96906	37	66	MS24585-269	96906	21	5
MS21044N3	96906	38	1	MS24665-132	96906	9	16
MS21044N4	96906	35	1	MS24665-151	96906	15	34
MS21044N6	96906	9	35	MS24665-151	96906	23	16
MS21044-TYPE	96906	9	20	MS24665-151	96906	36	14
MS21045-04	96906	13	15	MS24665-151	96906	37	29
MS21045-04	96906	28	17	MS24665-153	96906	39	31
MS21045-04	96906	37	34	MS24665-368	96906	10	51
MS21045C04	96906	27	25	MS24673-2	96906	33	47
MS21045C06	96906	27	8	MS24677-1	96906	24	13
MS21045C08	96906	13	1	MS24677-1	96906	23	2
MS21045C08	96906	27	29	MS24677-1	96906	28	13
MS21045C3	96906	9	2	MS24677-10	96906	21	28
MS21045C4	96906	37	7	MS24677-15	96906	21	18
MS21083N3	96906	15	1	MS24677-2	96906	25	1
MS21083N3	96906	37	59	MS24677-22	96906	21	25
MS21083N3	96906	39	7	MS24677-23	96906	30	47
MS21083N4	96906	10	52	MS24677-24	96906	30	49
MS21083N4	96906	37	36	MS24677-5	96906	24	1
MS21208C8-10	96906	37	12	MS24678-12	96906	10	24
MS21209C0415	96906	25	14	MS24678-12	96906	30	24
MS21209C0815	96906	6	21	MS24678-22	96906	10	22
MS21209F1-15	96906	3	24	MS24678-24	96906	33	20
MS21209F1-15	96906	6	51	MS24678-24	96906	35	3
MS21209F6-15	96906	37	51	MS24678-26	96906	30	25
MS21251-2S	96906	15	55	MS24678-27	96906	30	50
MS21251B2S	96906	10	68	MS24693A271	96906	15	3
MS21252-2LS	96906	15	54	MS24693C25	96906	33	19
MS21252-2RS	96906	15	56	MS24693C26	96906	27	13
MS21256-1	96906	10	66	MS24693C271	96906	13	34
MS21266-1N	96906	26	48	MS24693C273	96906	13	38
MS21266-1N	96906	37	76	MS24693S25	96906	37	1
MS21266-2N	96906	27	32	MS24693S271	96906	15	3
MS21266-2N	96906	28	16	MS24693S272	96906	15	9
MS21318-20	96906	3	21	MS24693S273	96906	15	9
MS21318-20	96906	9	5	MS24693S273	96906	37	69
MS21318-8	96906	6	48	MS24693S30	96906	37	65
MS21919DF4	96906	13	3	MS24694S17	96906	27	37
MS21919DG10	96906	10	10	MS24694-S19	96906	25	11
MS21919DG12	96906	10	17	MS24694-S22	96906	25	9
MS21919DG13	96906	30	18	MS24694S3	96906	27	31
MS21919DG18	96906	10	40	MS24694550	96906	37	26
MS21919DG3	96906	21	40	MS25010A11A	96906	26	2
MS21919DG3	96906	22	46	MS25010A11A	96906	27	6
MS21919DG3	96906	30	23	MS25035-120		20	90
MS21919DG5	96906	37	70	MS25035-154		20	88
MS21919DG6	96906	30	22	MS25036-101	96906	13	21
MS21919DG7	96906	21	20	MS25036-103	96906	20	84
MS21919DG7	96906	30	17	MS25036-108	96906	20	87
MS21919DG7	96906	37	68	MS25036-116	96906	20	89
MS21919DG8	96906	21	21	MS25036-120	96906	20	90
MS21919WDG4	96906	20	35	MS25036-148	96906	13	25
MS24140D1	96906	20	49	MS25036-148	96906	30	33
MS24182D1	96906	20	51	MS25036-149	96906	20	85
MS24391-2	96906	31	1	MS25036-150	96906	20	86
MS24394C4	96906	30	42	MS25036-151	96906	27	7
MS24396J4	96906	30	41	MS25036-153	96906	30	32
MS24585-114	96906	33	11	MS25036-154	96906	20	88
MS24585-1156	96906	6	29	MS25041-2	96906	27	3
MS24585-118	96906	33	9	MS25041-3	96906	27	5
MS24585-1234	96906	3	19	MS25089-3C	96906	26	9

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS25237-327	96906	26	3	MS3420-12A	96906	19	14
MS25237-327	96906	27	4	MS3420-16A	96906	19	15
MS25251-12	96906	19	1	MS3420-8A	96906	19	10
MS25251-16	96906	13	23	MS35058-21	96906	25	20
MS25251-16	96906	19	6	MS35190-224	96906	26	47
MS25253-1	96906	39	49	MS35190-237	96906	23	38
MS25281-4	96906	28	15	MS35190-251	96906	39	1
MS25281F6	96906	20	73	MS35206-203	96906	26	20
MS25281F7	96906	20	53	MS35206-214	96906	26	31
MS25281R4	96906	22	7	MS35206-214	96906	27	21
MS25306-302	96906	26	5	MS35206-215	96906	27	35
MS23349-1	96906	36	10	MS35206-215	96906	29	13
MS25395D1	96906	20	47	MS35206-216	96906	10	16
MS25440-4	96906	37	55	MS35206-216	96906	27	36
MS25917-1	96906	27	28	MS35206-216	96906	37	74
MS27039-1-05	96906	10	56	MS35206-217	96906	28	19
MS27039-1-08	96906	10	63	MS35206-229	96906	39	41
MS27039-1-10	96906	10	61	MS35206-230	96906	26	27
MS27183-10	96906	9	17	MS35206-230	96906	29	6
MS27183-10	96906	21	6	MS35206-231	96906	37	71
MS27183-2	96906	26	23	MS35207-259	96906	39	4
MS27183-24	96906	33	21	MS35207-260	96906	16	2
MS27183-5	96906	20	63	MS35207-261	96906	10	69
MS27183-3	96906	26	30	MS35207-262	96906	15	12
MS27183-3	96906	27	20	MS35207-262	96906	39	8
MS27183-3	96906	29	12	MS35207-263	96906	10	12
MS27183-4	96906	10	15	MS35207-264	96906	10	31
MS27183-5	96906	26	17	MS35207-264	96906	30	16
MS27183-5	96906	29	3	MS35207-264	96906	38	3
MS27183-8	96906	9	3	MS35207-266	96906	37	63
MS27183-8	96906	38	2	MS35218-39	96906	27	14
MS27183-9	96906	10	11	MS35218-39	96906	28	1
MS28775-010	96906	30	48	MS35218-42	96906	28	13
MS28775-010	96906	32	4	MS35218-7	96906	28	8
MS28778-4	96906	30	40	MS35265-14	96906	36	4
MS29513-010	96906	36	26	MS35265-16	96906	13	17
MS29513-014	96906	33	16	MS35265-43	96906	9	11
MS3057-12A	96906	19	20	MS35275-212	96906	22	13
MS3100R18-11P	96906	13	24	MS35275-212	96906	34	4
MS3100R18-11PX	96906	13	24	MS35275-215	96906	33	1
MS3102R16S1S	96906	20	24	MS35275-216	96906	22	36
MS3102R16S1SW	96906	20	30	MS35275-218	96906	22	47
MS3102R20-24P	96906	8	15	MS35275-230	96906	22	30
MS3102R20-8P	96906	27	41	MS35275-243	96906	9	12
MS3102R32-1P	96906	20	14	MS35275-244	96906	33	5
MS3106A18-1P	96906	39	60	MS35275-246	96906	33	43
MS3106R32-1P	96906	19	3	MS35275-260	96906	22	44
MS3106R32-1S	96906	19	2	MS35276-262	96906	13	5
MS3108R18-11S	96906	19	8	MS35276-263	96906	13	41
MS3108R18-11SX	96906	19	9	MS35333-121	96906	26	6
MS3112E10-6P	96906	25	24	MS35333-37	96906	29	4
MS3112E20-41P	96906	27	40	MS35333-38	96906	15	47
MS3116E106S	96906	22	51	MS35333-39	96906	15	6
MS3116E14-12S	96906	30	37	MS35333-39	96906	39	5
MS3116E14-19P	96906	22	52	MS35333-73	96906	20	39
MS3116E8-3S	96906	30	36	MS35335-33	96906	20	58
MS3116E8-4SW	96906	30	35	MS35336-9	96906	39	2
MS3116F16-8P	96906	19	7	MS35337-78	96906	20	22
MS3116P14-5S	96906	19	17	MS35337-79	96906	20	26
MS3119E14-12	96906	31	4	MS35337-81	96906	16	3
MS3119E8-4W	96906	31	8	MS35337-81	96906	20	32
MS3181-C	96906	31	10	MS35337-82	96906	20	16
MS3314	96906	9	23	MS35338-138	96906	40	2

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
MS35338-137	96906	20	12	MS51958-63	96906	6	1
MS35338-39	96906	28	7	MS51958-64	96906	20	31
MS35338-40	96906	23	3	MS51958-65	96906	6	13
MS35338-40	96906	24	2	MS51958-66	96906	20	9
MS35338-40	96906	36	5	MS51958-67	96906	40	6
MS35338-41	96906	20	54	MS51958-74	96906	20	33
MS35338-41	96906	33	63	MS51958-80	96906	20	42
MS35338-42	96906	27	15	MS51958-81	96906	20	50
MS35338-42	96906	28	2	MS51958-84	96906	20	18
MS35431-3	96906	29	5	MS51960-63	96906	33	50
MS35460-15	96906	33	40	MS51964-69	96906	21	50
MS35489-33	96906	22	32	MS51965-19	96906	36	12
MS35489-43	96906	10	76	MS51965-20	96906	36	13
MS35649-222	96906	29	6	MS51966-73	96906	23	44
MS35650-304	96906	20	38	MS51973-19	96906	23	22
MS35650-304	96906	40	1	MS51977-18	96906	13	50
MS35650-305B	96906	9	29	MS51987-18	96906	30	61
MS35650-344	96906	20	21	MS87006-3	96906	30	58
MS35656-364	96906	20	25	MS87006-3	96906	41	2
MS35650-384	96906	20	11	MS9048-224	96906	9	24
MS35677-18	96906	15	57	MS9122-03	96906	2	5
MS35691-35		10	44	MS9123-04	96906	8	1
MS35691-35		37	4	MS9123-09	96906	3	8
MS35691-5	96906	20	41	MS91528-001B	96906	26	4
MS35691-7	96906	20	15	MS91528-2F2B	96906	22	4
MS35756-6	96906	23	31	MS9226-03	96906	9	1
MS39086-100	96906	22	18	MS9226-04	96906	9	1
MS39086-127	96906	14	1	MS9226-05	96906	9	1
MS39086-129	96906	15	20	MS9353-09	96906	10	57
MS39086-139	96906	6	9	MS9353-11	96906	10	64
MS39086-141	96906	4	5	NAS1081-04A3	80205	36	1
MS39086-141	96906	5	1	NAS1081-5D6	80205	33	8
MS39086-141	96906	6	8	NAS1091-30H8	80205	41	3
MS39086-143	96906	6	18	NAS1303-3	80205	33	56
MS39086-241	96906	13	49	NAS1303-5	80205	33	66
MS39086-241	96906	15	14	NAS1303-6	80205	33	76
MS39086-256	96906	25	7	NAS43DD3-54	80205	27	38
MS39086-44	96906	23	41	NAS679C04M	80205	31	3
MS51021-21	96906	23	21	QQ-W-343	81348	20	77
MS51021-25	96906	13	7	QQW 423	81348	32	1
MS51029-29	96906	21	38	QQW 423	81348	32	91
MS51038-28	96906	24	20	QQW 423	81348	34	3
MS51053-101	96906	22	11	QQW 423	81348	36	3
MS51957-14	96906	31	7	RCC31208	60380	14	18
MS51957-15	96906	13	9	RCBO81214	60380	13	63
MS51957-16	96906	22	8	RCR07G4R7JS	81349	26	39
MS51957-16	96906	31	11	RCR20G100JS	81349	29	23
MS51957-18	96906	20	64	RCR20G102JS	81349	29	22
MS51957-19	96906	37	35	RCR20G103JS	81349	20	66
MS51957-26	96906	33	62	RCR20G153JS	81349	20	67
MS51957-27	96906	22	1	RCR20G182JS	81349	20	68
MS51957-30	96906	27	11	RCR20G221JS	81349	29	28
MS51957-31	96906	23	40	RCR20G272JS	81349	26	37
MS51957-31	96906	27	10	RCR20G304JS	81349	20	69
MS51957-44	96906	6	19	RCR20G331JS	81349	26	40
MS51957-44	96906	13	44	RCR20G561JS	81349	29	29
MS51957-45	96906	13	4	RCR20G681JS	81349	29	31
MS51958-16	96906	20	23	RCR20G822JS	81349	26	36
MS51958-29	96906	20	27	RC32GF821J	81349	29	19
MS51958-45	96906	20	13	RC5081214	60380	13	63
MS51958-48	96906	20	20	RIAPD688	19204	45	8
MS51958-60	96906	6	15	RJ11CP253	81349	26	38
MS51958-61	96906	6	6	RP101FD750KK	19204	22	5

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
RT22C2P101	81349	27	45	11011254	19204	22	19
RT22C2P201	81349	29	21	11011255		22	38
RT22C2P202	81349	27	46	11011256	19204	22	41
RT22C2P501	81349	27	47	11011257	19204	22	40
RW69V120	81349	29	26	11011258	19204	22	39
SA40033	19205	46	2	11011259		22	27
1N249B	81349	20	61	11011260	19204	22	31
1N4245	81349	20	46	11011261	19204	22	30
1N4245	81349	29	25	11011262	19204	22	29
1N457	81349	26	13	11011263		21	32
1N538	81349	20	70	11011264	19204	21	16
1N645	81349	26	44	11011265	19204	21	14
10210137	18876	9	39	11011266	19204	21	31
10210139	18876	9	9	11011267	19204	21	22
10210140	18876	9	28	11011268	19204	21	24
10210145	18876	9	27	11011269	19204	21	23
10210146	18876	9	26	11011271	19205	29	26
10210147	18876	9	25	11011285	19204	21	44
10210154	18876	9	8	11011288	19204	22	12
10210155-001	18876	9	14	11011291		21	15
10210155-002	18876	9	14	11011305		33	12
10210156	18876	1	3	11011306		33	17
10210162	18876	9	10	11011308	19204	23	24
10210162-2	18876	9	10	11011309	19204	23	29
10210163	18876	9	19	11011310	19204	23	28
10210164-1	18876	9		11011316	19205	27	30
10210164-2	18876	9		11011318	19205	26	21
10210164-3	18876	9		11011318	19205	27	24
10210165	18876	9		11011318	19205	29	14
10210166	18876	9	4	11011319	19204	29	32
10210168	18876	9	7	11011320		29	16
10210169	18876	9	15	11011323-2	19205	29	15
10210170	18876	9	36	11011323-3	19205	28	4
10240657	18876	9	25	11014257-5	19205	20	59
10240660	18876	9	14	11014287-2	19205	20	60
10511796	19200	40	5	11014471-3	19205	38	4
10511797	19200	40	7	11014471-4	19205	16	4
10547354	19200	1	5	11014518-3	19204	19	21
10549024	19200	26	28	11014518-4	19204	19	22
10552489	19200	1	7	11014538	19205	37	78
10602097	18876	9	37	11014596-10	19205	15	32
10602118	18877	44		11014596-11	19205	14	9
10602118-1	18877	44	1	11014596-4	19205	15	43
10648012	18876	44	3	11014596-5	19205	8	8
10648013	18876	44	2	11014596-5	19205	14	17
10648014	18876	44	4	11014596-6	19205	8	9
10678600	18876	1	3	11014596-6	19205	13	57
10678601	18876	9	39	11014596-7	19205	13	40
11010393	19204	26	45	11014596-8	19205	13	46
11010394	19205	26	34	11014596-9	19205	15	22
11010395	19205	26	32	11686349	19205	36	2
11010396	19205	26	10	11686350	19205	2	9
11010432	19205	10	8	11686351	19204	8	10
11010433-1	19204	19	12	11686354	19205	8	2
11010433-2	19204	19	13	11686355	19205	8	3
11010490	19205	26	1	11686356	19205	8	7
11010501	19205	26	8	11686358		2	9
11011249		22	10	11686361	19205	7	8
11011250	19204	22	17	11686362	19205	7	5
11011251	19204	22	21	11686364	19205	7	6
11011252	19204	22	20	11686365	19205	7	2
11011253	19204	22	15	11686370	19205	7	9

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
11686378	19204	6	52	11699337-1	19205	30	7
11686379	19205	6	4	11699337-2	19205	30	11
11686380	19205	6	3	11699338	19205	27	33
11686381	19205	6	7	116993399	19204	30	14
11686382	19205	6	39	11699341	19205	30	5
11686403	19205	42	5	11699342	19205	16	8
11686583	19205	42		11699342	19205	17	2
11686584	19205	42	6	11699346	19205	27	43
11686592	19205	42	2	11699347	29204	11	1
11686606	19205	15	44	11699348	19205	10	2
11686610-1	19204	15	16	11699350	19204	21	61
11686610-2	19204	15	18	11699353	19205	20	56
11686610-3	19204	15	19	11699355	19205	15	51
11686610-4	19204	15	17	11699356	19205	15	42
11686618	19205	16	9	11699357	19204	14	4
11686619	19205	20	37	11699365	19205	20	5
11686620	19205	20	36	11699366	19205	20	76
11686635	19205	25	19	11699367	19204	20	43
11686636	19204	23	19	11699367-1	19205	20	44
11686726	19205	43	2	11699367-2	19205	20	45
11686731	19205	43	1	11699368-1	19205	20	71
11686737	19205	43	3	11699368-2	19205	20	74
11686757	19204	8	5	11699369	19205	20	55
11686758	19204	8	6	11699373	19204	13	27
11686843	19207	30	56	11699376-1	19205	20	28
11686844	19204	10	5	11699376-2	19205	20	29
11686845	19205	33	39	11699377-1	19205	19	4
11687063	19204	15	28	11699377-2	19205	19	11
11687065	19204	15	24	11699378	19205	19	5
11687067	19204	15	24	11699381	19204	21	63
11691071	19204	1	2	11699382	19204	21	64
11691072	19204	7	3	11699383	19204	21	60
11691073	19204	2	7	11699384	19204	21	62
11691076	19204	3	11	11699387	19205	15	21
11691134	19204	45	2	11699388	19205	15	25
11691136	19204	1	1	11699390	19205	15	45
11691229	19204	41	8	11699391-1	19205	15	48
11691238	19204		4	11699391-2	19205	15	49
11691250	19204	6		11699394	19205	13	53
11697273	19204	21	52	11699395	19204	14	10
11697274	19204	21	49	11699396	19205	14	8
11697338	19204	21	53	11699397	19205	14	7
11698924	19205	7	7	11699398	19205	13	61
11699306	19205	30	4	11699399	19204	13	37
11699307	19205	30	4	11699400	19204	1	4
11699308	19205	30	31	11699403	19205	15	39
11699310	19205	10	30	11699409	19205	20	48
11699312		30	58	11699410	19205	33	34
11699313		30	58	11699411	19205	14	2
11699314	19204	10	42	11699414	19205	16	6
11699315	19204	10	45	11699415	19205	16	5
11699316	19205	33	48	11699420	19205	15	7
11699317	19205	36	20	11699428	19205	33	27
11699318	19205	10	78	11699429	19205	33	78
11699319	19205	10	78	11699430	19205	15	26
11699321	19205	10	43	11699431	19205	15	27
11699321	19205	37	15	11699432	19205	15	38
11699325	19205	27	42	11699433	19205	15	61
11699326	19205	27	12	11699434	19205	15	60
11699328	19205	27	16	11699435	19204	15	59
11699330	19205	17	3	11699436	19205	15	40
11699331	19205	10	6	11699437	19205	13	42
11699332	19205	10	39	11699438	19204	13	39

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
11699439	19204	13	33	11699552	19205	30	3
11699440	19205	13	32	11699553	19205	21	3
11699441	19205	13	36	11699555	19205	10	41
11699445	19205	10	21	11699556	19205	20	10
11699446	19204	13	20	11699557	19205	45	10
11699459	19205	15	8	11699558	19205	26	11
11699465	19205	33	36	11699559	19205	10	36
11699466	19205	15	30	11699562	19204	26	50
11699467	19205	14	13	11699564	19205	26	33
11699468	19205	14	15	11699567	19204	15	4
11699469	19205	15	15	11699568	19204	15	10
11699470	19205	20	75	11699569	19204	26	18
11699473	19205	10	19	11699570	19204	26	49
11699474	19205	10	20	11699571	19205	20	1
11699475	19205	33	41	11699572	19204	13	48
11699476	19204	13	26	11699573-1	19205	15	5
11699477	19205	14	20	11699573-2	19205	15	46
11699478	19205	14	21	11699578	19204	13	62
11699479	19205	14	22	11699592	19204	14	14
11699480	19205	13	50	11699596	19204	21	55
11699481	19205	13	52	11699597	19204	23	36
11699482	19205	13	55	11699598	19204	23	37
11699483	19205	13	47	11699599	19204	23	35
11699484	19205	13	45	11699600	19205	19	16
11699485	19205	15	33	11699856	19204	21	35
11699486	19205	15	33	11699857	19204	21	33
11699489	19205	15	58	11699858	19204	21	1
11699495	19205	13	50A	11699859	19204	21	37
11699497	19205	10	18	11699860	19204	21	34
11699499	19205	20	72	11699861	19204	21	3
11699501	19205	33	33	11699864	19204	21	10
11699502	19205	10	26	11699865	19204	21	8
11699506	19204	13	66	11699871	19205	10	27
11699507	19205	13	64	11699872	19205	10	37
11699508-1	19204	12	4	11699873	19205	10	33
11699508-2	19204	12	4	11700084	19205	37	79
11699510	19204	10	4	11700088	19204	13	22
11699512	19204	10	3	11700089	19205	37	75
11699516		10	67	11700090	19205	37	75
11699517	19205	10	58	11700516	19205	37	77
11699518	19205	10	65	11700522	19204	37	11
11699519	19205	10	62	11700523	19205	37	5
11699520	19205	10	59	11700525	19205	37	53
11699521	19205	10	59	11700526	19205	37	2
11699522	19205	10	60	11700527	19205	37	3
11699523	19205	10	60	11700528	19205	37	47
11699525	19205	15	41	11700533	19205	37	62
11699531	19204	13	51	11700534	19205	37	61
11699532	19204	13	58	11700535	19205	37	13
11699533	19205	14	19	11700540	19205	37	16
11699534	19205	14	12	11700541-2	19205	37	23
11699535	19205	14	6	11700541-3	19205	37	24
11699538	19204	13	8	11700542	19205	37	17
11699538-1	19204	13	14	11700543	19205	37	17
11699539	19204	23	48	11700544	19204	38	6
11699540-1	19204	21	56	11700545	19204	38	7
11699540-2	19204	21	47	11700546	19205	37	44
11699543	19205	15	29	11700551	19205	37	52
11699544	19205	15	13	11700552	19205	37	50
11699546	19205	15	62	11700553	19205	37	48
11699549	19205	37	57	11700558	19205	37	41
11699550	19205	26	7	11700568	19205	37	42
11699551	19205	30	3	11700569	19205	37	18

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
11700570	19205	37	10	44A28266	80049	39	14
11700573	19205	37	19	44A28302-1		39	58
11700574	19205	37	14	44A28302-2		39	55
11700578	19205	37	32	44A28314		39	54
11700579	19205	37	25	44A28319	80049	39	30
11700584	19204	10	77	44A28325		39	46
11700585	19204	10	77	44A28356	80049	39	20
11700586	19204	10	75	44A28357	80049	39	29
11700587		10	75	44A28366	27096	39	22
11700588	19205	10	70	44A28376		39	24
11700589	19205	10	70	44A28377	80049	39	25
11700593	19205	37	27	44A28381	80049	39	17
11700596	19205	37	58	44A28395	80049	39	12
11700597	19205	37	58	44A28398	80049	39	11
11700598	19205	37	56	44A28433	80049	39	27
11700599	19205	37	56	44A28437		39	56
11701055	19204	6	30	44B28354	80049	39	21
11701056	19204	6	28	44B28373	80049	39	26
11701096		6	49	44B28374	80049	39	28
11701098	19205	6	49	44B28378	80049	39	6
11701115	19204	6	32	44B28386	80049	39	13
11701116	19205	6	24	44D28304	80049	39	51
11701120	19205	2	4	44G28399	80049	39	9
11701122	19205	6	25	46A4556	80049	39	42
11701124	19205	6	16	46A4560		39	63
11701125	19205	6	47	46A4795		39	64
11701126	19205	6	26	46A4800		39	65
11701127	19205	6	10	46A4801		39	53
11701128	19205	6	11	46A4802	80049	39	43
11701129	19205	6	20	46A4803		39	44
11701130	19205	6	36	47A4214		39	61
11701131	19205	6	41	47A5094		39	57
11701132	19205	6	34	47A5095		39	48
11701134	19205	6	14	47B4270	80049	39	35
11701135	19204	6	44	47B4474	80049	39	52
11701136	19205	6	45	5S10-7	71286	15	63
11701137	19205	6	46	5S3-1	71286	15	64
11701138	19204	6	33	51B4764		39	50
11701139	19205	6	22	52A4602	80049	39	3
11701140	19205	6	17	53A5455	80049	39	16
11701204	19205	3	14	54A4400	27096	39	10
11701207	19204	2	3	54A4401	97151	39	18
11701208	19204	2	2	55B4703	80049	39	59
11701216	19205	6	31	55C4438		39	62
11701217	19205	6	37	55C4702	80049	39	47
11701218	19205	6	42	55J4312	80049	37	33
11701219	19204	6	2	5564174	19204	45	6
11701241	19205	2	6	56B22907	80049	39	39
11729760	19200	1	6	5800960	19200	45	12
11701244	19205	2	8	5910309	19204	3	
11701254	19205	27	44	5910338	19204	6	
2N1549A	81349	29	8	5910791	19204	42	3
2N285A	80131	29	7	5910821	19204	45	13
2N489A	81349	26	41	5910826	19204	43	
2N696	81349	26	43	5910851	19204	8	4
2337-63-1200S	98625	9	21	5910873	19204	4	
2341-63-1200	98625	9	22	5911079	19204	45	1
28YC60-2MOD	00462	13	28	60D98801	80049	39	19
43A19847	80049	39	66	63B10721	07878	4	7
44A28256	80049	39	37	63B10878	07878	4	6
44A28259	80049	39	34	63B10948	18894	2	1
44A28264	80049	39	30	63C10806	19205	8	12
44A28265	80049	39	15	63D11138	18894	8	13

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
63G10806		8	12	7791918-2	19204	23	6
65A9999	19204	5	3	7791919-1	19204	23	11
65B10047	19204	5	8	7791919-2	19204	23	13
65B9755	18894	5	5	7791920	19204	23	4
65B9762	19205	3	20	7791921	19204	23	5
65B9768	19204	4	3	7791923	19205	24	3
65B9865	18894	4	9	7791926	19205	24	14
65B9866	19205	3	7	7791927	19205	24	5
65B9867	18894	4	1	7791928	19205	24	4
65B9868	19204	3	1	7791929	19205	24	15
65B9869	18894	3	3	7791930	19205	24	23
65B9878	18894	5	7	7791931	19205	24	22
65B9878-1	19204	5	9	7791932	19204	23	7
65B9879	18894	3	16	7791933	19205	24	8
65B9926	19205	3	22	7791934	19205	24	9
65B9929-4	19204	3	25	7791935	19205	24	11
65B9929-4	19204	5	10	7791936	19205	24	6
65B9972-1	19205	3	23	7791937	19205	33	101
65B9972-2	19205	3	12	7791944	19205	18	2
65B9973	18894	3	5	7792124	19205	38	22
65C9749	18894	3	6	7792125	19205	28	23
65C9750	18894	3	15	7792127	19205	27	1
65C9752	18894	5	2	7792139	19205	28	5
65C9753	18894	5	6	7792141	19205	28	12
65D9770	19205	3	17	7792142	19205	30	38
65D9773	18894	3	2	7792144	19205	28	20
65D9813	18894	3	13	7792157	19205	18	3
65F10057	19204	4	8	7792159-4	19204	22	24
65F9769	19204	5	11	7792159-6	19205	33	44
65F9774	18894	3	26	7792159-7	19205	34	5
65F9807	18894	3	4	7792174	19205	30	45
65F9809	18894	3	9	7792181	19205	28	21
65F9857	19204	4	4	7792185	19204	23	47
65F9877	19204	2	10	7792187		22	35
71X1020	73680	13	35	7792188	19204	26	42
7266109	19205	45	3	7792189	19204	23	45
7266110	19204	45	4	7792193	19204	23	32
7266115	19204	45	1	7792194	19204	23	27
7268275	19205	45	2	7792196	19204	23	23
7269995	19204	21	51	7792197-1	19204	23	18
7790342	19205	45	5	7792197-2	19205	36	25
7790352	19205	45	11	7792198	19204	23	17
7790452	19205	45	7	7792200	19205	25	8
7791642	19204	22	3	7792201	19205	25	12
7791649	19204	22	50	7792202	19205	25	13
7791651	19205	25	23	7792203	19205	25	6
7791860		36	15	7792204	19205	25	4
7791864	19205	33	30	7792206	19205	25	17
7791881	19205	36	16	7792209	19204	22	26
7791882		36	19	7792212	19205	25	21
7791883		36	17	7792217	19204	22	9
7791888		36	28	7792218	19204	23	42
7791891	19205	27	2	7792224	19204	22	37
7791900	19204	23	1	7792225	19204	22	49
7791901	19205	24	16	7792227	19204	23	34
7791903	19205	24	17	7792228	19204	23	33
7791904	19205	24	19	7792231-2	19204	21	58
7791905	19205	24	18	7792232-1	19204	21	45
7791906	19205	24	21	7792232-3	19204	23	46
7791909	19205	24	10	7792233	19205	28	10
7791912	19205	24	12	7792238	19204	21	46
7791917	19204	23	10	7792245	19204	21	59
7791918-1	19204	23	12	7792246	19204	21	39

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
7792248	19204	21	48	7792461	19205	36	6
7792249	19204	21	67	7792465	19205	33	49
7792251	19204	21	29	7792474	19205	34	6
7792252	19204	21	30	7792475	19205	34	2
7792253	19204	23	39	7792478	19205	33	4
7792257	19205		18	7792479	19205	33	54
7792260	19205	27	18	7792480		33	94
7792268-1	19205	20	65	7792484		33	61
7792268-2	19205	26	46	7792488		33	90
7792282	19205	28	9	7792490	19204	33	74
7792283	19204	21	65	7792495	19205	30	12
7792284	19204	21	57	7792496	19205	30	13
7792302		22	53	7792511	19205	30	43
7792303-1	19204	22	33	7792511-1		32	5
7792303-2		22	34	7792512	19205	32	3
7792303-2		23	43	7792513	19205	30	46
7792303-3	19204	21	36	7792515	19205	30	52
7792303-5		23	30	7792519	19205	30	30
7792335		25	15	7792520	19205	30	8
7792336	19205	25	16	7792522	19205	33	18
7792342	19205	11	1	7792523		33	13
7792343	19204	11	2	7792530	19205	30	51
7792344	19205	11	3	7792540-4	19204	30	10
7792347-11	19204	10	1	7792540-6	19204	30	6
7792348	19204	22	6	7792546-1	19204	33	57
7792351	19205	19	19	7792546-2	19204	33	75
7792352-5	19205	19	18	7792548-1	19204	33	53
7792380	19205	30	34	7792548-2	19204	33	71
7792402	19205	33	22	7792551	19205	33	15
7792404	19205	33	23	7792559	19205	30	9
7792406		35	4	7792562		25	10
7792407	19204	33	24	7792563-1	19205	30	39
7792407	19204	35	5	7792572	19205	10	7
7792417-1	19205	31	5	7792576-4	19204	33	60
7792417-2	19205	31	9	7792576-5	19204	33	81
7792418	19206	31	2	7792576-6	19204	33	73
7792420		33		7792576-7	19204	33	68
7792421		33	51	7792585	19205	30	53
7792422		33	70	7792603	19205	33	
7792425	19205	33	100	7792604	19205	33	
7792426	19204	33	72	7792606	19205	30	27
7792427	19205	33	65	7792608	19205	16	1
7792428	19205	33	79	7792608	19205	17	1
7792429	19205	33	67	7792608	19205	18	1
7792430	19205	33	98	7799724	19205	46	1
7792434	19204	33	59	7799773	19205	42	1
7792435	19205	33	86	8035122	18876	9	34
7792436	19205	33	58	8035124	18876	9	38
7792437	19204	33	80	8035125	18876	9	6
7792438		33	82	8035128	18876	9	33
7792440		33	69	8035129	18876	9	32
7792443-2	19205	36	24	8035130	18876	9	31
7792444	19205	33	7	8035131	18876	9	30
7792446	19205	33	95	8035132	18876	9	
7792447	19205	33	87	8035196	18876	9	
7792448	19204	33	88	8427869-2	19204	30	60
7792449	19205	33	99	8427871	19205	30	55
7792451	19205	33	3	8436547	19204	10	46
7792454-2	19204	33	14	8436781	19204	28	3
7792457	19205	33	45	8445007	19204	22	43
7792458	19205	36	27	8445008	19205	34	7
7792459	19205	36	22	8445009	19204	22	16
7792460	19205	33	46	8445010	19204	36	21

**Section IV. INDEX—FEDERAL STOCK NUMBER AND
REFERENCE NUMBER CROSS-REFERENCE TO FIGURE AND
ITEM NUMBER — Continued**

REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO	REFERENCE NUMBER	MFG CODE	FIG NO	ITEM NO
8447636	19204	13	11	8448127	19204	41	1
8447845	19204	6	35	8448128	19204	41	5
8447857	19204	12	5	8448129	19204	41	7
8447858	19204	12	5	8448151	19204	41	10
8448005	19204	30	62	8448152	19204	41	11
8448006	19204	30	59	8448153	19204	41	
8448007	19205	30	57	8448164	19204	41	9
8448126	19204	41	6	8635475	19200	40	4

By Order of the Secretary of the Army:

W. C. WESTMORELAND,
*General, United States Army,
Chief of Staff.*

Official:

KENNETH G. WICKHAM,
*Major General, United States Army,
The Adjutant General.*

Distribution:

To be distributed in accordance with DA Form 12-31 (qty rqr block no. 177)
direct and general support maintenance requirements for 7.62MM MG-2.75"
Rocket Launcher, High Rate, M21.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1990 - 264-872/10674

TM 9-1090-202-35P ARMAMENT SUBSYSTEM, HELICOPTER, 7.62 MILLIMETER

MACHINE GUN-2.75 INCH ROCKET LAUNCHER:

M21 (1090-923-5971) (USED ON UH-1B

AND UH-1C HELICOPTERS)-1970